

**Ohio Primary and Secondary Syphilis Cases, 2015 to First Quarter 2017**  
**Demographic Breakdown of Ohio**  
**Presented by Date of Diagnosis<sup>1</sup>**

AGE	Cases Reported to the Ohio Department of Health								
	January - March Cases			January - December Cases				Rate <sup>2</sup>	
	2015	2015	2017	2015	% of Total	2016	% of Total	2015	2016
0 - 9	0	0	0	0	0.0	0	0.0	0.0	0.0
10 - 14	0	0	0	0	0.0	0	0.0	0.0	0.0
15 - 19	6	6	11	19	3.4	32	4.5	2.5	4.1
20 - 24	44	35	38	127	22.5	140	19.6	16.3	17.9
25 - 29	32	50	51	113	20.0	170	23.7	14.8	22.2
30 - 34	23	31	31	76	13.5	104	14.5	10.5	14.4
35 - 39	18	15	21	70	12.4	66	9.2	10.1	9.5
40 - 44	12	13	19	49	8.7	43	6.0	6.9	6.1
45 - 54	20	27	29	85	15.0	105	14.7	5.4	6.7
55 - 64	7	10	5	21	3.7	45	6.3	1.3	2.8
65+	1	2	2	5	0.9	10	1.4	0.3	0.5
Not Specified	0	0	0	0	0.0	1	0.1	--	--
<b>RACE</b>									
Am. Indian/Alaskan Native	0	0	0	0	0.0	0	0.0	0.0	0.0
Asian/Pacific Islander	0	1	2	1	0.2	2	0.3	0.4	0.7
Black/African American	84	76	99	276	48.8	306	42.7	17.5	19.4
White	70	103	94	255	45.1	372	52.0	2.6	3.8
Other <sup>3</sup>	9	9	12	33	5.8	35	4.9	--	--
Not Specified	0	0	0	0	0.0	1	0.1	--	--
<b>ETHNICITY</b>									
Hispanic	12	5	13	20	3.5	24	3.4	4.8	5.8
Non-Hispanic	151	183	194	545	96.5	691	96.5	4.9	6.2
Not Specified	0	1	0	0	0.0	1	0.1	--	--
<b>SEX</b>									
Male	144	158	177	497	88.0	622	86.9	8.4	10.5
Female	19	31	30	68	12.0	94	13.1	1.2	1.7
Not Specified	0	0	0	0	0.0	0	0.0	--	--
<b>TOTAL</b>	<b>163</b>	<b>189</b>	<b>207</b>	<b>565</b>	<b>100.0</b>	<b>716</b>	<b>100.0</b>	<b>4.9</b>	<b>6.2</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases, 2015 to First Quarter 2017**  
**Presented by Date of Diagnosis<sup>1</sup>**

COUNTY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2015	2016	2017	2015	2016	2015	2016
ADAMS	0	0	0	0	1	0.0	3.6
ALLEN	0	0	0	1	2	1.0	1.9
ASHLAND	0	0	0	0	0	0.0	0.0
ASHTABULA	1	0	0	4	2	4.1	2.0
ATHENS	0	0	0	0	0	0.0	0.0
AUGLAIZE	0	0	0	1	0	2.2	0.0
BELMONT	0	1	0	0	2	0.0	2.9
BROWN	0	0	0	0	0	0.0	0.0
BUTLER	3	3	1	6	9	1.6	2.4
CARROLL	0	0	0	0	0	0.0	0.0
CHAMPAIGN	0	1	1	1	1	2.6	2.6
CLARK	3	7	2	22	19	16.2	14.0
CLERMONT	0	0	0	0	0	0.0	0.0
CLINTON	0	1	0	1	1	2.4	2.4
COLUMBIANA	0	1	0	1	2	1.0	1.9
COSHOCTON	0	0	0	1	0	2.7	0.0
CRAWFORD	0	0	0	0	0	0.0	0.0
CUYAHOGA	15	26	41	58	139	4.6	11.1
DARKE	0	0	0	0	0	0.0	0.0
DEFIANCE	0	0	1	0	0	0.0	0.0
DELAWARE	1	1	4	5	5	2.6	2.6
ERIE	0	0	0	1	0	1.3	0.0
FAIRFIELD	2	3	2	5	6	3.3	4.0
FAYETTE	0	0	0	1	0	3.5	0.0
FRANKLIN	80	72	86	256	286	20.5	22.8
FULTON	0	0	1	0	0	0.0	0.0
GALLIA	0	0	0	1	0	3.3	0.0
GEAUGA	1	1	1	2	3	2.1	3.2
GREENE	1	1	1	7	3	4.3	1.8
GUERNSEY	0	0	0	0	0	0.0	0.0
HAMILTON	24	13	13	82	52	10.2	6.4
HANCOCK	0	0	0	2	1	2.6	1.3
HARDIN	0	0	0	1	0	3.2	0.0
HARRISON	0	0	0	0	0	0.0	0.0
HENRY	0	0	0	0	0	0.0	0.0
HIGHLAND	0	0	0	0	0	0.0	0.0
HOCKING	0	0	0	0	1	0.0	3.5
HOLMES	0	0	0	0	1	0.0	2.3
HURON	0	0	0	0	0	0.0	0.0
JACKSON	0	0	0	0	1	0.0	3.1
JEFFERSON	0	0	0	2	0	3.0	0.0
KNOX	0	0	0	1	0	1.6	0.0
LAKE	2	2	1	4	7	1.7	3.1
LAWRENCE	0	1	1	4	6	6.5	9.8
LICKING	1	1	2	3	7	1.8	4.1

Notes:

cont.

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases, 2015 to First Quarter 2017**  
**Presented by Date of Diagnosis<sup>1</sup>**

COUNTY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2015	2016	2017	2015	2016	2015	2016
LOGAN	1	0	0	1	0	2.2	0.0
LORAIN	1	1	2	7	7	2.3	2.3
LUCAS	3	7	9	10	19	2.3	4.4
MADISON	0	0	0	0	0	0.0	0.0
MAHONING	0	2	0	1	8	0.4	3.4
MARION	0	0	0	1	2	1.5	3.1
MEDINA	0	0	0	1	0	0.6	0.0
MEIGS	0	0	0	0	0	0.0	0.0
MERCER	0	0	2	0	0	0.0	0.0
MIAMI	0	1	0	1	1	1.0	1.0
MONROE	0	0	1	0	0	0.0	0.0
MONTGOMERY	4	9	8	18	34	3.4	6.4
MORGAN	0	0	0	0	1	0.0	6.8
MORROW	1	0	0	1	0	2.9	0.0
MUSKINGUM	0	1	0	0	1	0.0	1.2
NOBLE	0	0	0	0	0	0.0	0.0
OTTAWA	1	3	0	1	3	2.4	7.3
PAULDING	1	0	0	1	1	5.3	5.3
PERRY	0	0	0	0	0	0.0	0.0
PICKAWAY	1	0	1	3	4	5.3	7.0
PIKE	0	0	0	0	0	0.0	0.0
PORTAGE	2	2	0	2	4	1.2	2.5
PREBLE	0	0	0	0	0	0.0	0.0
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	1	1	0	2	3	1.6	2.5
ROSS	0	0	0	1	3	1.3	3.9
SANDUSKY	0	0	1	0	3	0.0	5.0
SCIOTO	1	1	0	1	1	1.3	1.3
SENECA	0	0	0	0	0	0.0	0.0
SHELBY	0	2	1	0	3	0.0	6.1
STARK	1	3	2	2	9	0.5	2.4
SUMMIT	8	15	13	22	38	4.1	7.0
TRUMBULL	1	0	3	4	3	2.0	1.5
TUSCARAWAS	0	0	1	0	0	0.0	0.0
UNION	0	4	1	3	7	5.5	12.9
VAN WERT	0	0	0	0	0	0.0	0.0
VINTON	0	0	0	0	0	0.0	0.0
WARREN	0	1	0	2	3	0.9	1.3
WASHINGTON	0	0	0	1	0	1.6	0.0
WAYNE	1	0	0	2	0	1.7	0.0
WILLIAMS	0	0	0	0	0	0.0	0.0
WOOD	1	1	4	4	1	3.1	0.8
WYANDOT	0	0	0	0	0	0.0	0.0
UNKNOWN COUNTY <sup>3</sup>	0	0	0	0	0	--	--
<b>TOTAL</b>	<b>163</b>	<b>189</b>	<b>207</b>	<b>565</b>	<b>716</b>	<b>4.9</b>	<b>6.2</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases, 2015 to First Quarter 2017**  
Presented by Date of Diagnosis<sup>1</sup>

CITY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2015	2016	2017	2015	2016	2015	2016
Akron	7	12	13	17	32	8.6	16.1
Canton	0	2	0	0	7	0.0	9.7
Cincinnati	23	13	13	81	50	27.2	16.8
Cleveland	11	19	34	37	102	9.5	26.1
Columbus	74	59	80	235	238	28.5	28.9
Dayton	4	9	6	18	28	12.7	19.8
Lima	0	0	0	1	1	2.6	2.6
Toledo	2	5	9	9	14	3.2	5.0
Youngstown	0	2	0	1	6	1.5	9.2



**Notes:**

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census city estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 07/2/2017.