

Ohio Primary and Secondary Syphilis Cases, 2015 to Third Quarter 2017
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹

AGE	Cases Reported to the Ohio Department of Health								
	January - September Cases			January - December Cases				Rate ²	
	2015	2015	2017	2015	% of Total	2016	% of Total	2015	2016
0 - 9	0	0	0	0	0.0	0	0.0	0.0	0.0
10 - 14	0	0	0	0	0.0	0	0.0	0.0	0.0
15 - 19	13	22	26	19	3.4	32	4.5	2.5	4.1
20 - 24	95	108	135	127	22.5	140	19.6	16.3	17.9
25 - 29	84	124	151	113	20.0	170	23.7	14.8	22.2
30 - 34	55	79	106	76	13.5	104	14.5	10.5	14.4
35 - 39	50	52	69	70	12.4	66	9.2	10.1	9.5
40 - 44	36	34	46	49	8.7	43	6.0	6.9	6.1
45 - 54	65	78	73	85	15.0	105	14.7	5.4	6.7
55 - 64	18	36	26	21	3.7	45	6.3	1.3	2.8
65+	3	7	11	5	0.9	10	1.4	0.3	0.5
Not Specified	0	1	0	0	0.0	1	0.1	--	--
RACE									
Am. Indian/Alaskan Native	0	0	0	0	0.0	0	0.0	0.0	0.0
Asian/Pacific Islander	0	2	6	1	0.2	2	0.3	0.4	0.7
Black/African American	206	228	285	276	48.8	305	42.6	17.5	19.3
White	190	285	308	255	45.1	371	51.8	2.6	3.8
Other ³	23	25	43	33	5.8	37	5.2	--	--
Not Specified	0	1	1	0	0.0	1	0.1	--	--
ETHNICITY									
Hispanic	16	18	30	20	3.5	24	3.4	4.8	5.8
Non-Hispanic	403	522	611	545	96.5	691	96.5	4.9	6.2
Not Specified	0	1	2	0	0.0	1	0.1	--	--
SEX									
Male	364	468	559	497	88.0	622	86.9	8.4	10.5
Female	55	73	84	68	12.0	94	13.1	1.2	1.7
Not Specified	0	0	0	0	0.0	0	0.0	--	--
TOTAL	419	541	643	565	100.0	716	100.0	4.9	6.2

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Primary and Secondary Syphilis Cases, 2015 to Third Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
ADAMS	0	1	0	0	1	0.0	3.6
ALLEN	1	2	6	1	2	1.0	1.9
ASHLAND	0	0	0	0	0	0.0	0.0
ASHTABULA	3	2	0	4	2	4.1	2.0
ATHENS	0	0	0	0	0	0.0	0.0
AUGLAIZE	1	0	0	1	0	2.2	0.0
BELMONT	0	2	0	0	2	0.0	2.9
BROWN	0	0	1	0	0	0.0	0.0
BUTLER	5	8	9	6	9	1.6	2.4
CARROLL	0	0	1	0	0	0.0	0.0
CHAMPAIGN	1	1	1	1	1	2.6	2.6
CLARK	16	14	12	22	19	16.2	14.0
CLERMONT	0	0	1	0	0	0.0	0.0
CLINTON	0	1	2	1	1	2.4	2.4
COLUMBIANA	1	1	0	1	2	1.0	1.9
COSHOCTON	1	0	0	1	0	2.7	0.0
CRAWFORD	0	0	0	0	0	0.0	0.0
CUYAHOGA	42	101	121	58	139	4.6	11.1
DARKE	0	0	0	0	0	0.0	0.0
DEFIANCE	0	0	1	0	0	0.0	0.0
DELAWARE	3	2	7	5	5	2.6	2.6
ERIE	1	0	3	1	0	1.3	0.0
FAIRFIELD	3	5	5	5	6	3.3	4.0
FAYETTE	0	0	0	1	0	3.5	0.0
FRANKLIN	199	213	265	256	286	20.5	22.8
FULTON	0	0	1	0	0	0.0	0.0
GALLIA	0	0	0	1	0	3.3	0.0
GEAUGA	2	3	1	2	3	2.1	3.2
GREENE	4	3	5	7	3	4.3	1.8
GUERNSEY	0	0	0	0	0	0.0	0.0
HAMILTON	59	38	53	82	52	10.2	6.4
HANCOCK	1	1	2	2	1	2.6	1.3
HARDIN	1	0	0	1	0	3.2	0.0
HARRISON	0	0	0	0	0	0.0	0.0
HENRY	0	0	0	0	0	0.0	0.0
HIGHLAND	0	0	0	0	0	0.0	0.0
HOCKING	0	1	1	0	1	0.0	3.5
HOLMES	0	0	0	0	1	0.0	2.3
HURON	0	0	0	0	0	0.0	0.0
JACKSON	0	0	0	0	1	0.0	3.1
JEFFERSON	1	0	0	2	0	3.0	0.0
KNOX	0	0	0	1	0	1.6	0.0
LAKE	2	6	4	4	7	1.7	3.1
LAWRENCE	3	3	6	4	6	6.5	9.8
LICKING	2	3	4	3	7	1.8	4.1

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

Ohio Primary and Secondary Syphilis Cases, 2015 to Third Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
LOGAN	1	0	0	1	0	2.2	0.0
LORAIN	6	6	11	7	7	2.3	2.3
LUCAS	8	16	17	10	19	2.3	4.4
MADISON	0	0	0	0	0	0.0	0.0
MAHONING	0	8	2	1	8	0.4	3.4
MARION	1	1	1	1	2	1.5	3.1
MEDINA	0	0	0	1	0	0.6	0.0
MEIGS	0	0	0	0	0	0.0	0.0
MERCER	0	0	2	0	0	0.0	0.0
MIAMI	0	1	0	1	1	1.0	1.0
MONROE	0	0	1	0	0	0.0	0.0
MONTGOMERY	13	27	25	18	34	3.4	6.4
MORGAN	0	1	0	0	1	0.0	6.8
MORROW	1	0	2	1	0	2.9	0.0
MUSKINGUM	0	1	1	0	1	0.0	1.2
NOBLE	0	0	0	0	0	0.0	0.0
OTTAWA	1	3	0	1	3	2.4	7.3
PAULDING	1	0	0	1	1	5.3	5.3
PERRY	0	0	0	0	0	0.0	0.0
PICKAWAY	1	4	2	3	4	5.3	7.0
PIKE	0	0	1	0	0	0.0	0.0
PORTAGE	2	3	6	2	4	1.2	2.5
PREBLE	0	0	1	0	0	0.0	0.0
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	2	3	2	2	3	1.6	2.5
ROSS	1	3	0	1	3	1.3	3.9
SANDUSKY	0	2	1	0	3	0.0	5.0
SCIOTO	1	1	0	1	1	1.3	1.3
SENECA	0	0	0	0	0	0.0	0.0
SHELBY	0	3	1	0	3	0.0	6.1
STARK	2	6	7	2	9	0.5	2.4
SUMMIT	13	32	28	22	38	4.1	7.0
TRUMBULL	4	2	5	4	3	2.0	1.5
TUSCARAWAS	0	0	1	0	0	0.0	0.0
UNION	1	5	2	3	7	5.5	12.9
VAN WERT	0	0	0	0	0	0.0	0.0
VINTON	0	0	1	0	0	0.0	0.0
WARREN	1	1	3	2	3	0.9	1.3
WASHINGTON	1	0	1	1	0	1.6	0.0
WAYNE	2	0	1	2	0	1.7	0.0
WILLIAMS	0	0	0	0	0	0.0	0.0
WOOD	4	1	5	4	1	3.1	0.8
WYANDOT	0	0	0	0	0	0.0	0.0
UNKNOWN COUNTY ³	0	0	1	0	0	--	--
TOTAL	419	541	643	565	716	4.9	6.2

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Primary and Secondary Syphilis Cases, 2015 to Third Quarter 2017
 Presented by Date of Diagnosis¹

CITY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
Akron	10	26	24	17	32	8.6	16.1
Canton	0	4	3	0	7	0.0	9.7
Cincinnati	58	37	52	81	50	27.2	16.8
Cleveland	27	73	96	37	102	9.5	26.1
Columbus	185	178	222	234	238	28.4	28.9
Dayton	13	26	22	18	28	12.7	19.8
Lima	1	1	6	1	1	2.6	2.6
Toledo	7	11	16	9	14	3.2	5.0
Youngstown	0	6	2	1	6	1.5	9.2



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census city estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.