

Ohio Total Syphilis Cases, 2015 to First Quarter 2017
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹

AGE	Cases Reported to the Ohio Department of Health								
	January - March Cases			January - December Cases				Rate ²	
	2015	2016	2017	2015	% of Total	2016	% of Total	2015	2016
0 - 9	3	5	7	16	1.2	13	0.8	1.1	0.9
10 - 14	0	1	0	0	0.0	2	0.1	0.0	0.3
15 - 19	16	17	20	45	3.3	67	4.2	5.8	8.7
20 - 24	71	75	83	265	19.6	2,016	125.8	34.0	258.5
25 - 29	65	94	96	282	20.8	343	21.4	36.9	44.8
30 - 34	41	63	77	192	14.2	230	14.3	26.6	31.8
35 - 39	38	43	55	158	11.7	185	11.5	22.9	26.8
40 - 44	29	25	39	127	9.4	107	6.7	18.0	15.2
45 - 54	42	60	85	184	13.6	254	15.8	11.7	16.1
55 - 64	14	18	12	59	4.4	90	5.6	3.7	5.6
65+	6	8	5	25	1.8	26	1.6	1.4	1.4
Not Specified	0	0	0	0	0.0	1	0.1	--	--
RACE									
Am. Indian/Alaskan Native	0	1	0	0	0.0	1	0.1	0.0	2.4
Asian/Pacific Islander	5	1	6	7	0.5	14	0.9	2.6	5.2
Black/African American	170	183	237	682	50.4	712	44.4	43.2	45.1
White	129	204	202	570	42.1	773	48.2	5.9	8.0
Other ³	21	20	34	93	6.9	101	6.3	--	--
Not Specified	0	0	0	1	0.1	2	0.1	--	--
ETHNICITY									
Hispanic	20	9	26	50	3.7	59	3.7	12.1	14.2
Non-Hispanic	305	399	453	1,303	96.3	1,543	96.3	11.6	13.8
Not Specified	0	1	0	0	0.0	1	0.1	--	--
SEX									
Male	262	333	393	1,084	80.1	1,309	81.7	18.3	22.1
Female	63	76	86	269	19.9	294	18.3	4.7	5.2
Not Specified	0	0	0	0	0.0	0	0.0	--	--
TOTAL	325	409	479	1,353	100.0	1,603	100.0	11.7	13.8

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2015 to First Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - March Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
ADAMS	0	0	2	0	1	0.0	3.6
ALLEN	0	1	1	3	4	2.9	3.8
ASHLAND	0	0	0	0	1	0.0	1.9
ASHTABULA	2	1	1	6	5	6.1	5.1
ATHENS	1	0	1	1	1	1.5	1.5
AUGLAIZE	0	0	0	1	1	2.2	2.2
BELMONT	0	1	0	2	3	2.9	4.3
BROWN	0	0	0	0	2	0.0	4.6
BUTLER	12	7	5	33	21	8.8	5.6
CARROLL	0	0	0	0	1	0.0	3.6
CHAMPAIGN	0	3	1	1	4	2.6	10.3
CLARK	6	17	8	44	45	32.4	33.1
CLERMONT	0	1	1	8	2	4.0	1.0
CLINTON	0	3	0	1	3	2.4	7.2
COLUMBIANA	0	2	0	1	4	1.0	3.8
COSHOCTON	0	0	1	1	0	2.7	0.0
CRAWFORD	0	1	0	1	1	2.4	2.4
CUYAHOGA	46	68	109	200	328	15.9	26.1
DARKE	1	0	0	1	0	1.9	0.0
DEFIANCE	0	0	1	0	2	0.0	5.2
DELAWARE	3	1	4	11	8	5.7	4.1
ERIE	0	2	2	2	3	2.6	4.0
FAIRFIELD	2	3	3	11	8	7.3	5.3
FAYETTE	0	1	0	1	2	3.5	7.0
FRANKLIN	115	127	160	450	501	36.0	40.0
FULTON	0	0	1	0	0	0.0	0.0
GALLIA	0	0	0	2	0	6.6	0.0
GEAUGA	1	1	1	2	5	2.1	5.3
GREENE	3	2	4	14	15	8.5	9.1
GUERNSEY	0	0	0	0	0	0.0	0.0
HAMILTON	55	50	63	245	195	30.3	24.1
HANCOCK	0	1	0	2	2	2.6	2.6
HARDIN	0	0	0	1	0	3.2	0.0
HARRISON	0	0	0	0	1	0.0	6.5
HENRY	0	0	0	0	0	0.0	0.0
HIGHLAND	0	0	0	0	0	0.0	0.0
HOCKING	0	0	2	1	2	3.5	7.0
HOLMES	0	0	0	0	2	0.0	4.6
HURON	0	0	1	1	1	1.7	1.7
JACKSON	0	0	0	0	3	0.0	9.2
JEFFERSON	0	0	0	3	1	4.5	1.5
KNOX	0	0	0	3	0	4.9	0.0
LAKE	3	3	2	9	15	3.9	6.5
LAWRENCE	0	3	2	10	11	16.4	18.0
LICKING	5	1	3	14	13	8.2	7.6

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

Ohio Total Syphilis Cases, 2015 to First Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - March Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
LOGAN	1	0	0	1	0	2.2	0.0
LORAIN	4	4	5	16	24	5.2	7.9
LUCAS	9	11	14	31	43	7.1	9.9
MADISON	1	0	2	2	4	4.5	9.1
MAHONING	3	8	4	11	23	4.7	9.9
MARION	0	0	0	2	2	3.1	3.1
MEDINA	0	2	2	2	6	1.1	3.4
MEIGS	0	0	0	2	0	8.6	0.0
MERCER	0	0	2	0	1	0.0	2.4
MIAMI	0	1	2	3	2	2.9	1.9
MONROE	0	0	1	0	0	0.0	0.0
MONTGOMERY	17	19	17	58	75	10.9	14.1
MORGAN	0	2	0	0	3	0.0	20.3
MORROW	2	0	0	3	1	8.6	2.9
MUSKINGUM	0	1	0	0	3	0.0	3.5
NOBLE	0	0	0	2	0	14.0	0.0
OTTAWA	1	3	0	1	3	2.4	7.3
PAULDING	1	0	0	1	1	5.3	5.3
PERRY	0	0	0	0	2	0.0	5.6
PICKAWAY	1	3	6	22	26	38.6	45.6
PIKE	0	0	1	2	1	7.1	3.5
PORTAGE	5	4	1	7	10	4.3	6.2
PREBLE	0	0	0	0	0	0.0	0.0
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	1	2	0	5	4	4.1	3.3
ROSS	1	1	0	3	5	3.9	6.5
SANDUSKY	0	1	2	1	7	1.7	11.7
SCIOTO	1	1	1	4	2	5.2	2.6
SENECA	0	0	0	0	0	0.0	0.0
SHELBY	1	4	1	1	6	2.0	12.3
STARK	2	6	5	6	20	1.6	5.3
SUMMIT	13	20	23	45	64	8.3	11.8
TRUMBULL	1	3	3	11	12	5.4	5.9
TUSCARAWAS	0	0	1	0	0	0.0	0.0
UNION	0	7	2	5	14	9.2	25.8
VAN WERT	0	0	0	1	0	3.5	0.0
VINTON	0	0	0	0	1	0.0	7.7
WARREN	2	2	0	5	11	2.2	4.9
WASHINGTON	0	0	0	2	2	3.3	3.3
WAYNE	1	1	1	4	2	3.4	1.7
WILLIAMS	0	0	0	0	0	0.0	0.0
WOOD	2	3	4	8	6	6.2	4.6
WYANDOT	0	0	0	0	0	0.0	0.0
UNKNOWN COUNTY ³	0	0	0	0	0	--	--
TOTAL	325	409	479	1,353	1,603	11.7	13.8

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2015 to First Quarter 2017
Presented by Date of Diagnosis¹

CITY	January - March Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
Akron	11	17	18	36	51	18.2	25.7
Canton	0	4	3	1	11	1.4	15.2
Cincinnati	56	51	61	242	192	81.4	64.6
Cleveland	35	55	87	141	232	36.1	59.4
Columbus	106	104	143	412	419	50.0	50.8
Dayton	14	18	13	53	62	37.5	43.9
Lima	0	1	1	3	3	7.8	7.8
Toledo	7	9	14	29	37	10.3	13.1
Youngstown	3	8	4	8	19	12.2	29.0



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census city estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 07/2/2017.