

Ohio Total Syphilis Cases, 2015 to Third Quarter 2017
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹

AGE	Cases Reported to the Ohio Department of Health								
	January - September Cases			January - December Cases				Rate ²	
	2015	2016	2017	2015	% of Total	2016	% of Total	2015	2016
0 - 9	10	11	13	16	1.2	13	0.8	1.1	0.9
10 - 14	0	2	0	0	0.0	2	0.1	0.0	0.3
15 - 19	35	54	54	45	3.3	67	4.2	5.8	8.7
20 - 24	193	218	263	264	19.5	286	17.8	33.8	36.7
25 - 29	201	250	297	282	20.8	343	21.3	36.9	44.8
30 - 34	139	173	242	192	14.2	231	14.4	26.6	32.0
35 - 39	113	145	162	158	11.7	186	11.6	22.9	26.9
40 - 44	98	80	116	127	9.4	107	6.7	18.0	15.2
45 - 54	147	188	201	185	13.7	256	15.9	11.7	16.2
55 - 64	53	67	73	59	4.4	91	5.7	3.7	5.7
65+	22	21	26	26	1.9	26	1.6	1.4	1.4
Not Specified	0	1	0	0	0.0	1	0.1	--	--
RACE									
Am. Indian/Alaskan Native	0	1	0	0	0.0	1	0.1	0.0	2.4
Asian/Pacific Islander	5	11	17	7	0.5	13	0.8	2.6	4.8
Black/African American	514	540	683	682	50.4	713	44.3	43.2	45.2
White	430	577	630	572	42.2	772	48.0	5.9	7.9
Other ³	62	80	115	93	6.9	108	6.7	--	--
Not Specified	0	1	2	0	0.0	2	0.1	--	--
ETHNICITY									
Hispanic	38	43	76	50	3.7	59	3.7	12.1	14.2
Non-Hispanic	973	1,166	1,363	1,304	96.3	1,548	96.2	11.6	13.8
Not Specified	0	1	8	0	0.0	2	0.1	--	--
SEX									
Male	805	984	1,193	1,086	80.2	1,314	81.7	18.3	22.2
Female	206	226	254	268	19.8	295	18.3	4.7	5.2
Not Specified	0	0	0	0	0.0	0	0.0	--	--
TOTAL	1,011	1,210	1,447	1,354	100.0	1,609	100.0	11.7	13.9

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2015 to Third Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
ADAMS	0	1	4	0	1	0.0	3.6
ALLEN	3	4	9	3	4	2.9	3.8
ASHLAND	0	1	0	0	1	0.0	1.9
ASHTABULA	5	5	2	6	5	6.1	5.1
ATHENS	1	0	2	1	1	1.5	1.5
AUGLAIZE	1	0	0	1	1	2.2	2.2
BELMONT	2	3	0	2	3	2.9	4.3
BROWN	0	2	2	0	2	0.0	4.6
BUTLER	23	16	22	34	21	9.0	5.6
CARROLL	0	0	1	0	1	0.0	3.6
CHAMPAIGN	1	4	1	1	4	2.6	10.3
CLARK	34	35	30	44	45	32.4	33.1
CLERMONT	6	2	5	8	2	4.0	1.0
CLINTON	0	3	3	1	3	2.4	7.2
COLUMBIANA	1	3	3	1	4	1.0	3.8
COSHOCTON	1	0	1	1	0	2.7	0.0
CRAWFORD	1	1	0	1	1	2.4	2.4
CUYAHOGA	146	230	288	200	328	15.9	26.1
DARKE	1	0	0	1	0	1.9	0.0
DEFIANCE	0	2	1	0	2	0.0	5.2
DELAWARE	8	3	12	11	8	5.7	4.1
ERIE	2	2	8	2	3	2.6	4.0
FAIRFIELD	8	6	9	11	8	7.3	5.3
FAYETTE	0	2	2	1	2	3.5	7.0
FRANKLIN	340	377	481	450	503	36.0	40.2
FULTON	0	0	2	0	0	0.0	0.0
GALLIA	1	0	0	2	0	6.6	0.0
GEAUGA	2	4	1	2	5	2.1	5.3
GREENE	9	12	12	14	15	8.5	9.1
GUERNSEY	0	0	1	0	0	0.0	0.0
HAMILTON	186	152	177	244	196	30.2	24.3
HANCOCK	1	2	3	2	4	2.6	5.3
HARDIN	1	0	0	1	0	3.2	0.0
HARRISON	0	1	0	0	1	0.0	6.5
HENRY	0	0	0	0	0	0.0	0.0
HIGHLAND	0	0	0	0	0	0.0	0.0
HOCKING	1	2	3	1	2	3.5	7.0
HOLMES	0	0	0	0	2	0.0	4.6
HURON	1	1	2	1	1	1.7	1.7
JACKSON	0	0	1	0	3	0.0	9.2
JEFFERSON	1	1	1	3	1	4.5	1.5
KNOX	2	0	2	3	0	4.9	0.0
LAKE	4	13	9	9	15	3.9	6.5
LAWRENCE	7	8	9	10	11	16.4	18.0
LICKING	12	6	7	14	13	8.2	7.6

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

Ohio Total Syphilis Cases, 2015 to Third Quarter 2017
Presented by Date of Diagnosis¹

COUNTY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
LOGAN	1	0	1	1	0	2.2	0.0
LORAIN	14	18	30	16	24	5.2	7.9
LUCAS	22	35	29	32	44	7.4	10.1
MADISON	2	2	3	2	4	4.5	9.1
MAHONING	4	22	14	11	23	4.7	9.9
MARION	1	1	1	1	2	1.5	3.1
MEDINA	1	5	5	2	6	1.1	3.4
MEIGS	2	0	0	2	0	8.6	0.0
MERCER	0	0	2	0	1	0.0	2.4
MIAMI	2	1	5	3	2	2.9	1.9
MONROE	0	0	1	0	0	0.0	0.0
MONTGOMERY	44	59	68	58	74	10.9	13.9
MORGAN	0	3	0	0	3	0.0	20.3
MORROW	2	1	3	3	1	8.6	2.9
MUSKINGUM	0	3	1	0	3	0.0	3.5
NOBLE	2	0	0	2	0	14.0	0.0
OTTAWA	1	3	1	1	3	2.4	7.3
PAULDING	1	0	0	1	1	5.3	5.3
PERRY	0	2	0	0	2	0.0	5.6
PICKAWAY	12	23	21	23	27	40.4	47.4
PIKE	2	1	2	2	1	7.1	3.5
PORTAGE	6	9	11	7	10	4.3	6.2
PREBLE	0	0	2	0	0	0.0	0.0
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	5	4	5	5	4	4.1	3.3
ROSS	2	4	0	3	5	3.9	6.5
SANDUSKY	1	5	2	1	7	1.7	11.7
SCIOTO	4	2	2	4	2	5.2	2.6
SENECA	0	0	0	0	0	0.0	0.0
SHELBY	1	6	1	1	6	2.0	12.3
STARK	6	12	19	6	20	1.6	5.3
SUMMIT	33	52	63	45	65	8.3	12.0
TRUMBULL	10	9	9	11	11	5.4	5.4
TUSCARAWAS	0	0	2	0	0	0.0	0.0
UNION	1	10	6	5	14	9.2	25.8
VAN WERT	0	0	0	1	0	3.5	0.0
VINTON	0	1	1	0	1	0.0	7.7
WARREN	4	6	6	5	11	2.2	4.9
WASHINGTON	2	2	4	2	2	3.3	3.3
WAYNE	4	2	4	4	2	3.4	1.7
WILLIAMS	0	0	0	0	0	0.0	0.0
WOOD	7	3	5	8	6	6.2	4.6
WYANDOT	0	0	0	0	0	0.0	0.0
UNKNOWN COUNTY ³	0	0	2	0	0	--	--
TOTAL	1,011	1,210	1,447	1,354	1,609	11.7	13.9

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2015.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2015 to Third Quarter 2017
Presented by Date of Diagnosis¹

CITY	January - September Cases			Jan - Dec Cases		Rate ²	
	2015	2016	2017	2015	2016	2015	2016
Akron	27	42	48	36	52	18.2	26.2
Canton	1	8	13	1	11	1.4	15.2
Cincinnati	185	150	172	241	193	81.0	64.9
Cleveland	101	167	224	141	232	36.1	59.4
Columbus	315	318	416	412	421	50.0	51.1
Dayton	39	54	54	53	61	37.5	43.1
Lima	3	3	9	3	3	7.8	7.8
Toledo	19	29	28	29	38	10.3	13.5
Youngstown	3	19	13	8	19	12.2	29.0



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census city estimates for 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.