

**Ohio Gonorrhea Cases
2012-2016
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹**

AGE	Cases reported to the Ohio Department of Health									
	Rates ²					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
0 - 9	0.6	1.1	0.8	0.5	1.1	9	15	12	7	16
10 - 14	21.4	26.6	22.2	18.3	19.0	164	202	168	137	142
15 - 19	570.1	544.4	502.1	485.2	561.5	4,485	4,248	3,881	3,746	4,335
20 - 24	737.6	709.3	679.4	689.8	793.8	5,817	5,625	5,374	5,380	6,191
25 - 29	375.9	382.9	384.1	420.3	544.6	2,706	2,803	2,881	3,214	4,165
30 - 34	211.0	218.3	216.7	236.4	318.1	1,508	1,572	1,564	1,707	2,297
35 - 39	109.8	121.0	122.1	140.7	185.6	737	812	830	973	1,283
40 - 44	57.9	70.4	67.8	72.0	98.8	438	525	494	508	697
45 - 54	28.5	33.9	33.7	38.4	56.8	477	554	540	606	896
55 - 64	10.1	15.0	15.0	16.9	26.2	155	233	236	269	418
65+	1.6	2.7	3.1	3.6	4.6	28	47	56	67	84
Not Specified	--	--	--	--	--	31	27	9	11	10
RACE										
Am. Indian/Alaskan Native	20.0	27.0	41.2	21.6	59.9	8	11	17	9	25
Asian/Pacific Islander	14.5	10.2	21.5	15.1	22.2	34	25	56	41	60
Black/African American	622.1	599.7	539.1	544.2	673.5	9,523	9,263	8,436	8,590	10,632
White	35.7	38.5	39.6	38.8	51.1	3,473	3,751	3,854	3,775	4,971
Other ³	--	--	--	--	--	698	760	751	806	999
Not Specified	--	--	--	--	--	2,819	2,853	2,931	3,404	3,847
ETHNICITY										
Hispanic	67.6	70.1	58.3	63.2	72.8	255	273	235	262	302
Non-Hispanic	88.0	93.6	92.8	94.8	119.7	9,830	10,464	10,383	10,618	13,408
Not Specified	--	--	--	--	--	6,470	5,926	5,427	5,745	6,824
SEX										
Male	121.0	131.8	124.9	137.2	175.3	6,828	7,462	7,397	8,132	10,389
Female	164.8	155.7	152.4	149.4	178.4	9,727	9,201	8,648	8,493	10,145
Not Specified	--	--	--	--	--	0	0	0	0	0
TOTAL	143.4	144.0	138.4	143.2	176.8	16,555	16,663	16,045	16,625	20,534

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2012-2016**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
ADAMS	17.6	14.2	7.1	17.8	21.4	5	4	2	5	6
ALLEN	97.0	81.7	145.6	168.5	102.5	102	86	153	176	107
ASHLAND	13.2	5.7	33.9	30.1	20.7	7	3	18	16	11
ASHTABULA	51.8	24.0	72.6	53.7	102.4	52	24	72	53	101
ATHENS	26.4	20.1	37.1	33.4	63.7	17	13	24	22	42
AUGLAIZE	26.2	32.7	19.6	19.6	37.1	12	15	9	9	17
BELMONT	41.6	51.7	34.6	33.3	43.4	29	36	24	23	30
BROWN	29.3	13.6	27.2	16.0	68.4	13	6	12	7	30
BUTLER	91.7	91.8	107.8	108.7	127.3	340	341	403	409	479
CARROLL	49.0	38.9	46.1	28.8	10.8	14	11	13	8	3
CHAMPAIGN	20.2	22.8	30.7	35.9	38.5	8	9	12	14	15
CLARK	115.2	100.6	104.8	104.4	205.2	158	137	143	142	279
CLERMONT	40.2	35.0	32.3	36.6	61.4	80	70	65	74	124
CLINTON	33.4	45.3	23.9	26.2	47.7	14	19	10	11	20
COLUMBIANA	62.9	31.2	42.6	38.2	31.5	67	33	45	40	33
COSHOCTON	10.9	13.6	38.3	19.1	46.5	4	5	14	7	17
CRAWFORD	39.7	49.1	51.8	44.9	40.2	17	21	22	19	17
CUYAHOGA	293.7	292.3	252.3	241.6	298.7	3,716	3,692	3,181	3,034	3,751
DARKE	3.8	43.9	47.9	28.8	61.4	2	23	25	15	32
DEFIANCE	46.5	23.4	23.3	54.8	20.9	18	9	9	21	8
DELAWARE	24.9	27.6	26.4	38.9	43.0	45	51	50	75	83
ERIE	91.6	39.4	192.5	205.2	242.2	70	30	146	155	183
FAIRFIELD	26.4	32.2	47.9	55.5	64.1	39	48	72	84	97
FAYETTE	20.8	17.4	24.4	52.3	73.2	6	5	7	15	21
FRANKLIN	217.6	243.2	231.2	258.0	339.9	2,602	2,948	2,853	3,229	4,254
FULTON	35.3	18.8	18.8	21.2	37.6	15	8	8	9	16
GALLIA	13.0	6.5	13.2	29.9	23.2	4	2	4	9	7
GEAUGA	14.9	13.8	12.8	5.3	20.2	14	13	12	5	19
GREENE	68.5	58.2	51.6	71.8	96.7	112	95	85	118	159
GUERNSEY	7.5	37.8	65.7	58.6	43.3	3	15	26	23	17
HAMILTON	296.5	293.7	282.9	336.8	355.5	2,378	2,363	2,281	2,720	2,871
HANCOCK	48.9	15.8	38.5	34.4	30.4	37	12	29	26	23
HARDIN	19.0	37.9	34.6	50.5	18.9	6	12	11	16	6
HARRISON	0.0	38.4	25.7	38.8	25.9	0	6	4	6	4
HENRY	28.5	17.8	21.5	25.2	25.2	8	5	6	7	7
HIGHLAND	30.2	30.0	37.1	20.9	27.9	13	13	16	9	12
HOCKING	10.2	27.9	7.0	35.1	73.7	3	8	2	10	21
HOLMES	9.3	13.8	6.8	13.7	4.6	4	6	3	6	2
HURON	18.6	35.7	40.9	49.6	39.3	11	21	24	29	23
JACKSON	0.0	6.1	3.1	15.3	21.5	0	2	1	5	7
JEFFERSON	118.4	169.2	116.7	60.9	32.7	81	115	79	41	22
KNOX	16.5	16.4	19.7	14.7	21.3	10	10	12	9	13
LAKE	62.3	60.0	73.3	34.9	52.3	143	138	168	80	120
LAWRENCE	37.0	93.7	47.1	67.1	58.9	23	58	29	41	36
LICKING	54.9	55.8	84.4	106.7	131.9	92	94	143	182	225

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Gonorrhea Cases
2012-2016**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
LOGAN	19.8	87.9	61.5	48.5	37.5	9	40	28	22	17
LORAIN	98.8	93.1	118.0	87.8	90.1	298	282	359	268	275
LUCAS	272.1	228.0	180.2	169.7	254.6	1,192	995	783	736	1,104
MADISON	53.4	30.0	34.1	47.6	65.8	23	13	15	21	29
MAHONING	134.8	160.8	168.5	191.5	219.9	317	376	393	444	510
MARION	102.7	136.6	159.9	182.1	107.1	68	90	105	119	70
MEDINA	23.6	26.3	25.0	28.3	26.6	41	46	44	50	47
MEIGS	21.2	4.3	25.7	8.6	4.3	5	1	6	2	1
MERCER	2.4	31.9	19.5	12.2	34.2	1	13	8	5	14
MIAMI	56.3	47.4	70.2	35.5	36.5	58	49	73	37	38
MONROE	20.6	27.4	6.9	13.9	6.9	3	4	1	2	1
MONTGOMERY	213.0	217.2	181.8	202.7	266.4	1,138	1,164	968	1,079	1,418
MORGAN	6.7	6.7	13.5	6.8	27.1	1	1	2	1	4
MORROW	25.8	20.0	11.4	28.5	37.1	9	7	4	10	13
MUSKINGUM	41.9	62.2	59.3	68.4	148.3	36	53	51	59	128
NOBLE	27.4	13.7	27.8	14.0	7.0	4	2	4	2	1
OTTAWA	29.0	38.9	26.8	31.8	31.8	12	16	11	13	13
PAULDING	15.5	10.4	15.8	15.8	21.1	3	2	3	3	4
PERRY	19.4	27.8	19.5	27.8	69.5	7	10	7	10	25
PICKAWAY	40.8	51.5	54.6	36.8	70.2	23	29	31	21	40
PIKE	35.1	28.2	28.3	35.4	28.4	10	8	8	10	8
PORTAGE	37.2	31.7	36.4	43.1	42.5	60	52	59	70	69
PREBLE	14.3	35.9	33.7	21.8	50.8	6	15	14	9	21
PUTNAM	8.8	5.9	8.8	5.9	23.5	3	2	3	2	8
RICHLAND	134.5	112.5	146.0	116.7	122.4	165	137	178	142	149
ROSS	51.7	33.4	64.8	51.8	106.3	40	26	50	40	82
SANDUSKY	64.5	71.5	53.3	38.5	58.6	39	43	32	23	35
SCIOTO	68.8	49.9	25.9	33.8	46.9	54	39	20	26	36
SENECA	30.3	17.9	43.0	48.6	55.7	17	10	24	27	31
SHELBY	73.2	103.7	57.2	45.0	53.2	36	51	28	22	26
STARK	169.7	161.4	134.4	133.0	178.1	636	606	505	499	668
SUMMIT	173.4	165.2	175.6	188.6	226.8	938	895	953	1,022	1,229
TRUMBULL	85.3	114.8	125.2	93.3	163.9	177	237	257	190	334
TUSCARAWAS	29.2	51.8	42.0	29.1	28.0	27	48	39	27	26
UNION	49.3	48.8	67.0	84.8	84.8	26	26	36	46	46
VAN WERT	10.4	10.5	21.1	24.5	38.5	3	3	6	7	11
VINTON	0.0	22.6	22.7	30.7	23.0	0	3	3	4	3
WARREN	25.3	29.7	27.0	35.2	41.0	55	65	60	79	92
WASHINGTON	13.0	31.0	24.5	24.5	31.1	8	19	15	15	19
WAYNE	61.8	48.7	42.3	20.7	34.5	71	56	49	24	40
WILLIAMS	13.3	10.7	13.4	18.9	16.2	5	4	5	7	6
WOOD	49.9	44.1	34.7	30.8	38.5	64	57	45	40	50
WYANDOT	17.7	8.9	22.4	13.5	18.0	4	2	5	3	4
UNKNOWN COUNTY ³	--	--	--	--	--	469	431	428	373	419
TOTAL	143.4	144.0	138.4	143.2	176.8	16,555	16,663	16,045	16,625	20,534

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.

(3) Cases reported without patient's county are classified as "Unknown County".


Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Gonorrhea Cases 2012-2016

Presented by Date of Diagnosis¹

City	Rates ²					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
Akron	408.5	382.1	413.1	436.6	527.9	811	757	820	866	1,047
Canton	637.0	598.3	521.6	529.9	713.5	463	434	379	384	517
Cincinnati	798.2	790.2	757.3	902.2	952.6	2,367	2,351	2,250	2,683	2,833
Cleveland	739.0	750.6	617.4	593.0	737.4	2,889	2,928	2,421	2,316	2,880
Columbus	289.8	314.8	307.4	340.1	448.2	2,347	2,589	2,496	2,805	3,696
Dayton	747.7	741.5	627.0	697.5	893.4	1,057	1,063	889	986	1,263
Lima	229.5	216.4	364.3	431.6	251.1	88	83	140	165	96
Toledo	398.9	332.3	260.6	249.0	371.6	1,133	938	740	703	1,049
Youngstown	455.6	512.4	539.3	617.6	701.5	298	334	356	405	460



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.