

**Ohio Gonorrhea Cases
2013-2017
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹**

AGE	Cases reported to the Ohio Department of Health									
	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
0 - 9	1.1	0.8	0.5	1.1	1.5	15	12	7	16	21
10 - 14	26.6	22.2	18.3	19.2	23.6	202	168	137	142	174
15 - 19	544.4	502.1	485.2	564.3	605.9	4,248	3,881	3,746	4,334	4,654
20 - 24	709.2	679.5	689.8	802.4	904.0	5,624	5,375	5,380	6,188	6,972
25 - 29	382.9	384.1	420.0	533.0	658.8	2,803	2,881	3,212	4,168	5,152
30 - 34	218.3	216.6	236.4	317.1	371.5	1,572	1,563	1,707	2,299	2,693
35 - 39	121.0	122.1	140.6	182.4	232.4	812	830	972	1,283	1,634
40 - 44	70.4	67.8	72.0	102.8	133.0	525	494	508	696	900
45 - 54	33.9	33.6	38.5	58.0	74.9	554	539	607	897	1,159
55 - 64	15.0	15.0	16.9	26.0	32.0	233	236	269	418	514
65+	2.7	3.1	3.6	4.5	5.6	47	56	67	84	106
Not Specified	--	--	--	--	--	27	8	11	10	13
RACE										
Am. Indian/Alaskan Native	27.0	38.8	21.6	56.6	40.1	11	16	9	24	17
Asian/Pacific Islander	9.8	20.4	15.5	21.2	23.0	24	53	42	60	65
Black/African American	602.7	543.4	549.9	677.7	774.6	9,309	8,503	8,681	10,791	12,334
White	38.8	39.8	39.4	51.7	62.2	3,782	3,871	3,828	5,018	6,029
Other ³	--	--	--	--	--	806	821	869	1,064	1,310
Not Specified	--	--	--	--	--	2,730	2,779	3,194	3,578	4,237
ETHNICITY										
Hispanic	71.7	59.3	63.4	74.7	102.7	279	239	263	317	436
Non-Hispanic	95.5	94.9	97.4	123.6	140.0	10,677	10,625	10,911	13,828	15,670
Not Specified	--	--	--	--	--	5,706	5,179	5,449	6,390	7,886
SEX										
Male	131.9	124.9	137.2	182.6	215.1	7,464	7,395	8,131	10,394	12,245
Female	155.6	152.4	149.3	171.2	198.3	9,198	8,648	8,492	10,141	11,747
Not Specified	--	--	--	--	--	0	0	0	0	0
TOTAL	144.0	138.3	143.1	176.8	206.6	16,662	16,043	16,623	20,535	23,992

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2013-2017**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
ADAMS	14.2	7.1	17.8	21.5	25.1	4	2	5	6	7
ALLEN	81.7	145.6	168.5	103.1	165.8	86	153	176	107	172
ASHLAND	5.7	33.9	30.1	20.5	55.9	3	18	16	11	30
ASHTABULA	24.0	72.6	53.7	102.8	82.5	24	72	53	101	81
ATHENS	20.1	37.1	33.4	63.5	69.5	13	24	22	42	46
AUGLAIZE	32.7	19.6	19.6	37.0	41.4	15	9	9	17	19
BELMONT	51.7	34.6	33.3	43.7	78.6	36	24	23	30	54
BROWN	13.6	27.2	16.0	68.6	41.1	6	12	7	30	18
BUTLER	91.8	107.8	108.4	126.9	147.3	341	403	408	479	556
CARROLL	38.9	46.1	28.8	10.8	36.1	11	13	8	3	10
CHAMPAIGN	22.8	30.7	35.9	38.7	72.3	9	12	14	15	28
CLARK	100.6	104.8	104.4	207.0	240.4	137	143	142	279	324
CLERMONT	35.0	32.3	36.6	61.1	56.2	70	65	74	124	114
CLINTON	45.3	23.9	26.2	47.7	59.7	19	10	11	20	25
COLUMBIANA	31.2	42.6	38.2	31.8	41.5	33	45	40	33	43
COSHOCTON	13.6	38.3	19.1	46.4	30.1	5	14	7	17	11
CRAWFORD	49.1	51.8	44.9	40.4	45.1	21	22	19	17	19
CUYAHOGA	292.3	252.3	241.5	300.1	408.5	3,692	3,181	3,033	3,749	5,104
DARKE	43.9	47.9	28.8	61.8	67.6	23	25	15	32	35
DEFIANCE	23.4	23.3	54.8	21.0	34.1	9	9	21	8	13
DELAWARE	27.6	26.4	38.9	42.2	45.3	51	50	75	83	89
ERIE	39.4	193.8	206.5	245.0	332.9	30	147	156	184	250
FAIRFIELD	32.2	47.2	55.5	63.6	73.4	48	71	84	97	112
FAYETTE	17.4	24.4	52.3	73.2	62.8	5	7	15	21	18
FRANKLIN	243.1	231.2	257.9	336.3	351.8	2,947	2,853	3,228	4,253	4,449
FULTON	18.8	18.8	21.2	37.6	32.9	8	8	9	16	14
GALLIA	6.5	13.2	29.9	23.3	40.0	2	4	9	7	12
GEAUGA	13.8	12.8	5.3	20.2	24.5	13	12	5	19	23
GREENE	58.2	51.6	71.8	96.5	108.6	95	85	118	159	179
GUERNSEY	37.8	65.7	58.6	43.5	58.9	15	26	23	17	23
HAMILTON	293.8	282.9	336.6	354.7	418.5	2,364	2,281	2,718	2,870	3,386
HANCOCK	15.8	38.5	34.4	30.3	71.2	12	29	26	23	54
HARDIN	37.9	34.6	50.5	19.1	114.4	12	11	16	6	36
HARRISON	38.4	25.7	38.8	26.1	39.2	6	4	6	4	6
HENRY	17.8	21.5	25.2	25.3	57.9	5	6	7	7	16
HIGHLAND	30.0	37.1	20.9	27.9	30.2	13	16	9	12	13
HOCKING	27.9	7.0	35.1	74.1	28.2	8	2	10	21	8
HOLMES	13.8	6.8	13.7	4.6	4.6	6	3	6	2	2
HURON	35.7	40.9	49.6	39.4	68.4	21	24	29	23	40
JACKSON	6.1	3.1	15.3	21.5	21.5	2	1	5	7	7
JEFFERSON	169.2	116.7	60.9	33.0	73.5	115	79	41	22	49
KNOX	16.4	19.7	14.7	21.4	64.1	10	12	9	13	39
LAKE	60.0	73.3	34.9	52.5	57.3	138	168	80	120	131
LAWRENCE	93.7	47.1	67.1	60.8	73.9	58	29	41	37	45
LICKING	55.8	84.4	106.7	130.7	199.8	94	143	182	225	344

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Gonorrhea Cases
2013-2017**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
LOGAN	87.9	61.5	48.5	37.6	50.9	40	28	22	17	23
LORAIN	93.1	118.0	87.8	89.8	171.0	282	359	268	275	524
LUCAS	228.0	180.2	169.7	255.0	391.9	995	783	736	1,103	1,695
MADISON	30.0	34.1	47.6	66.8	99.0	13	15	21	29	43
MAHONING	160.8	168.5	191.9	221.3	185.6	376	393	445	509	427
MARION	136.6	159.9	182.1	107.5	127.5	90	105	119	70	83
MEDINA	26.3	25.0	28.3	27.1	38.4	46	44	50	48	68
MEIGS	4.3	25.7	8.6	4.3	8.6	1	6	2	1	2
MERCER	31.9	19.5	12.2	34.2	51.3	13	8	5	14	21
MIAMI	47.4	70.2	35.5	36.3	50.6	49	73	37	38	53
MONROE	27.4	6.9	13.9	7.0	7.0	4	1	2	1	1
MONTGOMERY	217.2	181.8	202.9	267.1	253.4	1,164	968	1,080	1,419	1,346
MORGAN	6.7	13.5	6.8	27.0	27.0	1	2	1	4	4
MORROW	20.0	11.4	28.5	37.1	42.8	7	4	10	13	15
MUSKINGUM	62.2	59.3	68.4	148.7	242.8	53	51	59	128	209
NOBLE	13.7	27.8	14.0	7.0	0.0	2	4	2	1	0
OTTAWA	38.9	26.8	31.8	32.0	46.8	16	11	13	13	19
PAULDING	10.4	15.8	15.8	21.2	26.5	2	3	3	4	5
PERRY	27.8	19.5	27.8	69.6	83.5	10	7	10	25	30
PICKAWAY	51.5	54.6	36.8	69.5	93.8	29	31	21	40	54
PIKE	28.2	28.3	35.4	28.4	42.6	8	8	10	8	12
PORTAGE	31.7	36.4	43.1	42.6	64.2	52	59	70	69	104
PREBLE	35.9	33.7	21.8	50.9	60.6	15	14	9	21	25
PUTNAM	5.9	8.8	5.9	23.5	20.6	2	3	2	8	7
RICHLAND	112.5	146.0	116.7	123.0	182.5	137	178	142	149	221
ROSS	33.4	64.8	51.8	106.5	102.6	26	50	40	82	79
SANDUSKY	71.5	53.3	38.5	59.0	89.3	43	32	23	35	53
SCIOTO	49.9	25.9	33.8	47.3	56.5	39	20	26	36	43
SENECA	17.9	43.0	48.6	56.0	119.2	10	24	27	31	66
SHELBY	103.7	57.2	45.0	53.5	63.8	51	28	22	26	31
STARK	161.4	134.2	133.0	179.1	140.8	606	504	499	669	526
SUMMIT	165.2	175.6	188.6	227.8	209.7	895	953	1,022	1,231	1,133
TRUMBULL	114.8	125.2	93.3	165.5	115.0	237	257	190	334	232
TUSCARAWAS	51.8	42.0	29.1	28.1	30.3	48	39	27	26	28
UNION	48.8	67.0	84.8	82.9	106.4	26	36	46	46	59
VAN WERT	10.5	21.1	24.5	38.8	28.2	3	6	7	11	8
VINTON	22.6	22.7	30.7	23.2	7.7	3	3	4	3	1
WARREN	29.7	27.0	35.2	40.5	52.4	65	60	79	92	119
WASHINGTON	31.0	24.5	24.5	31.3	24.7	19	15	15	19	15
WAYNE	48.7	42.3	20.7	34.3	30.9	56	49	24	40	36
WILLIAMS	10.7	13.4	18.9	16.2	37.8	4	5	7	6	14
WOOD	44.1	34.7	30.8	38.4	79.1	57	45	40	50	103
WYANDOT	8.9	22.4	13.5	18.1	22.6	2	5	3	4	5
UNKNOWN COUNTY ³	--	--	--	--	--	430	427	373	419	396
TOTAL	144.0	138.3	143.1	176.8	206.6	16,662	16,043	16,623	20,535	23,992

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2013-2017**
Presented by Date of Diagnosis¹

City	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
Akron	382.1	413.1	436.6	528.4	485.6	757	820	866	1,049	964
Canton	598.3	520.2	529.9	717.8	536.3	434	378	384	518	387
Cincinnati	790.5	757.3	901.5	950.3	1,118.1	2,352	2,250	2,681	2,832	3,332
Cleveland	750.6	617.4	593.0	739.5	978.5	2,928	2,421	2,316	2,878	3,808
Columbus	314.6	307.4	340.1	441.6	457.1	2,588	2,496	2,805	3,696	3,826
Dayton	741.5	627.0	698.9	895.5	834.6	1,063	889	988	1,264	1,178
Lima	216.4	364.3	431.6	253.7	436.1	83	140	165	96	165
Toledo	332.3	260.6	249.0	373.1	572.5	938	740	703	1,048	1,608
Youngstown	512.4	539.3	620.7	704.4	577.0	334	356	407	459	376



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.