

## Ohio Primary and Secondary Syphilis Cases 2011 - 2015

### Demographic Breakdown of Ohio

#### Presented by Date of Diagnosis<sup>1</sup>

AGE	Cases reported to the Ohio Department of Health									
	Rates <sup>2</sup>					Number of Cases				
	2011	2012	2013	2014	2015	2011	2012	2013	2014	2015
0 - 9	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
10 - 14	0.3	0.0	0.1	0.0	0.0	2	0	1	0	0
15 - 19	7.0	4.1	3.8	3.3	2.4	56	32	30	26	19
20 - 24	16.5	10.9	14.0	15.8	16.0	128	86	111	125	127
25 - 29	11.1	11.3	12.4	19.1	15.6	80	81	91	140	114
30 - 34	7.5	8.7	7.1	12.4	10.4	53	62	51	89	75
35 - 39	4.8	6.1	7.2	7.9	10.4	33	41	48	53	70
40 - 44	4.9	4.9	4.0	4.4	6.6	37	37	30	33	49
45 - 54	2.3	3.9	3.6	4.3	5.2	39	66	59	70	85
55 - 64	0.9	1.2	1.0	1.3	1.3	14	19	15	20	21
65+	0.2	0.1	0.1	0.2	0.3	3	2	2	4	5
Not Specified	--	--	--	--	--	0	0	0	0	0
<b>RACE</b>										
Am. Indian/Alaskan Native	2.5	0.0	0.0	0.0	0.0	1	0	0	0	0
Asian/Pacific Islander	0.0	0.4	0.8	0.4	0.4	0	1	2	1	1
Black/African American	19.3	15.7	14.0	18.9	18.1	294	240	216	292	279
White	1.3	1.5	2.0	2.4	2.6	130	146	196	233	255
Other <sup>3</sup>	--	--	--	--	--	19	36	24	33	30
Not Specified	--	--	--	--	--	1	3	0	1	0
<b>ETHNICITY</b>										
Hispanic	1.6	3.7	4.1	4.6	4.9	6	14	16	18	19
Non-Hispanic	3.9	3.7	3.8	4.8	4.9	435	409	422	540	546
Not Specified	--	--	--	--	--	4	3	0	2	0
<b>SEX</b>										
Male	6.0	6.0	6.6	8.6	8.8	337	340	376	484	497
Female	1.8	1.5	1.0	1.3	1.2	108	86	62	76	68
Not Specified	--	--	--	--	--	0	0	0	0	0
<b>TOTAL</b>	<b>3.9</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>4.9</b>	<b>445</b>	<b>426</b>	<b>438</b>	<b>560</b>	<b>565</b>

**Notes:**

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 and 2015 which utilizes 2013.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases

2011 - 2015

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2011	2012	2013	2014	2015	2011	2012	2013	2014	2015
ADAMS	3.5	0.0	0.0	0.0	0.0	1	0	0	0	0
ALLEN	0.0	0.0	0.9	0.9	0.9	0	0	1	1	1
ASHLAND	0.0	0.0	0.0	1.9	0.0	0	0	0	1	0
ASHTABULA	0.0	0.0	0.0	0.0	4.0	0	0	0	0	4
ATHENS	0.0	1.6	0.0	0.0	0.0	0	1	0	0	0
AUGLAIZE	0.0	0.0	0.0	0.0	2.2	0	0	0	0	1
BELMONT	1.4	0.0	2.9	0.0	0.0	1	0	2	0	0
BROWN	0.0	2.3	0.0	0.0	0.0	0	1	0	0	0
BUTLER	2.4	2.2	3.2	3.8	1.6	9	8	12	14	6
CARROLL	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
CHAMPAIGN	0.0	0.0	2.5	0.0	2.5	0	0	1	0	1
CLARK	0.7	2.9	2.2	7.3	16.2	1	4	3	10	22
CLERMONT	1.0	1.0	2.0	0.5	0.0	2	2	4	1	0
CLINTON	0.0	0.0	0.0	4.8	2.4	0	0	0	2	1
COLUMBIANA	0.0	0.0	0.0	0.9	0.9	0	0	0	1	1
COSHOCTON	2.7	0.0	0.0	2.7	2.7	1	0	0	1	1
CRAWFORD	0.0	0.0	0.0	2.3	0.0	0	0	0	1	0
CUYAHOGA	4.1	3.4	2.3	5.7	4.6	52	43	29	72	58
DARKE	1.9	0.0	0.0	0.0	0.0	1	0	0	0	0
DEFIANCE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
DELAWARE	0.6	1.1	1.1	0.5	2.7	1	2	2	1	5
ERIE	1.3	0.0	0.0	0.0	1.3	1	0	0	0	1
FAIRFIELD	0.0	0.7	0.7	3.4	3.4	0	1	1	5	5
FAYETTE	0.0	0.0	0.0	0.0	3.5	0	0	0	0	1
FRANKLIN	9.8	12.5	13.0	19.0	21.1	116	149	158	230	256
FULTON	0.0	2.4	2.4	0.0	0.0	0	1	1	0	0
GALLIA	0.0	0.0	0.0	0.0	3.3	0	0	0	0	1
GEAUGA	0.0	0.0	1.1	0.0	2.1	0	0	1	0	2
GREENE	1.2	3.1	1.2	1.2	4.3	2	5	2	2	7
GUERNSEY	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HAMILTON	24.5	16.8	16.3	14.4	10.2	196	135	131	116	82
HANCOCK	1.3	0.0	0.0	0.0	2.6	1	0	0	0	2
HARDIN	0.0	0.0	0.0	0.0	3.2	0	0	0	0	1
HARRISON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HENRY	0.0	0.0	7.1	0.0	0.0	0	0	2	0	0
HIGHLAND	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HOCKING	0.0	0.0	3.5	3.5	0.0	0	0	1	1	0
HOLMES	0.0	2.3	0.0	0.0	0.0	0	1	0	0	0
HURON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
JACKSON	0.0	0.0	0.0	3.1	0.0	0	0	0	1	0
JEFFERSON	0.0	0.0	0.0	0.0	2.9	0	0	0	0	2
KNOX	0.0	1.6	0.0	1.6	1.6	0	1	0	1	1
LAKE	0.0	0.0	0.0	0.9	1.7	0	0	0	2	4
LAWRENCE	0.0	1.6	1.6	4.8	6.5	0	1	1	3	4
LICKING	3.0	1.2	1.8	3.0	1.8	5	2	3	5	3

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 and 2015 which utilizes 2013. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Primary and Secondary Syphilis Cases  
2011 - 2015**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2011	2012	2013	2014	2015	2011	2012	2013	2014	2015
LOGAN	0.0	2.2	0.0	4.4	2.2	0	1	0	2	1
LORAIN	0.7	0.3	0.3	2.0	2.3	2	1	1	6	7
LUCAS	2.0	2.7	1.4	7.1	2.3	9	12	6	31	10
MADISON	0.0	2.3	2.3	0.0	0.0	0	1	1	0	0
MAHONING	1.3	0.9	1.3	2.1	0.4	3	2	3	5	1
MARION	0.0	1.5	3.0	0.0	1.5	0	1	2	0	1
MEDINA	0.6	0.0	0.6	0.0	0.6	1	0	1	0	1
MEIGS	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MERCER	0.0	2.4	0.0	0.0	0.0	0	1	0	0	0
MIAMI	0.0	0.0	0.0	0.0	1.0	0	0	0	0	1
MONROE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MONTGOMERY	3.2	5.2	3.9	2.8	3.4	17	28	21	15	18
MORGAN	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MORROW	0.0	0.0	0.0	2.9	2.9	0	0	0	1	1
MUSKINGUM	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
NOBLE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
OTTAWA	0.0	0.0	0.0	0.0	2.4	0	0	0	0	1
PAULDING	0.0	0.0	5.2	0.0	5.2	0	0	1	0	1
PERRY	0.0	0.0	2.8	0.0	0.0	0	0	1	0	0
PICKAWAY	0.0	3.5	0.0	3.6	5.3	0	2	0	2	3
PIKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PORTAGE	1.9	0.0	1.2	0.6	1.2	3	0	2	1	2
PREBLE	0.0	2.4	2.4	2.4	0.0	0	1	1	1	0
PUTNAM	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
RICHLAND	0.8	0.0	5.7	0.8	1.6	1	0	7	1	2
ROSS	0.0	1.3	0.0	1.3	1.3	0	1	0	1	1
SANDUSKY	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
SCIOTO	1.3	1.3	2.6	0.0	1.3	1	1	2	0	1
SENECA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
SHELBY	0.0	2.0	0.0	4.1	0.0	0	1	0	2	0
STARK	1.3	0.5	0.5	0.8	0.5	5	2	2	3	2
SUMMIT	1.3	0.6	3.7	1.3	4.1	7	3	20	7	22
TRUMBULL	0.0	1.0	1.9	1.9	1.9	0	2	4	4	4
TUSCARAWAS	0.0	1.1	0.0	0.0	0.0	0	1	0	0	0
UNION	1.9	1.9	3.8	3.8	5.6	1	1	2	2	3
VAN WERT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
VINTON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
WARREN	1.4	2.3	1.4	0.5	0.9	3	5	3	1	2
WASHINGTON	0.0	0.0	0.0	0.0	1.6	0	0	0	0	1
WAYNE	0.9	0.9	0.0	0.9	1.7	1	1	0	1	2
WILLIAMS	0.0	0.0	2.7	0.0	0.0	0	0	1	0	0
WOOD	0.0	0.8	1.5	2.3	3.1	0	1	2	3	4
WYANDOT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
UNKNOWN COUNTY <sup>3</sup>	--	--	--	--	--	1	0	0	0	0
<b>TOTAL</b>	<b>3.9</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>4.9</b>	<b>445</b>	<b>426</b>	<b>438</b>	<b>560</b>	<b>565</b>


Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 and 2015 which utilizes 2013.
  - (3) Cases reported without patient's county are classified as "Unknown County".
- Small numbers are unstable and should be interpreted with caution.  
Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases 2011 - 2015

Presented by Date of Diagnosis<sup>1</sup>

City	Rates <sup>2</sup>					Number of Cases				
	2011	2012	2013	2014	2015	2011	2012	2013	2014	2015
Akron	3.0	1.0	8.1	2.0	8.6	6	2	16	4	17
Canton	5.5	2.8	1.4	2.8	0.0	4	2	1	2	0
Cincinnati	65.5	45.5	42.4	39.0	27.2	194	135	126	116	81
Cleveland	9.4	7.9	5.9	12.6	9.5	37	31	23	49	37
Columbus	13.0	16.8	16.7	24.9	28.6	104	136	137	205	235
Dayton	12.0	17.7	14.0	9.1	12.6	17	25	20	13	18
Lima	0.0	0.0	2.6	2.6	2.6	0	0	1	1	1
Toledo	3.2	3.5	1.8	10.6	3.2	9	10	5	30	9
Youngstown	3.0	1.5	3.1	6.1	1.5	2	1	2	4	1



**Notes:**

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
- (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 and 2015 which utilizes 2013. Small numbers are unstable and should be interpreted with caution. Provisional data. Numbers subject to change when additional information is gained.