

**Ohio Primary and Secondary Syphilis Cases  
2012 - 2016**

**Demographic Breakdown of Ohio**

**Presented by Date of Diagnosis<sup>1</sup>**

AGE	Cases reported to the Ohio Department of Health									
	Rates <sup>2</sup>					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
0 - 9	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
10 - 14	0.0	0.1	0.0	0.0	0.0	0	1	0	0	0
15 - 19	4.1	3.8	3.4	2.5	4.1	32	30	26	19	32
20 - 24	10.9	14.0	15.8	16.3	17.9	86	111	125	127	140
25 - 29	11.3	12.4	18.7	14.8	22.2	81	91	140	113	170
30 - 34	8.7	7.1	12.3	10.5	14.4	62	51	89	76	104
35 - 39	6.1	7.2	7.8	10.1	9.5	41	48	53	70	66
40 - 44	4.9	4.0	4.5	6.9	6.1	37	30	33	49	43
45 - 54	3.9	3.6	4.3	5.4	6.7	66	59	69	85	105
55 - 64	1.2	1.0	1.3	1.3	2.8	19	15	20	21	45
65+	0.1	0.1	0.2	0.3	0.5	2	2	4	5	10
Not Specified	--	--	--	--	--	0	0	0	0	1
<b>RACE</b>										
Am. Indian/Alaskan Native	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
Asian/Pacific Islander	0.4	0.8	0.4	0.4	0.7	1	2	1	1	2
Black/African American	15.7	13.9	18.4	17.5	19.4	240	215	288	276	307
White	1.5	2.0	2.4	2.6	3.8	146	196	232	255	373
Other <sup>3</sup>	--	--	--	--	--	37	25	37	33	33
Not Specified	--	--	--	--	--	2	0	1	0	1
<b>ETHNICITY</b>										
Hispanic	3.7	4.1	4.5	4.8	5.8	14	16	18	20	24
Non-Hispanic	3.7	3.8	4.8	4.9	6.2	409	422	539	545	691
Not Specified	--	--	--	--	--	3	0	2	0	1
<b>SEX</b>										
Male	6.0	6.6	8.2	8.4	10.5	340	376	483	497	622
Female	1.5	1.0	1.3	1.2	1.7	86	62	76	68	94
Not Specified	--	--	--	--	--	0	0	0	0	0
<b>TOTAL</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>4.9</b>	<b>6.2</b>	<b>426</b>	<b>438</b>	<b>559</b>	<b>565</b>	<b>716</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases

2012 - 2016

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
ADAMS	0.0	0.0	0.0	0.0	3.6	0	0	0	0	1
ALLEN	0.0	0.9	1.0	1.0	1.9	0	1	1	1	2
ASHLAND	0.0	0.0	1.9	0.0	0.0	0	0	1	0	0
ASHTABULA	0.0	0.0	0.0	4.1	2.0	0	0	0	4	2
ATHENS	1.6	0.0	0.0	0.0	0.0	1	0	0	0	0
AUGLAIZE	0.0	0.0	0.0	2.2	0.0	0	0	0	1	0
BELMONT	0.0	2.9	0.0	0.0	2.9	0	2	0	0	2
BROWN	2.3	0.0	0.0	0.0	0.0	1	0	0	0	0
BUTLER	2.2	3.2	3.7	1.6	2.4	8	12	14	6	9
CARROLL	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
CHAMPAIGN	0.0	2.5	0.0	2.6	2.6	0	1	0	1	1
CLARK	2.9	2.2	7.3	16.2	14.0	4	3	10	22	19
CLERMONT	1.0	2.0	0.5	0.0	0.0	2	4	1	0	0
CLINTON	0.0	0.0	4.8	2.4	2.4	0	0	2	1	1
COLUMBIANA	0.0	0.0	0.9	1.0	1.9	0	0	1	1	2
COSHOCTON	0.0	0.0	2.7	2.7	0.0	0	0	1	1	0
CRAWFORD	0.0	0.0	2.4	0.0	0.0	0	0	1	0	0
CUYAHOGA	3.4	2.3	5.7	4.6	11.1	43	29	72	58	139
DARKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
DEFIANCE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
DELAWARE	1.1	1.1	0.5	2.6	2.6	2	2	1	5	5
ERIE	0.0	0.0	0.0	1.3	0.0	0	0	0	1	0
FAIRFIELD	0.7	0.7	3.3	3.3	4.0	1	1	5	5	6
FAYETTE	0.0	0.0	0.0	3.5	0.0	0	0	0	1	0
FRANKLIN	12.5	13.0	18.6	20.5	22.8	149	158	230	256	286
FULTON	2.4	2.4	0.0	0.0	0.0	1	1	0	0	0
GALLIA	0.0	0.0	0.0	3.3	0.0	0	0	0	1	0
GEAUGA	0.0	1.1	0.0	2.1	3.2	0	1	0	2	3
GREENE	3.1	1.2	1.2	4.3	1.8	5	2	2	7	3
GUERNSEY	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HAMILTON	16.8	16.3	14.3	10.2	6.4	135	131	115	82	52
HANCOCK	0.0	0.0	0.0	2.6	1.3	0	0	0	2	1
HARDIN	0.0	0.0	0.0	3.2	0.0	0	0	0	1	0
HARRISON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HENRY	0.0	7.1	0.0	0.0	0.0	0	2	0	0	0
HIGHLAND	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HOCKING	0.0	3.5	3.5	0.0	3.5	0	1	1	0	1
HOLMES	2.3	0.0	0.0	0.0	2.3	1	0	0	0	1
HURON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
JACKSON	0.0	0.0	3.1	0.0	3.1	0	0	1	0	1
JEFFERSON	0.0	0.0	0.0	3.0	0.0	0	0	0	2	0
KNOX	1.6	0.0	1.6	1.6	0.0	1	0	1	1	0
LAKE	0.0	0.0	0.9	1.7	3.1	0	0	2	4	7
LAWRENCE	1.6	1.6	4.9	6.5	9.8	1	1	3	4	6
LICKING	1.2	1.8	3.0	1.8	4.1	2	3	5	3	7

## Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Primary and Secondary Syphilis Cases  
2012 - 2016**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
LOGAN	2.2	0.0	4.4	2.2	0.0	1	0	2	1	0
LORAIN	0.3	0.3	2.0	2.3	2.3	1	1	6	7	7
LUCAS	2.7	1.4	7.1	2.3	4.4	12	6	31	10	19
MADISON	2.3	2.3	0.0	0.0	0.0	1	1	0	0	0
MAHONING	0.9	1.3	2.1	0.4	3.4	2	3	5	1	8
MARION	1.5	3.0	0.0	1.5	3.1	1	2	0	1	2
MEDINA	0.0	0.6	0.0	0.6	0.0	0	1	0	1	0
MEIGS	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MERCER	2.4	0.0	0.0	0.0	0.0	1	0	0	0	0
MIAMI	0.0	0.0	0.0	1.0	1.0	0	0	0	1	1
MONROE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MONTGOMERY	5.2	3.9	2.8	3.4	6.4	28	21	15	18	34
MORGAN	0.0	0.0	0.0	0.0	6.8	0	0	0	0	1
MORROW	0.0	0.0	2.9	2.9	0.0	0	0	1	1	0
MUSKINGUM	0.0	0.0	0.0	0.0	1.2	0	0	0	0	1
NOBLE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
OTTAWA	0.0	0.0	0.0	2.4	7.3	0	0	0	1	3
PAULDING	0.0	5.2	0.0	5.3	5.3	0	1	0	1	1
PERRY	0.0	2.8	0.0	0.0	0.0	0	1	0	0	0
PICKAWAY	3.5	0.0	3.5	5.3	7.0	2	0	2	3	4
PIKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PORTAGE	0.0	1.2	0.6	1.2	2.5	0	2	1	2	4
PREBLE	2.4	2.4	2.4	0.0	0.0	1	1	1	0	0
PUTNAM	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
RICHLAND	0.0	5.7	0.8	1.6	2.5	0	7	1	2	3
ROSS	1.3	0.0	1.3	1.3	3.9	1	0	1	1	3
SANDUSKY	0.0	0.0	0.0	0.0	5.0	0	0	0	0	3
SCIOTO	1.3	2.6	0.0	1.3	1.3	1	2	0	1	1
SENECA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
SHELBY	2.0	0.0	4.1	0.0	6.1	1	0	2	0	3
STARK	0.5	0.5	0.8	0.5	2.4	2	2	3	2	9
SUMMIT	0.6	3.7	1.3	4.1	7.0	3	20	7	22	38
TRUMBULL	1.0	1.9	1.9	2.0	1.5	2	4	4	4	3
TUSCARAWAS	1.1	0.0	0.0	0.0	0.0	1	0	0	0	0
UNION	1.9	3.8	3.7	5.5	12.9	1	2	2	3	7
VAN WERT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
VINTON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
WARREN	2.3	1.4	0.5	0.9	1.3	5	3	1	2	3
WASHINGTON	0.0	0.0	0.0	1.6	0.0	0	0	0	1	0
WAYNE	0.9	0.0	0.9	1.7	0.0	1	0	1	2	0
WILLIAMS	0.0	2.7	0.0	0.0	0.0	0	1	0	0	0
WOOD	0.8	1.5	2.3	3.1	0.8	1	2	3	4	1
WYANDOT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
UNKNOWN COUNTY <sup>3</sup>	--	--	--	--	--	0	0	0	0	0
<b>TOTAL</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>4.9</b>	<b>6.2</b>	<b>426</b>	<b>438</b>	<b>559</b>	<b>565</b>	<b>716</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.

(3) Cases reported without patient's county are classified as "Unknown County".


Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases 2012 - 2016

Presented by Date of Diagnosis<sup>1</sup>

City	Rates <sup>2</sup>					Number of Cases				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
Akron	1.0	8.1	2.0	8.6	16.1	2	16	4	17	32
Canton	2.8	1.4	2.8	0.0	9.7	2	1	2	0	7
Cincinnati	45.5	42.4	38.7	27.2	16.8	135	126	115	81	50
Cleveland	7.9	5.9	12.5	9.5	26.1	31	23	49	37	102
Columbus	16.8	16.7	25.2	28.5	28.9	136	137	205	235	238
Dayton	17.7	14.0	9.2	12.7	19.8	25	20	13	18	28
Lima	0.0	2.6	2.6	2.6	2.6	0	1	1	1	1
Toledo	3.5	1.8	10.6	3.2	5.0	10	5	30	9	14
Youngstown	1.5	3.1	6.1	1.5	9.2	1	2	4	1	6



**Notes:**

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2016 which utilizes 2015.
- Small numbers are unstable and should be interpreted with caution.  
Provisional data. Numbers subject to change when additional information is gained.