

**Ohio Primary and Secondary Syphilis Cases
2013 - 2017**

Demographic Breakdown of Ohio

Presented by Date of Diagnosis¹

AGE	Cases reported to the Ohio Department of Health									
	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
0 - 9	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
10 - 14	0.1	0.0	0.0	0.0	0.1	1	0	0	0	1
15 - 19	3.8	3.4	2.5	4.2	3.8	30	26	19	32	29
20 - 24	14.0	15.8	16.3	18.2	21.8	111	125	127	140	168
25 - 29	12.6	18.8	14.8	21.7	26.2	92	141	113	170	205
30 - 34	7.1	12.3	10.5	14.3	19.5	51	89	76	104	141
35 - 39	7.2	7.8	10.1	9.4	13.1	48	53	70	66	92
40 - 44	4.0	4.5	6.9	6.4	9.0	30	33	49	43	61
45 - 54	3.7	4.3	5.4	6.8	6.0	60	69	85	105	93
55 - 64	1.0	1.3	1.3	2.8	2.0	15	20	21	45	32
65+	0.1	0.2	0.3	0.5	0.6	2	4	5	10	11
Not Specified	--	--	--	--	--	0	0	0	1	0
RACE										
Am. Indian/Alaskan Native	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
Asian/Pacific Islander	0.8	0.4	0.4	0.7	2.5	2	1	1	2	7
Black/African American	13.9	18.5	17.5	19.0	23.0	215	289	276	302	367
White	2.0	2.4	2.6	3.8	4.0	198	232	256	369	392
Other ³	--	--	--	--	--	25	37	32	42	65
Not Specified	--	--	--	--	--	0	1	0	1	2
ETHNICITY										
Hispanic	3.9	4.5	4.8	5.7	10.8	15	18	20	24	46
Non-Hispanic	3.8	4.8	4.9	6.2	7.0	425	540	545	691	783
Not Specified	--	--	--	--	--	0	2	0	1	4
SEX										
Male	6.7	8.2	8.4	10.9	12.7	378	484	497	622	721
Female	1.0	1.3	1.2	1.6	1.9	62	76	68	94	112
Not Specified	--	--	--	--	--	0	0	0	0	0
TOTAL	3.8	4.8	4.9	6.2	7.2	440	560	565	716	833

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Primary and Secondary Syphilis Cases

2013 - 2017

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
ADAMS	0.0	0.0	0.0	3.6	0.0	0	0	0	1	0
ALLEN	0.9	1.0	1.0	1.9	6.7	1	1	1	2	7
ASHLAND	0.0	1.9	0.0	0.0	0.0	0	1	0	0	0
ASHTABULA	0.0	0.0	4.1	2.0	1.0	0	0	4	2	1
ATHENS	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
AUGLAIZE	0.0	0.0	2.2	0.0	0.0	0	0	1	0	0
BELMONT	2.9	0.0	0.0	2.9	1.5	2	0	0	2	1
BROWN	0.0	0.0	0.0	0.0	6.9	0	0	0	0	3
BUTLER	3.2	4.3	1.6	2.4	2.9	12	16	6	9	11
CARROLL	0.0	0.0	0.0	0.0	3.6	0	0	0	0	1
CHAMPAIGN	2.5	0.0	2.6	2.6	5.2	1	0	1	1	2
CLARK	2.2	7.3	16.2	14.1	12.6	3	10	22	19	17
CLERMONT	2.0	0.5	0.0	0.0	1.0	4	1	0	0	2
CLINTON	0.0	4.8	2.4	2.4	4.8	0	2	1	1	2
COLUMBIANA	0.0	0.9	1.0	1.9	0.0	0	1	1	2	0
COSHOCTON	0.0	2.7	2.7	0.0	2.7	0	1	1	0	1
CRAWFORD	0.0	2.4	0.0	0.0	0.0	0	1	0	0	0
CUYAHOGA	2.3	5.7	4.6	11.1	12.6	29	72	58	139	158
DARKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
DEFIANCE	0.0	0.0	0.0	0.0	2.6	0	0	0	0	1
DELAWARE	1.1	0.5	2.6	2.5	3.6	2	1	5	5	7
ERIE	0.0	0.0	1.3	0.0	8.0	0	0	1	0	6
FAIRFIELD	0.7	3.3	3.3	3.9	4.6	1	5	5	6	7
FAYETTE	0.0	0.0	3.5	0.0	3.5	0	0	1	0	1
FRANKLIN	13.0	18.6	20.5	22.6	25.5	158	230	256	286	322
FULTON	2.4	0.0	0.0	0.0	2.4	1	0	0	0	1
GALLIA	0.0	0.0	3.3	0.0	0.0	0	0	1	0	0
GEAUGA	1.1	0.0	2.1	3.2	1.1	1	0	2	3	1
GREENE	1.2	1.2	4.3	1.8	3.6	2	2	7	3	6
GUERNSEY	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HAMILTON	16.3	14.1	10.2	6.4	8.8	131	114	82	52	71
HANCOCK	0.0	0.0	2.6	1.3	2.6	0	0	2	1	2
HARDIN	0.0	0.0	3.2	0.0	0.0	0	0	1	0	0
HARRISON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HENRY	7.1	0.0	0.0	0.0	0.0	2	0	0	0	0
HIGHLAND	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HOCKING	3.5	3.5	0.0	3.5	3.5	1	1	0	1	1
HOLMES	0.0	0.0	0.0	2.3	0.0	0	0	0	1	0
HURON	0.0	0.0	0.0	0.0	1.7	0	0	0	0	1
JACKSON	0.0	3.1	0.0	3.1	0.0	0	1	0	1	0
JEFFERSON	0.0	0.0	3.0	0.0	0.0	0	0	2	0	0
KNOX	0.0	1.6	1.6	0.0	0.0	0	1	1	0	0
LAKE	0.0	0.9	1.7	3.1	3.1	0	2	4	7	7
LAWRENCE	1.6	4.9	6.5	9.9	9.9	1	3	4	6	6
LICKING	1.8	3.0	1.8	4.1	4.6	3	5	3	7	8

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Primary and Secondary Syphilis Cases
2013 - 2017**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
LOGAN	0.0	4.4	2.2	0.0	2.2	0	2	1	0	1
LORAIN	0.3	2.0	2.3	2.3	4.6	1	6	7	7	14
LUCAS	1.6	7.1	2.3	4.4	6.5	7	31	10	19	28
MADISON	2.3	0.0	0.0	0.0	0.0	1	0	0	0	0
MAHONING	1.3	2.1	0.4	3.5	1.7	3	5	1	8	4
MARION	3.0	0.0	1.5	3.1	1.5	2	0	1	2	1
MEDINA	0.6	0.0	0.6	0.0	0.0	1	0	1	0	0
MEIGS	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MERCER	0.0	0.0	0.0	0.0	4.9	0	0	0	0	2
MIAMI	0.0	0.0	1.0	1.0	0.0	0	0	1	1	0
MONROE	0.0	0.0	0.0	0.0	7.0	0	0	0	0	1
MONTGOMERY	3.9	2.8	3.4	6.4	6.6	21	15	18	34	35
MORGAN	0.0	0.0	0.0	6.8	0.0	0	0	0	1	0
MORROW	0.0	2.9	2.9	0.0	5.7	0	1	1	0	2
MUSKINGUM	0.0	0.0	0.0	1.2	1.2	0	0	0	1	1
NOBLE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
OTTAWA	0.0	0.0	2.4	7.4	0.0	0	0	1	3	0
PAULDING	5.2	0.0	5.3	5.3	0.0	1	0	1	1	0
PERRY	2.8	0.0	0.0	0.0	0.0	1	0	0	0	0
PICKAWAY	0.0	3.5	5.3	6.9	8.7	0	2	3	4	5
PIKE	0.0	0.0	0.0	0.0	3.6	0	0	0	0	1
PORTAGE	1.2	0.6	1.2	2.5	4.3	2	1	2	4	7
PREBLE	2.4	2.4	0.0	0.0	2.4	1	1	0	0	1
PUTNAM	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
RICHLAND	5.7	0.8	1.6	2.5	1.7	7	1	2	3	2
ROSS	0.0	1.3	1.3	3.9	1.3	0	1	1	3	1
SANDUSKY	0.0	0.0	0.0	5.1	3.4	0	0	0	3	2
SCIOTO	2.6	0.0	1.3	1.3	0.0	2	0	1	1	0
SENECA	1.8	0.0	0.0	0.0	0.0	1	0	0	0	0
SHELBY	0.0	4.1	0.0	6.2	2.1	0	2	0	3	1
STARK	0.5	0.8	0.5	2.4	2.1	2	3	2	9	8
SUMMIT	3.7	1.3	4.1	7.0	6.8	20	7	22	38	37
TRUMBULL	1.9	1.9	2.0	1.5	3.0	4	4	4	3	6
TUSCARAWAS	0.0	0.0	0.0	0.0	2.2	0	0	0	0	2
UNION	3.8	3.7	5.5	12.6	3.6	2	2	3	7	2
VAN WERT	0.0	0.0	0.0	0.0	3.5	0	0	0	0	1
VINTON	0.0	0.0	0.0	0.0	7.7	0	0	0	0	1
WARREN	1.4	0.5	0.9	1.3	1.3	3	1	2	3	3
WASHINGTON	0.0	0.0	1.6	0.0	1.6	0	0	1	0	1
WAYNE	0.0	0.9	1.7	0.0	1.7	0	1	2	0	2
WILLIAMS	2.7	0.0	0.0	0.0	0.0	1	0	0	0	0
WOOD	1.5	2.3	3.1	0.8	4.6	2	3	4	1	6
WYANDOT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
UNKNOWN COUNTY ³	--	--	--	--	--	0	0	0	0	1
TOTAL	3.8	4.8	4.9	6.2	7.2	440	560	565	716	833

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.

(3) Cases reported without patient's county are classified as "Unknown County".


Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Primary and Secondary Syphilis Cases 2013 - 2017

Presented by Date of Diagnosis¹

City	Rates ²					Number of Cases				
	2013	2014	2015	2016	2017	2013	2014	2015	2016	2017
Akron	8.1	2.0	8.6	16.1	14.6	16	4	17	32	29
Canton	1.4	2.8	0.0	9.7	5.5	1	2	0	7	4
Cincinnati	42.4	38.4	27.2	16.8	23.5	126	114	81	50	70
Cleveland	5.9	12.5	9.5	26.2	32.4	23	49	37	102	126
Columbus	16.7	25.2	28.4	28.4	32.4	137	205	234	238	271
Dayton	14.0	9.2	12.7	19.8	22.0	20	13	18	28	31
Lima	2.6	2.6	2.6	2.6	18.5	1	1	1	1	7
Toledo	2.1	10.6	3.2	5.0	9.3	6	30	9	14	26
Youngstown	3.1	6.1	1.5	9.2	6.1	2	4	1	6	4



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2017 which utilizes 2016.
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.