

**Ohio Primary and Secondary Syphilis Cases, 2016 to First Quarter 2018**  
**Demographic Breakdown of Ohio**  
**Presented by Date of Diagnosis<sup>1</sup>**

AGE	Cases Reported to the Ohio Department of Health								
	January - March Cases			January - December Cases				Rate <sup>2</sup>	
	2016	2017	2018	2016	% of Total	2017	% of Total	2016	2017
0 - 9	0	0	0	0	0.0	0	0.0	0.0	0.0
10 - 14	0	0	0	0	0.0	1	0.1	0.0	0.1
15 - 19	6	11	13	32	4.5	29	3.5	4.2	3.8
20 - 24	35	38	39	140	19.6	168	20.1	18.2	21.8
25 - 29	50	52	43	170	23.7	206	24.7	21.7	26.3
30 - 34	31	31	30	104	14.5	141	16.9	14.3	19.5
35 - 39	15	21	33	66	9.2	92	11.0	9.4	13.1
40 - 44	13	19	12	43	6.0	61	7.3	6.4	9.0
45 - 54	27	29	16	105	14.7	93	11.1	6.8	6.0
55 - 64	10	5	8	45	6.3	33	4.0	2.8	2.1
65+	2	2	2	10	1.4	11	1.3	0.5	0.6
Not Specified	0	0	0	1	0.1	0	0.0	--	--
<b>RACE</b>									
Am. Indian/Alaskan Native	0	0	0	0	0.0	0	0.0	0.0	0.0
Asian/Pacific Islander	1	2	2	2	0.3	7	0.8	0.7	2.5
Black/African American	74	99	100	302	42.2	367	44.0	19.0	23.0
White	102	91	80	369	51.5	394	47.2	3.8	4.1
Other <sup>3</sup>	12	16	14	42	5.9	65	7.8	--	--
Not Specified	0	0	0	1	0.1	2	0.2	--	--
<b>ETHNICITY</b>									
Hispanic	5	13	10	24	3.4	46	5.5	5.7	10.8
Non-Hispanic	183	195	182	691	96.5	786	94.1	6.2	7.0
Not Specified	1	0	4	1	0.1	3	0.4	--	--
<b>SEX</b>									
Male	158	178	172	622	86.9	723	86.6	10.9	12.7
Female	31	30	24	94	13.1	112	13.4	1.6	1.9
Not Specified	0	0	0	0	0.0	0	0.0	--	--
<b>TOTAL</b>	<b>189</b>	<b>208</b>	<b>196</b>	<b>716</b>	<b>100.0</b>	<b>835</b>	<b>100.0</b>	<b>6.2</b>	<b>7.2</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2016.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases, 2016 to First Quarter 2018**  
**Presented by Date of Diagnosis<sup>1</sup>**

COUNTY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2016	2017	2018	2016	2017	2016	2017
ADAMS	0	0	0	1	0	3.6	0.0
ALLEN	0	0	0	2	7	1.9	6.7
ASHLAND	0	0	0	0	0	0.0	0.0
ASHTABULA	0	0	0	2	1	2.0	1.0
ATHENS	0	0	0	0	0	0.0	0.0
AUGLAIZE	0	0	0	0	0	0.0	0.0
BELMONT	1	0	1	2	1	2.9	1.5
BROWN	0	0	0	0	3	0.0	6.9
BUTLER	3	1	1	9	11	2.4	2.9
CARROLL	0	0	0	0	1	0.0	3.6
CHAMPAIGN	1	1	0	1	2	2.6	5.2
CLARK	7	2	6	19	17	14.1	12.6
CLERMONT	0	0	2	0	2	0.0	1.0
CLINTON	1	0	0	1	2	2.4	4.8
COLUMBIANA	1	0	1	2	0	1.9	0.0
COSHOCTON	0	0	0	0	1	0.0	2.7
CRAWFORD	0	0	0	0	0	0.0	0.0
CUYAHOGA	26	41	27	139	159	11.1	12.7
DARKE	0	0	0	0	0	0.0	0.0
DEFIANCE	0	1	0	0	1	0.0	2.6
DELAWARE	1	4	0	5	7	2.5	3.6
ERIE	0	0	0	0	6	0.0	8.0
FAIRFIELD	3	3	0	6	7	3.9	4.6
FAYETTE	0	0	0	0	1	0.0	3.5
FRANKLIN	72	86	56	286	323	22.6	25.5
FULTON	0	1	0	0	1	0.0	2.4
GALLIA	0	0	0	0	0	0.0	0.0
GEAUGA	1	1	0	3	1	3.2	1.1
GREENE	1	1	1	3	6	1.8	3.6
GUERNSEY	0	0	0	0	0	0.0	0.0
HAMILTON	13	13	35	52	71	6.4	8.8
HANCOCK	0	0	2	1	2	1.3	2.6
HARDIN	0	0	0	0	0	0.0	0.0
HARRISON	0	0	0	0	0	0.0	0.0
HENRY	0	0	0	0	0	0.0	0.0
HIGHLAND	0	0	0	0	0	0.0	0.0
HOCKING	0	0	0	1	1	3.5	3.5
HOLMES	0	0	0	1	0	2.3	0.0
HURON	0	0	0	0	1	0.0	1.7
JACKSON	0	0	0	1	0	3.1	0.0
JEFFERSON	0	0	0	0	0	0.0	0.0
KNOX	0	0	0	0	0	0.0	0.0
LAKE	2	1	1	7	7	3.1	3.1
LAWRENCE	1	1	0	6	6	9.9	9.9
LICKING	1	2	3	7	8	4.1	4.6

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2016.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Primary and Secondary Syphilis Cases, 2016 to First Quarter 2018**  
**Presented by Date of Diagnosis<sup>1</sup>**

COUNTY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2016	2017	2018	2016	2017	2016	2017
LOGAN	0	0	0	0	1	0.0	0.0
LORAIN	1	2	7	7	14	2.3	4.6
LUCAS	7	9	10	19	28	4.4	6.5
MADISON	0	0	0	0	0	0.0	0.0
MAHONING	2	0	3	8	4	3.5	1.7
MARION	0	0	0	2	1	3.1	1.5
MEDINA	0	0	1	0	0	0.0	0.0
MEIGS	0	0	0	0	0	0.0	0.0
MERCER	0	2	0	0	2	0.0	4.9
MIAMI	1	0	0	1	0	1.0	0.0
MONROE	0	1	0	0	1	0.0	7.0
MONTGOMERY	9	8	15	34	35	6.4	6.6
MORGAN	0	0	0	1	0	6.8	0.0
MORROW	0	0	0	0	2	0.0	5.7
MUSKINGUM	1	0	0	1	1	1.2	1.2
NOBLE	0	0	0	0	0	0.0	0.0
OTTAWA	3	0	0	3	0	7.4	0.0
PAULDING	0	0	0	1	0	5.3	0.0
PERRY	0	0	0	0	0	0.0	0.0
PICKAWAY	0	1	0	4	5	6.9	8.7
PIKE	0	0	0	0	1	0.0	3.6
PORTAGE	2	0	1	4	7	2.5	4.3
PREBLE	0	0	0	0	1	0.0	2.4
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	1	0	1	3	2	2.5	1.7
ROSS	0	0	0	3	1	3.9	1.3
SANDUSKY	0	1	0	3	2	5.1	3.4
SCIOTO	1	0	0	1	0	1.3	0.0
SENECA	0	0	1	0	0	0.0	0.0
SHELBY	2	1	0	3	1	6.2	2.1
STARK	3	2	3	9	8	2.4	2.1
SUMMIT	15	13	12	38	37	7.0	6.8
TRUMBULL	0	3	4	3	6	1.5	3.0
TUSCARAWAS	0	1	0	0	2	0.0	2.2
UNION	4	1	1	7	2	12.6	3.6
VAN WERT	0	0	0	0	1	0.0	3.5
VINTON	0	0	0	0	1	0.0	7.7
WARREN	1	0	0	3	3	1.3	1.3
WASHINGTON	0	0	0	0	1	0.0	1.6
WAYNE	0	0	0	0	2	0.0	1.7
WILLIAMS	0	0	0	0	0	0.0	0.0
WOOD	1	4	1	1	6	0.8	4.6
WYANDOT	0	0	0	0	0	0.0	0.0
UNKNOWN COUNTY <sup>3</sup>	0	0	0	0	1	--	--
<b>TOTAL</b>	<b>189</b>	<b>208</b>	<b>196</b>	<b>716</b>	<b>835</b>	<b>6.2</b>	<b>7.2</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2016.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases, 2016 to First Quarter 2018**  
Presented by Date of Diagnosis<sup>1</sup>

CITY	January - March Cases			Jan - Dec Cases		Rate <sup>2</sup>	
	2016	2017	2018	2016	2017	2016	2017
Akron	12	13	11	32	29	16.1	14.6
Canton	2	0	1	7	4	9.7	5.5
Cincinnati	13	13	34	50	70	16.8	23.5
Cleveland	19	34	16	102	126	26.2	32.4
Columbus	59	79	43	238	272	28.4	32.5
Dayton	9	6	13	28	31	19.8	22.0
Lima	0	0	0	1	7	2.6	18.5
Toledo	5	9	8	14	26	5.0	9.3
Youngstown	2	0	4	6	4	9.2	6.1



**Notes:**

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census city estimates for 2016.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 07/8/2018.