

**Ohio Primary and Secondary Syphilis Cases
2015-2017**

Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹

AGE	Cases Reported to the Ohio Department of Health											
	Rate ²			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
0 - 9	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
10 - 14	0.0	0.0	0.1	0	0.0	0	0.0	1	0.1	0	0	1
15 - 19	2.5	4.1	3.8	19	3.4	32	4.5	29	3.5	19	32	29
20 - 24	16.3	17.9	21.5	127	22.5	140	19.6	168	20.1	127	140	168
25 - 29	14.8	22.2	26.9	113	20.0	170	23.7	206	24.7	113	170	206
30 - 34	10.5	14.4	19.5	76	13.5	104	14.5	141	16.9	76	104	141
35 - 39	10.1	9.5	13.3	70	12.4	66	9.2	92	11.0	70	66	92
40 - 44	6.9	6.1	8.6	49	8.7	43	6.0	61	7.3	49	43	61
45 - 54	5.4	6.7	5.9	85	15.0	105	14.7	93	11.2	85	105	93
55 - 64	1.3	2.8	2.0	21	3.7	45	6.3	32	3.8	21	45	32
65+	0.3	0.5	0.6	5	0.9	10	1.4	11	1.3	5	10	11
Not Specified	--	--	--	0	0.0	1	0.1	0	0.0	0	1	0
RACE												
Am. Indian/Alaskan Native	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
Asian/Pacific Islander	0.4	0.7	2.6	1	0.2	2	0.3	7	0.8	1	2	7
Black/African American	17.5	19.2	23.2	276	48.8	303	42.3	366	43.9	276	303	366
White	2.6	3.8	4.1	256	45.3	369	51.5	394	47.2	256	369	394
Other ³	--	--	--	32	5.7	41	5.7	65	7.8	32	41	65
Not Specified	--	--	--	0	0.0	1	0.1	2	0.2	0	1	2
ETHNICITY												
Hispanic	4.8	5.8	11.1	20	3.5	24	3.4	46	5.5	20	24	46
Non-Hispanic	4.9	6.2	7.0	545	96.5	691	96.5	784	94.0	545	691	784
Not Specified	--	--	--	0	0.0	1	0.1	4	0.5	0	1	4
SEX												
Male	8.4	10.5	12.2	497	88.0	622	86.9	722	86.6	497	622	722
Female	1.2	1.7	2.0	68	12.0	94	13.1	112	13.4	68	94	112
Not Specified	--	--	--	0	0.0	0	0.0	0	0.0	0	0	0
TOTAL	4.9	6.2	7.2	565	100.0	716	100.0	834	100.0	565	716	834

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Primary and Secondary Syphilis Cases
2015 - 2017**

Presented by Date of Diagnosis¹

COUNTY	Rate ²			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
ADAMS	0.0	3.6	0.0	0	0.0	1	0.1	0	0.0	0	1	0
ALLEN	1.0	1.9	6.7	1	0.2	2	0.3	7	0.8	1	2	7
ASHLAND	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
ASHTABULA	4.1	2.0	1.0	4	0.7	2	0.3	1	0.1	4	2	1
ATHENS	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
AUGLAIZE	2.2	0.0	0.0	1	0.2	0	0.0	0	0.0	1	0	0
BELMONT	0.0	2.9	1.4	0	0.0	2	0.3	1	0.1	0	2	1
BROWN	0.0	0.0	6.8	0	0.0	0	0.0	3	0.4	0	0	3
BUTLER	1.6	2.4	2.9	6	1.1	9	1.3	11	1.3	6	9	11
CARROLL	0.0	0.0	3.6	0	0.0	0	0.0	1	0.1	0	0	1
CHAMPAIGN	2.6	2.6	5.1	1	0.2	1	0.1	2	0.2	1	1	2
CLARK	16.2	14.0	12.5	22	3.9	19	2.7	17	2.0	22	19	17
CLERMONT	0.0	0.0	1.0	0	0.0	0	0.0	2	0.2	0	0	2
CLINTON	2.4	2.4	4.8	1	0.2	1	0.1	2	0.2	1	1	2
COLUMBIANA	1.0	1.9	0.0	1	0.2	2	0.3	0	0.0	1	2	0
COSHOCTON	2.7	0.0	2.7	1	0.2	0	0.0	1	0.1	1	0	1
CRAWFORD	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
CUYAHOGA	4.6	11.1	12.6	58	10.3	139	19.4	158	18.9	58	139	158
DARKE	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
DEFIANCE	0.0	0.0	2.6	0	0.0	0	0.0	1	0.1	0	0	1
DELAWARE	2.6	2.6	3.6	5	0.9	5	0.7	7	0.8	5	5	7
ERIE	1.3	0.0	7.9	1	0.2	0	0.0	6	0.7	1	0	6
FAIRFIELD	3.3	4.0	4.6	5	0.9	6	0.8	7	0.8	5	6	7
FAYETTE	3.5	0.0	3.5	1	0.2	0	0.0	1	0.1	1	0	1
FRANKLIN	20.5	22.8	25.8	256	45.3	286	39.9	323	38.7	256	286	323
FULTON	0.0	0.0	2.4	0	0.0	0	0.0	1	0.1	0	0	1
GALLIA	3.3	0.0	0.0	1	0.2	0	0.0	0	0.0	1	0	0
GEAUGA	2.1	3.2	1.1	2	0.4	3	0.4	1	0.1	2	3	1
GREENE	4.3	1.8	3.6	7	1.2	3	0.4	6	0.7	7	3	6
GUERNSEY	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HAMILTON	10.2	6.4	8.7	82	14.5	52	7.3	70	8.4	82	52	70
HANCOCK	2.6	1.3	2.6	2	0.4	1	0.1	2	0.2	2	1	2
HARDIN	3.2	0.0	0.0	1	0.2	0	0.0	0	0.0	1	0	0
HARRISON	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HENRY	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HIGHLAND	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HOCKING	0.0	3.5	3.5	0	0.0	1	0.1	1	0.1	0	1	1
HOLMES	0.0	2.3	0.0	0	0.0	1	0.1	0	0.0	0	1	0
HURON	0.0	0.0	1.7	0	0.0	0	0.0	1	0.1	0	0	1
JACKSON	0.0	3.1	0.0	0	0.0	1	0.1	0	0.0	0	1	0
JEFFERSON	3.0	0.0	0.0	2	0.4	0	0.0	0	0.0	2	0	0
KNOX	1.6	0.0	0.0	1	0.2	0	0.0	0	0.0	1	0	0
LAKE	1.7	3.1	3.5	4	0.7	7	1.0	8	1.0	4	7	8
LAWRENCE	6.5	9.8	9.8	4	0.7	6	0.8	6	0.7	4	6	6
LICKING	1.8	4.1	4.7	3	0.5	7	1.0	8	1.0	3	7	8

Notes:

cont.

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/15/2018.

**Ohio Primary and Secondary Syphilis Cases
2015 - 2017**

Presented by Date of Diagnosis¹

COUNTY	Rate ²			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
LOGAN	2.2	0.0	2.2	1	0.2	0	0.0	1	0.1	1	0	1
LORAIN	2.3	2.3	4.6	7	1.2	7	1.0	14	1.7	7	7	14
LUCAS	2.3	4.4	6.5	10	1.8	19	2.7	28	3.4	10	19	28
MADISON	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
MAHONING	0.4	3.4	1.7	1	0.2	8	1.1	4	0.5	1	8	4
MARION	1.5	3.1	1.5	1	0.2	2	0.3	1	0.1	1	2	1
MEDINA	0.6	0.0	0.0	1	0.2	0	0.0	0	0.0	1	0	0
MEIGS	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
MERCER	0.0	0.0	4.9	0	0.0	0	0.0	2	0.2	0	0	2
MIAMI	1.0	1.0	0.0	1	0.2	1	0.1	0	0.0	1	1	0
MONROE	0.0	0.0	6.9	0	0.0	0	0.0	1	0.1	0	0	1
MONTGOMERY	3.4	6.4	6.6	18	3.2	34	4.7	35	4.2	18	34	35
MORGAN	0.0	6.8	0.0	0	0.0	1	0.1	0	0.0	0	1	0
MORROW	2.9	0.0	5.7	1	0.2	0	0.0	2	0.2	1	0	2
MUSKINGUM	0.0	1.2	1.2	0	0.0	1	0.1	1	0.1	0	1	1
NOBLE	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
OTTAWA	2.4	7.3	0.0	1	0.2	3	0.4	0	0.0	1	3	0
PAULDING	5.3	5.3	0.0	1	0.2	1	0.1	0	0.0	1	1	0
PERRY	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
PICKAWAY	5.3	7.0	8.8	3	0.5	4	0.6	5	0.6	3	4	5
PIKE	0.0	0.0	3.5	0	0.0	0	0.0	1	0.1	0	0	1
PORTAGE	1.2	2.5	4.3	2	0.4	4	0.6	7	0.8	2	4	7
PREBLE	0.0	0.0	2.4	0	0.0	0	0.0	1	0.1	0	0	1
PUTNAM	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
RICHLAND	1.6	2.5	1.6	2	0.4	3	0.4	2	0.2	2	3	2
ROSS	1.3	3.9	1.3	1	0.2	3	0.4	1	0.1	1	3	1
SANDUSKY	0.0	5.0	3.4	0	0.0	3	0.4	2	0.2	0	3	2
SCIOTO	1.3	1.3	0.0	1	0.2	1	0.1	0	0.0	1	1	0
SENECA	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
SHELBY	0.0	0.0	0.0	0	0.0	3	0.4	1	0.1	0	3	1
STARK	0.5	2.4	2.1	2	0.4	9	1.3	8	1.0	2	9	8
SUMMIT	4.1	7.0	6.8	22	3.9	38	5.3	37	4.4	22	38	37
TRUMBULL	2.0	1.5	2.9	4	0.7	3	0.4	6	0.7	4	3	6
TUSCARAWAS	0.0	0.0	2.2	0	0.0	0	0.0	2	0.2	0	0	2
UNION	5.5	12.9	3.7	3	0.5	7	1.0	2	0.2	3	7	2
VAN WERT	0.0	0.0	3.5	0	0.0	0	0.0	1	0.1	0	0	1
VINTON	0.0	0.0	7.7	0	0.0	0	0.0	1	0.1	0	0	1
WARREN	0.9	1.3	1.3	2	0.4	3	0.4	3	0.4	2	3	3
WASHINGTON	1.6	0.0	1.6	1	0.2	0	0.0	1	0.1	1	0	1
WAYNE	1.7	0.0	1.7	2	0.4	0	0.0	2	0.2	2	0	2
WILLIAMS	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
WOOD	3.1	0.8	4.6	4	0.7	1	0.1	6	0.7	4	1	6
WYANDOT	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
UNKNOWN COUNTY ³	--	--	--	0	0.0	0	0.0	1	0.1	0	0	1
TOTAL	4.9	6.2	7.2	565	100.0	716	100.0	834	100.0	565	716	834

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.


Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/15/2018.

Ohio Primary and Secondary Syphilis Cases 2015-2017

Presented by Date of Diagnosis¹

City	Rate ²			Number of Cases		
	2015	2016	2017	2015	2016	2017
Akron	8.6	16.1	14.6	17	32	29
Canton	0.0	9.7	5.5	0	7	4
Cincinnati	27.2	16.8	23.2	81	50	69
Cleveland	9.5	26.1	32.3	37	102	126
Columbus	28.4	28.9	33.0	234	238	272
Dayton	12.7	19.8	21.9	18	28	31
Lima	2.6	2.6	18.3	1	1	7
Toledo	3.2	5.0	9.2	9	14	26
Youngstown	1.5	9.2	6.1	1	6	4



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.