

**Ohio Total Syphilis Cases  
2015 - 2017**

**Demographic Breakdown of Ohio  
Presented by Date of Diagnosis<sup>1</sup>**

AGE	Cases Reported to the Ohio Department of Health											
	Rate <sup>2</sup>			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
0 - 9	1.1	0.9	1.2	16	1.2	13	0.8	17	0.9	16	13	17
10 - 14	0.0	0.3	0.1	0	0.0	2	0.1	1	0.1	0	2	1
15 - 19	5.8	8.7	8.5	45	3.3	67	4.2	66	3.5	45	67	66
20 - 24	33.8	36.7	42.4	264	19.5	286	17.8	331	17.4	264	286	331
25 - 29	36.9	44.8	53.9	282	20.8	343	21.3	412	21.7	282	343	412
30 - 34	26.6	32.0	44.6	192	14.2	231	14.4	322	17.0	192	231	322
35 - 39	22.9	26.9	31.0	158	11.7	186	11.6	214	11.3	158	186	214
40 - 44	18.0	15.2	22.4	127	9.4	107	6.7	158	8.3	127	107	158
45 - 54	11.7	16.2	15.9	185	13.7	256	15.9	250	13.2	185	256	250
55 - 64	3.7	5.7	5.8	59	4.4	91	5.7	92	4.8	59	91	92
65+	1.4	1.4	1.8	26	1.9	26	1.6	34	1.8	26	26	34
Not Specified	--	--	--	0	0.0	1	0.1	0	0.0	0	1	0
<b>RACE</b>												
Am. Indian/Alaskan Native	0.0	2.4	0.0	0	0.0	1	0.1	0	0.0	0	1	0
Asian/Pacific Islander	2.6	4.8	7.0	7	0.5	13	0.8	19	1.0	7	13	19
Black/African American	43.2	44.9	56.1	682	50.4	709	44.1	885	46.7	682	709	885
White	5.9	7.9	8.5	572	42.2	768	47.7	827	43.6	572	768	827
Other <sup>3</sup>	--	--	--	93	6.9	116	7.2	160	8.4	93	116	160
Not Specified	--	--	--	0	0.0	2	0.1	6	0.3	0	2	6
<b>ETHNICITY</b>												
Hispanic	12.1	14.5	25.6	50	3.7	60	3.7	106	5.6	50	60	106
Non-Hispanic	11.6	13.8	15.9	1,304	96.3	1,547	96.1	1,779	93.8	1,304	1,547	1,779
Not Specified	--	--	--	0	0.0	2	0.1	12	0.6	0	2	12
<b>SEX</b>												
Male	18.3	22.2	26.5	1,086	80.2	1,314	81.7	1,568	82.7	1,086	1,314	1,568
Female	4.7	5.2	5.8	268	19.8	295	18.3	329	17.3	268	295	329
Not Specified	--	--	--	0	0.0	0	0.0	0	0.0	0	0	0
<b>TOTAL</b>	<b>11.7</b>	<b>13.9</b>	<b>16.3</b>	<b>1,354</b>	<b>100.0</b>	<b>1,609</b>	<b>100.0</b>	<b>1,897</b>	<b>100.0</b>	<b>1,354</b>	<b>1,609</b>	<b>1,897</b>

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.
  - (3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/15/2018.

**Ohio Total Syphilis Cases  
2015 - 2017**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rate <sup>2</sup>			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
ADAMS	0.0	3.6	14.3	0	0.0	1	0.1	4	0.2	0	1	4
ALLEN	6.8	3.8	9.6	3	0.2	4	0.2	10	0.5	3	4	10
ASHLAND	0.0	1.9	0.0	0	0.0	1	0.1	0	0.0	0	1	0
ASHTABULA	6.1	5.1	3.0	6	0.4	5	0.3	3	0.2	6	5	3
ATHENS	1.5	1.5	3.0	1	0.1	1	0.1	2	0.1	1	1	2
AUGLAIZE	2.2	2.2	0.0	1	0.1	1	0.1	0	0.0	1	1	0
BELMONT	2.9	4.3	1.4	2	0.1	3	0.2	1	0.1	2	3	1
BROWN	0.0	4.6	9.1	0	0.0	2	0.1	4	0.2	0	2	4
BUTLER	9.0	5.6	7.2	34	2.5	21	1.3	27	1.4	34	21	27
CARROLL	0.0	3.6	3.6	0	0.0	1	0.1	1	0.1	0	1	1
CHAMPAIGN	2.6	10.3	7.7	1	0.1	4	0.2	3	0.2	1	4	3
CLARK	32.4	33.1	25.7	44	3.2	45	2.8	35	1.8	44	45	35
CLERMONT	4.0	1.0	4.5	8	0.6	2	0.1	9	0.5	8	2	9
CLINTON	2.4	7.2	7.2	1	0.1	3	0.2	3	0.2	1	3	3
COLUMBIANA	1.0	3.8	3.8	1	0.1	4	0.2	4	0.2	1	4	4
COSHOCTON	2.7	0.0	5.5	1	0.1	0	0.0	2	0.1	1	0	2
CRAWFORD	2.4	2.4	0.0	1	0.1	1	0.1	0	0.0	1	1	0
CUYAHOGA	15.9	26.1	29.5	200	14.8	328	20.4	371	19.6	200	328	371
DARKE	1.9	0.0	0.0	1	0.1	0	0.0	0	0.0	1	0	0
DEFIANCE	0.0	5.2	2.6	0	0.0	2	0.1	1	0.1	0	2	1
DELAWARE	5.7	4.1	7.3	11	0.8	8	0.5	14	0.7	11	8	14
ERIE	2.6	4.0	18.5	2	0.1	3	0.2	14	0.7	2	3	14
FAIRFIELD	7.3	5.9	7.9	11	0.8	9	0.6	12	0.6	11	9	12
FAYETTE	3.5	7.0	10.5	1	0.1	2	0.1	3	0.2	1	2	3
FRANKLIN	36.0	40.1	48.7	450	33.2	502	31.2	609	32.1	450	502	609
FULTON	0.0	0.0	4.7	0	0.0	0	0.0	2	0.1	0	0	2
GALLIA	6.6	0.0	0.0	2	0.1	0	0.0	0	0.0	2	0	0
GEAUGA	2.1	5.3	1.1	2	0.1	5	0.3	1	0.1	2	5	1
GREENE	8.5	9.1	9.7	14	1.0	15	0.9	16	0.8	14	15	16
GUERNSEY	0.0	0.0	2.5	0	0.0	0	0.0	1	0.1	0	0	1
HAMILTON	30.2	24.3	30.3	244	18.0	196	12.2	245	12.9	244	196	245
HANCOCK	2.6	5.3	4.0	2	0.1	4	0.2	3	0.2	2	4	3
HARDIN	3.2	0.0	3.2	1	0.1	0	0.0	1	0.1	1	0	1
HARRISON	0.0	6.5	0.0	0	0.0	1	0.1	0	0.0	0	1	0
HENRY	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HIGHLAND	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
HOCKING	3.5	7.0	10.5	1	0.1	2	0.1	3	0.2	1	2	3
HOLMES	0.0	4.6	0.0	0	0.0	2	0.1	0	0.0	0	2	0
HURON	1.7	1.7	5.1	1	0.1	1	0.1	3	0.2	1	1	3
JACKSON	0.0	9.2	3.1	0	0.0	3	0.2	1	0.1	0	3	1
JEFFERSON	4.5	1.5	1.5	3	0.2	1	0.1	1	0.1	3	1	1
KNOX	4.9	0.0	3.3	3	0.2	0	0.0	2	0.1	3	0	2
LAKE	3.9	6.5	6.1	9	0.7	15	0.9	14	0.7	9	15	14
LAWRENCE	16.4	18.0	16.4	10	0.7	11	0.7	10	0.5	10	11	10
LICKING	8.2	7.6	7.0	14	1.0	13	0.8	12	0.6	14	13	12

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Total Syphilis Cases  
2015 - 2017**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rate <sup>2</sup>			Percent of Total for Year						Number of Cases		
	2015	2016	2017	2015	% of Total	2016	% of Total	2017	% of Total	2015	2016	2017
LOGAN	2.2	0.0	6.6	1	0.1	0	0.0	3	0.2	1	0	3
LORAIN	5.2	7.9	12.5	16	1.2	24	1.5	38	2.0	16	24	38
LUCAS	7.4	10.1	10.8	32	2.4	44	2.7	47	2.5	32	44	47
MADISON	4.5	9.1	6.8	2	0.1	4	0.2	3	0.2	2	4	3
MAHONING	4.7	9.9	7.8	11	0.8	23	1.4	18	0.9	11	23	18
MARION	1.5	3.1	1.5	1	0.1	2	0.1	1	0.1	1	2	1
MEDINA	1.1	3.4	3.4	2	0.1	6	0.4	6	0.3	2	6	6
MEIGS	8.6	0.0	0.0	2	0.1	0	0.0	0	0.0	2	0	0
MERCER	0.0	2.4	4.9	0	0.0	1	0.1	2	0.1	0	1	2
MIAMI	2.9	1.9	6.7	3	0.2	2	0.1	7	0.4	3	2	7
MONROE	0.0	0.0	6.9	0	0.0	0	0.0	1	0.1	0	0	1
MONTGOMERY	10.9	13.9	17.3	58	4.3	74	4.6	92	4.8	58	74	92
MORGAN	0.0	20.3	0.0	0	0.0	3	0.2	0	0.0	0	3	0
MORROW	8.6	2.9	11.4	3	0.2	1	0.1	4	0.2	3	1	4
MUSKINGUM	0.0	3.5	1.2	0	0.0	3	0.2	1	0.1	0	3	1
NOBLE	14.0	0.0	0.0	2	0.1	0	0.0	0	0.0	2	0	0
OTTAWA	2.4	7.3	2.4	1	0.1	3	0.2	1	0.1	1	3	1
PAULDING	5.3	5.3	0.0	1	0.1	1	0.1	0	0.0	1	1	0
PERRY	0.0	5.6	0.0	0	0.0	2	0.1	0	0.0	0	2	0
PICKAWAY	40.4	47.4	57.9	23	1.7	27	1.7	33	1.7	23	27	33
PIKE	7.1	3.5	3.5	2	0.1	1	0.1	1	0.1	2	1	1
PORTAGE	4.3	6.2	8.6	7	0.5	10	0.6	14	0.7	7	10	14
PREBLE	0.0	0.0	4.8	0	0.0	0	0.0	2	0.1	0	0	2
PUTNAM	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
RICHLAND	4.1	3.3	4.1	5	0.4	4	0.2	5	0.3	5	4	5
ROSS	3.9	6.5	1.3	3	0.2	5	0.3	1	0.1	3	5	1
SANDUSKY	1.7	11.7	5.0	1	0.1	7	0.4	3	0.2	1	7	3
SCIOTO	5.2	2.6	5.2	4	0.3	2	0.1	4	0.2	4	2	4
SENECA	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
SHELBY	2.0	12.3	2.0	1	0.1	6	0.4	1	0.1	1	6	1
STARK	1.6	5.3	6.9	6	0.4	20	1.2	26	1.4	6	20	26
SUMMIT	8.3	12.0	14.9	45	3.3	65	4.0	81	4.3	45	65	81
TRUMBULL	5.4	5.4	5.9	11	0.8	11	0.7	12	0.6	11	11	12
TUSCARAWAS	0.0	0.0	3.2	0	0.0	0	0.0	3	0.2	0	0	3
UNION	9.2	25.8	14.7	5	0.4	14	0.9	8	0.4	5	14	8
VAN WERT	3.5	0.0	3.5	1	0.1	0	0.0	1	0.1	1	0	1
VINTON	0.0	7.7	15.3	0	0.0	1	0.1	2	0.1	0	1	2
WARREN	2.2	4.9	3.1	5	0.4	11	0.7	7	0.4	5	11	7
WASHINGTON	3.3	3.3	9.8	2	0.1	2	0.1	6	0.3	2	2	6
WAYNE	3.4	1.7	5.2	4	0.3	2	0.1	6	0.3	4	2	6
WILLIAMS	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
WOOD	6.2	4.6	5.4	8	0.6	6	0.4	7	0.4	8	6	7
WYANDOT	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0	0	0	0
UNKNOWN COUNTY <sup>3</sup>	--	--	--	0	0.0	0	0.0	3	0.2	0	0	3
<b>TOTAL</b>	<b>11.7</b>	<b>13.9</b>	<b>16.3</b>	<b>1,354</b>	<b>100.0</b>	<b>1,609</b>	<b>100.0</b>	<b>1,897</b>	<b>100.0</b>	<b>1,354</b>	<b>1,609</b>	<b>1,897</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.


Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/15/2018.

## Ohio Total Syphilis Cases 2015-2017

Presented by Date of Diagnosis<sup>1</sup>

City	Rate <sup>2</sup>			Number of Cases		
	2015	2016	2017	2015	2016	2017
Akron	18.2	26.2	29.7	36	52	59
Canton	1.4	15.2	23.5	1	11	17
Cincinnati	81.0	64.9	80.0	241	193	238
Cleveland	36.1	59.4	72.5	141	232	283
Columbus	50.0	51.1	63.9	412	421	527
Dayton	37.5	43.1	54.5	53	61	77
Lima	7.8	7.8	26.2	3	3	10
Toledo	10.3	13.5	15.9	29	38	45
Youngstown	12.2	29.0	27.5	8	19	18



**Notes:**

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2014.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.