


## • Seat Belt Usage--Passenger


### Q8 How often do you wear a seat belt when riding in a car driven by someone else?

- **More students are using seat belts.**
  - There has been a steady decline in the percentage of students who reported never or rarely wearing a seat belt when riding in a car driven by someone else. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in seat belt usage for males, females, ninth, 10<sup>th</sup> and 11<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	28.1%	24.3%	15.8%	15.4%
Male	34.1%	30.0%	21.4%	18.6%
Female	21.7%	18.4%	9.9%	11.7%

• **Seat Belt Usage--Passenger (By Grade Level)**




	1993	1997	1999	2003
Total	28.1%	24.3%	15.8%	15.4%
9th Grade	30.8%	29.3%	16.1%	18.2%
10th Grade	23.5%	22.6%	12.4%	11.5%
11th Grade	24.6%	21.7%	17.0%	13.7%
12th Grade	32.5%	22.2%	17.5%	18.5%

• **Drinking & Driving--Passenger**


**Q10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?**

- **Fewer students are riding with a driver who had been drinking alcohol.**
  - From 1993 to 2003, there has been a steady decline in the percentage of students who reported riding with someone who had been drinking. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in riding in a car with a driver who had been drinking alcohol for males, females, and ninth, 10<sup>th</sup>, 11<sup>th</sup> and 12<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	36.8%	34.7%	31.9%	23.2%
Male	36.7%	35.7%	33.0%	23.7%
Female	36.8%	33.6%	30.7%	22.6%

• **Drinking & Driving--Passenger (By Grade Level)**




	1993	1997	1999	2003
Total	36.8%	34.7%	31.9%	23.2%
9th Grade	33.4%	36.2%	31.0%	19.6%
10th Grade	35.9%	30.1%	30.7%	26.6%
11th Grade	38.0%	34.4%	33.6%	23.5%
12th Grade	40.1%	38.4%	32.2%	23.3%

• **Drinking & Driving--Driver**

**Q11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?**


- **Few students drink and drive.**
  - Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in drinking and driving overall, for males, females or by grade level.



	1993	1997	1999	2003
Total	11.5%	13.6%	16.6%	9.6%

Male	15.5%	16.3%	20.1%	10.9%
Female	7.2%	10.7%	13.1%	8.0%

• **Drinking & Driving--Driver (By Grade Level)**




	1993	1997	1999	2003
Total	11.5%	13.6%	16.6%	9.6%
9th Grade	5.6%	6.7%	6.5%	3.7%
10th Grade	4.9%	7.5%	12.0%	6.9%
11th Grade	14.5%	18.1%	25.1%	12.2%
12th Grade	22.5%	25.3%	25.2%	15.7%

• **Violence--Weapon Carrying**


**Q12 During the past 30 days, on how many days did you carry a weapon such as a gun, knife or club?**

- **More students are choosing not to carry weapons.**
  - From 1993 to 2003, there has been a steady decline in the percentage of students who reported carrying a weapon. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in carrying weapons for males and ninth, 10<sup>th</sup> and 11<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	21.8%	17.7%	14.9%	12.5%
Male	34.3%	28.9%	24.9%	19.7%
Female	9.0%	6.2%	4.7%	4.7%

• Violence--Weapon Carrying (By Grade Level)




	1993	1997	1999	2003
Total	21.8%	17.7%	14.9%	12.5%
9th Grade	24.9%	21.8%	17.9%	16.3%
10th Grade	21.4%	16.0%	16.0%	10.5%
11th Grade	17.3%	15.3%	10.4%	9.4%
12th Grade	22.2%	16.0%	13.7%	13.2%

• **Violence--Unsafe on School Property**


**Q15 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?**

- **Few students are not going to school because they feel unsafe at school or on their way to or from school.**
  - Nevertheless, when comparing 1993 and 2003, there are no statistically significant differences in feeling unsafe at school or on their way to or from school overall, for males, females or by grade level.



	1993	1997	1999	2003
Total	4.9%	4.3%	8.5%	5.3%
Male	4.3%	3.3%	7.2%	4.6%
Female	5.2%	5.3%	9.7%	5.9%

• Violence--Unsafe on School Property (By Grade Level)




	1993	1997	1999	2003
Total	4.9%	4.3%	8.5%	5.3%
9th Grade	6.2%	7.6%	9.9%	7.4%
10th Grade	3.9%	4.1%	6.5%	3.9%
11th Grade	3.6%	2.2%	9.9%	4.4%
12th Grade	7.2%	2.1%	5.6%	2.1%

• **Violence--Physical Fighting**

**Q19 During the past 12 months, how many times were you in a physical fight?**


- **Fewer students are in physical fights.**
  - From 1993 to 2003, there has been a steady decline in the percentage of students who reported physical fighting. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in physical fighting for males and 10<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
--	------	------	------	------

Total	44.4%	37.3%	37.0%	31.5%
Male	52.2%	44.3%	45.0%	35.8%
Female	36.1%	30.0%	29.0%	26.7%

- **Violence--Physical Fighting (By Grade Level)**




	1993	1997	1999	2003
Total	44.4%	37.3%	37.0%	31.5%
9th Grade	49.9%	46.8%	41.2%	40.7%
10th Grade	44.8%	39.1%	40.2%	30.1%
11th Grade	41.5%	33.5%	37.3%	28.9%
12th Grade	39.2%	25.7%	26.5%	25.3%

• **Mental Health--Suicide Consideration**


**Q26 During the past 12 months, did you ever seriously consider attempting suicide?**

- **Fewer students are seriously considering attempting suicide.**
  - There has been a steady decline in the percentage of students who reported seriously considering attempting suicide. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in considering attempting suicide for males, females, ninth and 12<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	28.1%	23.0%	20.3%	18.2%
Male	20.9%	15.2%	15.7%	15.2%
Female	35.6%	30.8%	24.9%	21.3%

• **Mental Health--Suicide Consideration (By Grade Level)**




	1993	1997	1999	2003
Total	28.1%	23.0%	20.3%	18.2%
9th Grade	30.0%	24.8%	18.5%	18.3%
10th Grade	27.1%	24.9%	24.5%	19.6%
11th Grade	26.5%	22.3%	18.1%	17.1%
12th Grade	28.0%	18.8%	19.7%	17.3%

- **Mental Health--Suicide Planned**


**Q27 During the past 12 months, did you make a plan about how you would attempt suicide?**

- **Fewer students are planning to attempt suicide.**
  - There has been a steady decline in the percentage of students who made a plan about how they would attempt suicide. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in making a plan to attempt suicide for females and 12<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	21.2%	17.8%	15.0%	14.1%
Male	16.8%	12.0%	12.2%	11.8%
Female	26.2%	23.3%	17.8%	16.5%

• **Mental Health--Suicide Planned (By Grade Level)**




	1993	1997	1999	2003
Total	21.2%	17.8%	15.0%	14.1%
9th Grade	21.9%	18.6%	14.6%	17.2%
10th Grade	20.1%	18.3%	16.1%	13.8%
11th Grade	20.6%	18.8%	12.4%	12.2%
12th Grade	21.4%	14.1%	16.8%	12.8%

• **Mental Health--Suicide Attempted**

**Q28 During the past 12 months, how many times did you actually attempt suicide?**

• **Few students are attempting suicide.**


- Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in attempting suicide overall, for males, females, or by grade level.



	1993	1997	1999	2003
Total	10.6%	10.5%	7.8%	11.9%
Male	6.3%	6.0%	5.0%	10.8%

Female	15.0%	15.0%	10.6%	12.8%
--------	-------	-------	-------	-------

• **Mental Health--Suicide Attempted (By Grade Level)**




	1993	1997	1999	2003
Total	10.6%	10.5%	7.8%	11.9%
9th Grade	12.5%	11.0%	9.0%	13.6%
10th Grade	9.3%	13.3%	9.1%	9.2%
11th Grade	9.8%	11.3%	6.0%	13.6%
12th Grade	10.0%	5.7%	6.4%	11.0%

• **Mental Health--Suicide Attempted--Injury**


**Q29 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning or overdose that had to be treated by a doctor or nurse?**

- **More students are being treated for an injury as a result of an attempted suicide.**
  - There has been an increase in the percentage of students treated for an injury who attempted suicide. The difference between 1993 and 2003 overall is statistically significant.
  - The difference in being treated for an injury from a suicide attempt for 11<sup>th</sup> graders is statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	2.8%	3.0%	2.9%	5.0%
Male	1.3%	2.2%	2.5%	4.2%
Female	4.2%	3.7%	3.3%	5.7%

• **Mental Health--Suicide Attempted--Injury (By Grade Level)**




	1993	1997	1999	2003
Total	2.8%	3.0%	2.9%	5.0%
9th Grade	4.0%	3.1%	4.3%	5.9%
10th Grade	2.7%	4.0%	2.2%	2.8%
11th Grade	1.3%	2.7%	2.0%	6.9%
12th Grade	2.3%	1.6%	2.2%	4.3%

● **Tobacco--Cigarette Smoking**

**Q36 During the past 30 days, on how many days did you smoke cigarettes?**


- **Fewer students are smoking cigarettes.**
  - There has been an overall decline in the percentage of students who smoked cigarettes on one or more of the past 30 days. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in smoking cigarettes for males and 10<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	29.7%	34.5%	40.3%	22.2%
Male	30.4%	36.9%	40.1%	20.8%

Female	29.0%	32.0%	40.5%	23.5%
--------	-------	-------	-------	-------

• Tobacco--Cigarette Smoking (By Grade Level)




	1993	1997	1999	2003
Total	29.7%	34.5%	40.3%	22.2%
9th Grade	31.3%	29.2%	30.7%	19.5%
10th Grade	27.4%	34.5%	43.5%	16.9%
11th Grade	27.6%	37.2%	45.4%	28.5%
12th Grade	32.1%	38.6%	42.5%	23.3%

- **Alcohol--Drinking**

**Q47 During the past 30 days, on how many days did you have at least one drink of alcohol?**


- **Approximately one-half of students are drinking alcohol.**
  - Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in drinking alcohol on one or more of the past 30 days overall, for males, females or by grade level.



	1993	1997	1999	2003
Total	46.5%	46.3%	55.5%	42.2%
Male	48.3%	48.4%	57.9%	40.7%

Female	44.5%	44.3%	53.0%	43.7%
--------	-------	-------	-------	-------

- Alcohol--Drinking (By Grade Level)**




	1993	1997	1999	2003
Total	46.5%	46.3%	55.5%	42.2%
9th Grade	40.4%	39.7%	47.5%	35.4%
10th Grade	43.5%	44.9%	54.0%	39.1%
11th Grade	47.8%	49.6%	60.3%	46.8%
12th Grade	55.7%	53.4%	61.9%	48.2%

• **Alcohol--Binge Drinking**

**Q48 During the past 30 days, on how many days did you have five or more drinks of alcohol in a row, that is, within a couple of hours?**

• **Some students are binge drinking.**


○ Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in binge drinking overall, for males, females or by grade level.



	1993	1997	1999	2003
Total	30.3%	30.3%	37.4%	26.6%

Male	32.0%	33.6%	40.1%	30.4%
Female	28.3%	27.1%	34.8%	22.5%

- Alcohol--Binge Drinking (By Grade Level)**




	1993	1997	1999	2003
Total	30.3%	30.3%	37.4%	26.6%
9th Grade	26.1%	24.5%	24.5%	19.6%
10th Grade	26.3%	26.6%	36.2%	21.4%
11th Grade	32.6%	33.6%	45.0%	31.5%
12th Grade	36.8%	39.1%	46.5%	34.2%

• **Drugs--Marijuana Use**

**Q52 During the past 30 days, how many times did you use marijuana?**


- **Few students are smoking marijuana.**
  - When comparing 1993 with 2003, there are no statistically significant differences in marijuana use overall, for males or by grade level.
  - However, there is a statistically significant increase in marijuana use for females between 1993 and 2003.



	1993	1997	1999	2003
Total	16.1%	24.6%	26.1%	21.4%

Male	18.6%	28.8%	29.3%	21.6%
Female	13.5%	20.2%	22.8%	21.2%

• **Drugs--Marijuana Use (By Grade Level)**




	1993	1997	1999	2003
Total	16.1%	24.6%	26.1%	21.4%
9th Grade	11.6%	24.2%	20.3%	18.1%
10th Grade	15.2%	26.1%	27.3%	16.6%
11th Grade	17.9%	21.9%	29.8%	23.1%
12th Grade	20.4%	26.3%	27.2%	27.6%

• **Drugs--Cocaine Use**

**Q55 During the past 30 days, how many times did you use any form of cocaine, including powder, crack or freebase?**


- **Few students are using cocaine.**
  - When comparing 1993 with 2003, there are no statistically significant differences in cocaine use overall, for males or by grade level.
  - However, there is a statistically significant increase in cocaine use for females between 1993 and 2003.



	1993	1997	1999	2003
--	------	------	------	------

Total	1.6%	3.2%	3.4%	3.4%
Male	2.5%	4.2%	3.8%	3.2%
Female	0.5%	2.2%	3.0%	3.6%

• **Drugs--Cocaine Use (By Grade Level)**




	1993	1997	1999	2003
Total	1.6%	3.2%	3.4%	3.4%
9th Grade	1.1%	2.9%	2.5%	4.2%
10th Grade	0.6%	2.8%	1.6%	1.7%
11th Grade	1.9%	3.2%	6.1%	3.2%
12th Grade	2.4%	3.8%	3.3%	4.5%

• **Drugs--Steroid Use**

**Q63 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?**


- **Few students are using steroids.**
  - When comparing 1993 with 2003, there are no statistically significant differences in taking steroid pills or shots without a doctor's prescription overall, for males or by grade level.
  - However, there is a statistically significant increase in steroid use for females between 1993 and 2003.



	1993	1997	1999	2003
--	------	------	------	------

Total	2.6%	4.4%	4.2%	5.2%
Male	4.1%	5.5%	5.9%	5.3%
Female	1.0%	3.4%	2.5%	5.1%

• **Drugs--Steroid Use (By Grade Level)**




	1993	1997	1999	2003
Total	2.6%	4.4%	4.2%	5.2%
9th Grade	3.2%	4.9%	4.3%	6.4%
10th Grade	2.0%	4.8%	3.5%	3.5%
11th Grade	2.0%	2.9%	3.4%	4.3%
12th Grade	2.8%	4.5%	5.8%	6.4%

• **Sexual Behaviors and HIV/AIDS Prevention Education--Sexual Intercourse**

**Q67 Have you ever had sexual intercourse?**


- **Fewer students are having sexual intercourse.**
  - There has been a steady decline in the percentage of students who reported having sexual intercourse. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in having sexual intercourse for males, 10<sup>th</sup> and 11<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	55.2%	48.7%	46.9%	41.7%

Male	57.4%	49.9%	48.7%	40.4%
Female	52.8%	47.4%	45.2%	42.7%

• **Sexual Behaviors and HIV/AIDS Prevention Education--Sexual Intercourse (By Grade Level)**




	1993	1997	1999	2003
Total	55.2%	48.7%	46.9%	41.7%
9th Grade	39.5%	33.2%	31.2%	29.4%
10th Grade	50.4%	46.9%	40.0%	33.8%
11th Grade	66.1%	57.9%	58.7%	48.3%
12th Grade	69.5%	62.5%	63.4%	56.1%

## • Sexual Behaviors and HIV/AIDS Prevention Education--Sexual Intercourse Before Age 13


### Q68 How old were you when you had sexual intercourse for the first time?

- Fewer students are having sexual intercourse before age 13.
  - There has been a steady decline in the percentage of students who reported having sexual intercourse before the age of 13. The difference between 1993 and 2003 overall is statistically significant.
  - The differences in having sexual intercourse before the age of 13 for males and 10<sup>th</sup> graders are statistically significant between 1993 and 2003.



	1993	1997	1999	2003
Total	11.3%	9.4%	5.4%	6.0%
Male	17.3%	14.2%	8.5%	7.8%
Female	5.0%	4.7%	2.3%	4.0%

• **Sexual Behaviors and HIV/AIDS Prevention Education--Sexual Intercourse Before Age 13 (By Grade Level)**




	1993	1997	1999	2003
Total	11.3%	9.4%	5.4%	6.0%
9th Grade	12.0%	13.0%	8.6%	8.5%
10th Grade	10.8%	8.9%	3.4%	5.8%
11th Grade	11.2%	8.3%	6.0%	5.1%
12th Grade	10.8%	6.0%	2.8%	4.1%

• **Sexual Behaviors and HIV/AIDS Prevention Education--Alcohol or Drugs Before Sexual Intercourse**


**Q71 Did you drink alcohol or use drugs before you had sexual intercourse the last time?**

- **Some students are drinking alcohol or using drugs before having sexual intercourse.**
  - Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in drinking alcohol or using drugs before last sexual intercourse overall, for males and females.
  - There are no data available for 2003 by grade level.



	1993	1997	1999	2003
Total	19.5%	26.6%	29.6%	24.3%
Male	22.6%	35.0%	32.5%	29.1%
Female	16.0%	18.5%	26.6%	19.1%

• **Sexual Behaviors and HIV/AIDS Prevention Education--Alcohol or Drugs Before Sexual Intercourse (By Grade Level)**




	1993	1997	1999	2003
Total	19.5%	26.6%	29.6%	24.3%
9th Grade	22.4%	29.4%	27.4%	n/a*
10th Grade	17.9%	27.9%	29.3%	n/a*
11th Grade	19.1%	24.9%	29.7%	n/a*
12th Grade	17.8%	24.6%	29.6%	n/a*

\*Numbers for grades in 2003 are too small to report.

• **Sexual Behaviors and HIV/AIDS Prevention Education--Condom Use**

**Q72 The last time you had sexual intercourse, did you or your partner use a condom?**


- **Most students are using condoms.**
  - Nevertheless, when comparing 1993 with 2003, there are no statistically significant differences in using condoms overall, for males and females.
  - There are no data available for 2003 by grade level.



	1993	1997	1999	2003
Total	54.1%	57.5%	59.3%	59.8%
Male	59.4%	65.7%	62.3%	67.9%

Female	54.1%	57.5%	59.3%	59.8%
--------	-------	-------	-------	-------

• **Sexual Behaviors and HIV/AIDS Prevention Education--Condom Use (By Grade Level)**




	1993	1997	1999	2003
Total	54.1%	57.5%	59.3%	59.8%
9th Grade	59.2%	65.1%	70.8%	n/a*
10th Grade	59.1%	58.1%	63.5%	n/a*
11th Grade	54.4%	57.6%	54.1%	n/a*
12th Grade	48.3%	52.9%	55.8%	n/a*

\*Numbers for grades in 2003 are too small to report.

• **Nutrition--Self-Description of Overweight**

**Q76 How do you describe your weight?**


- **Some students are describing themselves as slightly or very overweight.**
  - When comparing 1993 with 2003, there are no statistically significant differences in students describing themselves as overweight overall or for males.
  - However, there is a statistically significant decrease in students describing themselves as overweight for females and 10<sup>th</sup> graders between 1993 and 2003.



	1993	1997	1999	2003
--	------	------	------	------

Total	33.8%	27.8%	32.0%	32.6%
Male	21.9%	20.4%	23.8%	27.5%
Female	46.2%	35.2%	40.7%	37.7%

• **Nutrition--Self-Description of Overweight (By Grade Level)**




	1993	1997	1999	2003
Total	33.8%	27.8%	32.0%	32.6%
9th Grade	34.4%	29.0%	29.6%	32.6%
10th Grade	35.4%	27.3%	34.8%	25.9%
11th Grade	31.8%	26.8%	33.0%	33.8%
12th Grade	33.2%	26.8%	31.1%	37.5%

## • Physical Activity--Exercise


**Q88 On how many of the past seven days did you exercise or participate in physical activity for at least 20 minutes that made you sweat or breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing or similar aerobic activities?**

- **Most students are exercising at least 20 minutes three or more days a week.**
  - When comparing 1993 with 2003, there are no statistically significant differences in exercising for 20 minutes at least three days a week overall or by grade level.
  - However, there is a statistically significant increase in exercising for females between 1993 and 2003.



	1993	1997	1999	2003
Total	61.7%	59.1%	62.5%	67.6%
Male	73.2%	68.2%	72.3%	74.7%
Female	49.8%	49.5%	52.7%	60.3%

- **Physical Activity--Exercise (By Grade Level)**




	1993	1997	1999	2003
Total	61.7%	59.1%	62.5%	67.6%
9th Grade	73.3%	62.3%	71.4%	72.5%
10th Grade	67.9%	65.6%	69.0%	72.3%
11th Grade	53.7%	54.2%	52.1%	65.1%
12th Grade	48.4%	62.1%	55.1%	60.3%

• **Physical Activity--Physical Education Classes**

**Q93 In an average week when you are in school, on how many days do you go to physical education (PE) classes?**


- **Less than half of students are attending physical education (PE) classes.**
  - When comparing 1993 with 2003, there are no statistically significant differences in attending PE classes overall, for males, females or by grade level.



	1993	1997	1999	2003
--	------	------	------	------

Total	42.7%	40.9%	40.8%	41.2%
Male	43.7%	44.0%	45.8%	43.7%
Female	41.5%	37.5%	36.0%	38.7%

## • Physical Activity--Physical Education Classes (By Grade Level)



	1993	1997	1999	2003
Total	42.7%	40.9%	40.8%	41.2%
9th Grade	75.5%	69.4%	72.3%	71.2%
10th Grade	62.3%	52.6%	52.6%	54.6%
11th Grade	12.6%	16.7%	18.7%	17.4%
12th Grade	10.1%	13.4%	11.5%	18.6%