

## Ohio Primary and Secondary Syphilis Cases 2010 - 2014

### Demographic Breakdown of Ohio

#### Presented by Date of Diagnosis<sup>1</sup>

AGE	Cases reported to the Ohio Department of Health									
	Rates <sup>2</sup>					Number of Cases				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
0 - 9	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
10 - 14	0.4	0.3	0.0	0.1	0.0	3	2	0	1	0
15 - 19	8.4	7.0	4.1	3.8	3.3	69	56	32	30	26
20 - 24	17.2	16.5	10.9	14.0	15.9	131	128	86	111	126
25 - 29	13.9	11.1	11.3	12.4	19.1	100	80	81	91	140
30 - 34	10.4	7.5	8.7	7.1	12.4	72	53	62	51	89
35 - 39	5.4	4.8	6.1	7.2	7.9	39	33	41	48	53
40 - 44	5.4	4.9	4.9	4.0	4.4	41	37	37	30	33
45 - 54	3.4	2.3	3.9	3.6	4.3	59	39	66	59	70
55 - 64	1.0	0.9	1.2	1.0	1.3	15	14	19	15	20
65+	0.0	0.2	0.1	0.1	0.2	0	3	2	2	4
Not Specified	--	--	--	--	--	0	0	0	0	0
<b>RACE</b>										
Am. Indian/Alaskan Native	2.6	2.5	0.0	0.0	0.0	1	1	0	0	0
Asian/Pacific Islander	0.5	0.0	0.4	0.8	0.4	1	0	1	2	1
Black/African American	23.0	19.2	15.7	14.0	19.1	348	293	241	217	295
White	1.7	1.4	1.5	2.0	2.4	168	133	148	199	234
Other <sup>3</sup>	--	--	--	--	--	11	16	35	20	30
Not Specified	--	--	--	--	--	0	2	1	0	1
<b>ETHNICITY</b>										
Hispanic	2.5	1.6	3.4	4.1	4.6	9	6	13	16	18
Non-Hispanic	4.6	3.9	3.7	3.8	4.8	518	436	411	422	541
Not Specified	--	--	--	--	--	2	3	2	0	2
<b>SEX</b>										
Male	7.1	6.0	6.0	6.6	8.6	398	337	340	376	484
Female	2.2	1.8	1.5	1.0	1.3	131	108	86	62	77
Not Specified	--	--	--	--	--	0	0	0	0	0
<b>TOTAL</b>	<b>4.6</b>	<b>3.9</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>529</b>	<b>445</b>	<b>426</b>	<b>438</b>	<b>561</b>

**Notes:**

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 which utilizes 2013.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases

2010 - 2014

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
ADAMS	0.0	3.5	0.0	0.0	0.0	0	1	0	0	0
ALLEN	0.0	0.0	0.0	0.9	0.9	0	0	0	1	1
ASHLAND	0.0	0.0	0.0	0.0	1.9	0	0	0	0	1
ASHTABULA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
ATHENS	0.0	0.0	1.6	0.0	0.0	0	0	1	0	0
AUGLAIZE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
BELMONT	0.0	1.4	0.0	2.9	0.0	0	1	0	2	0
BROWN	2.2	0.0	2.3	0.0	0.0	1	0	1	0	0
BUTLER	2.4	2.4	2.2	3.2	3.8	9	9	8	12	14
CARROLL	3.5	0.0	0.0	0.0	0.0	1	0	0	0	0
CHAMPAIGN	0.0	0.0	0.0	2.5	0.0	0	0	0	1	0
CLARK	1.4	0.7	2.9	2.2	7.3	2	1	4	3	10
CLERMONT	0.5	1.0	1.0	2.0	0.5	1	2	2	4	1
CLINTON	0.0	0.0	0.0	0.0	4.8	0	0	0	0	2
COLUMBIANA	0.0	0.0	0.0	0.0	0.9	0	0	0	0	1
COSHOCTON	8.1	2.7	0.0	0.0	2.7	3	1	0	0	1
CRAWFORD	2.3	0.0	0.0	0.0	2.3	1	0	0	0	1
CUYAHOGA	5.4	4.1	3.4	2.3	5.7	69	52	43	29	72
DARKE	0.0	1.9	0.0	0.0	0.0	0	1	0	0	0
DEFIANCE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
DELAWARE	1.1	0.6	1.1	1.1	0.5	2	1	2	2	1
ERIE	1.3	1.3	0.0	0.0	0.0	1	1	0	0	0
FAIRFIELD	2.7	0.0	0.7	0.7	3.4	4	0	1	1	5
FAYETTE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
FRANKLIN	9.4	9.8	12.5	13.0	19.0	109	116	149	158	230
FULTON	0.0	0.0	2.4	2.4	0.0	0	0	1	1	0
GALLIA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
GEAUGA	1.1	0.0	0.0	1.1	0.0	1	0	0	1	0
GREENE	1.2	1.2	3.1	1.2	1.2	2	2	5	2	2
GUERNSEY	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HAMILTON	30.5	24.5	16.8	16.3	14.5	245	196	135	131	117
HANCOCK	0.0	1.3	0.0	0.0	0.0	0	1	0	0	0
HARDIN	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HARRISON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HENRY	0.0	0.0	0.0	7.1	0.0	0	0	0	2	0
HIGHLAND	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HOCKING	6.8	0.0	0.0	3.5	3.5	2	0	0	1	1
HOLMES	0.0	0.0	2.3	0.0	0.0	0	0	1	0	0
HURON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
JACKSON	3.0	0.0	0.0	0.0	3.1	1	0	0	0	1
JEFFERSON	1.4	0.0	0.0	0.0	0.0	1	0	0	0	0
KNOX	0.0	0.0	1.6	0.0	1.6	0	0	1	0	1
LAKE	1.7	0.0	0.0	0.0	0.9	4	0	0	0	2
LAWRENCE	0.0	0.0	1.6	1.6	4.8	0	0	1	1	3
LICKING	1.8	3.0	1.2	1.8	3.0	3	5	2	3	5

## Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 which utilizes 2013.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Primary and Secondary Syphilis Cases  
2010 - 2014**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
LOGAN	2.2	0.0	2.2	0.0	4.4	1	0	1	0	2
LORAIN	2.7	0.7	0.3	0.3	2.0	8	2	1	1	6
LUCAS	2.0	2.0	2.7	1.4	7.1	9	9	12	6	31
MADISON	2.3	0.0	2.3	2.3	0.0	1	0	1	1	0
MAHONING	1.3	1.3	0.9	1.3	2.1	3	3	2	3	5
MARION	3.0	0.0	1.5	3.0	0.0	2	0	1	2	0
MEDINA	0.0	0.6	0.0	0.6	0.0	0	1	0	1	0
MEIGS	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MERCER	0.0	0.0	2.4	0.0	0.0	0	0	1	0	0
MIAMI	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MONROE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MONTGOMERY	1.5	3.2	5.2	3.9	2.8	8	17	28	21	15
MORGAN	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MORROW	0.0	0.0	0.0	0.0	2.9	0	0	0	0	1
MUSKINGUM	1.2	0.0	0.0	0.0	0.0	1	0	0	0	0
NOBLE	6.8	0.0	0.0	0.0	0.0	1	0	0	0	0
OTTAWA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PAULDING	0.0	0.0	0.0	5.2	0.0	0	0	0	1	0
PERRY	2.8	0.0	0.0	2.8	0.0	1	0	0	1	0
PICKAWAY	0.0	0.0	3.5	0.0	3.6	0	0	2	0	2
PIKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PORTAGE	0.0	1.9	0.0	1.2	0.6	0	3	0	2	1
PREBLE	0.0	0.0	2.4	2.4	2.4	0	0	1	1	1
PUTNAM	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
RICHLAND	1.6	0.8	0.0	5.7	0.8	2	1	0	7	1
ROSS	1.3	0.0	1.3	0.0	1.3	1	0	1	0	1
SANDUSKY	4.9	0.0	0.0	0.0	0.0	3	0	0	0	0
SCIOTO	3.8	1.3	1.3	2.6	0.0	3	1	1	2	0
SENECA	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
SHELBY	0.0	0.0	2.0	0.0	4.1	0	0	1	0	2
STARK	0.8	1.3	0.5	0.5	0.8	3	5	2	2	3
SUMMIT	3.0	1.3	0.6	3.7	1.3	16	7	3	20	7
TRUMBULL	0.5	0.0	1.0	1.9	1.9	1	0	2	4	4
TUSCARAWAS	1.1	0.0	1.1	0.0	0.0	1	0	1	0	0
UNION	0.0	1.9	1.9	3.8	3.8	0	1	1	2	2
VAN WERT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
VINTON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
WARREN	0.0	1.4	2.3	1.4	0.5	0	3	5	3	1
WASHINGTON	1.6	0.0	0.0	0.0	0.0	1	0	0	0	0
WAYNE	0.0	0.9	0.9	0.0	0.9	0	1	1	0	1
WILLIAMS	0.0	0.0	0.0	2.7	0.0	0	0	0	1	0
WOOD	0.8	0.0	0.8	1.5	2.3	1	0	1	2	3
WYANDOT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
UNKNOWN COUNTY <sup>3</sup>	--	--	--	--	--	0	1	0	0	0
<b>TOTAL</b>	<b>4.6</b>	<b>3.9</b>	<b>3.7</b>	<b>3.8</b>	<b>4.8</b>	<b>529</b>	<b>445</b>	<b>426</b>	<b>438</b>	<b>561</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 which utilizes 2013.

(3) Cases reported without patient's county are classified as "Unknown County".


Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

## Ohio Primary and Secondary Syphilis Cases 2010 - 2014

Presented by Date of Diagnosis<sup>1</sup>

City	Rates <sup>2</sup>					Number of Cases				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
Akron	5.5	3.0	1.0	8.1	2.0	11	6	2	16	4
Canton	1.4	5.5	2.8	1.4	2.8	1	4	2	1	2
Cincinnati	81.2	65.5	45.5	42.4	39.3	241	194	135	126	117
Cleveland	13.6	9.7	7.9	5.9	12.6	54	38	31	23	49
Columbus	12.5	13.0	16.8	16.7	24.9	99	104	136	137	205
Dayton	4.2	12.0	17.7	14.0	9.1	6	17	25	20	13
Lima	0.0	0.0	0.0	2.6	2.6	0	0	0	1	1
Toledo	2.4	3.2	3.5	1.8	10.6	7	9	10	5	30
Youngstown	4.5	3.0	1.5	3.1	6.1	3	2	1	2	4



**Notes:**

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2014 which utilizes 2013.
- Small numbers are unstable and should be interpreted with caution.  
Provisional data. Numbers subject to change when additional information is gained.