

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	37.3	29.8 - 45.6	119	39.7	33.1 - 46.7	154	29.6	19.3 - 42.6	47	37.4	32.7 - 42.2	320
b. Nutrition	37.6	30.1 - 45.8	118	34.2	28.3 - 40.6	154	29.6	19.9 - 41.5	47	34.8	30.5 - 39.4	319
c. Tobacco-use prevention	36.5	28.8 - 44.9	119	31.7	25.6 - 38.6	154	21.2	11.8 - 35.3	47	31.9	27.4 - 36.8	320
d. Asthma	23.4	17.6 - 30.3	118	19.6	14.9 - 25.2	153	10.5	4.6 - 22.3	47	19.6	16.2 - 23.5	318
e. Injury and violence prevention	30.7	23.6 - 38.9	118	31.1	25.6 - 37.3	153	19.1	10.3 - 32.7	47	29.2	25.1 - 33.8	318
f. HIV, STD, and teen pregnancy prevention	31.6	24.1 - 40.3	118	21.1	16.0 - 27.3	154	14.7	7.3 - 27.2	47	24.0	20.0 - 28.6	319

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	35.4	28.2 - 43.4	112	22.7	17.2 - 29.4	143	26.8	17.0 - 39.6	45	28.0	23.8 - 32.7	300
b. Physical education	34.5	27.1 - 42.7	112	24.7	19.0 - 31.5	143	24.5	14.5 - 38.4	45	28.3	24.0 - 33.1	300
c. Physical activity	28.2	21.4 - 36.2	112	19.0	14.0 - 25.4	141	20.0	11.5 - 32.7	45	22.6	18.7 - 27.1	298
d. School meal programs	32.8	25.7 - 40.7	111	19.7	14.3 - 26.5	142	32.0	20.4 - 46.3	44	26.4	22.1 - 31.1	297
e. Foods and beverages available at school outside the school meal programs	29.3	22.3 - 37.5	111	18.8	13.6 - 25.3	142	28.4	17.5 - 42.6	46	24.1	20.0 - 28.8	299
f. Health services	30.2	23.0 - 38.5	111	20.4	15.0 - 27.1	141	29.0	18.8 - 42.0	45	25.3	21.1 - 30.0	297
g. Mental health and social services	36.4	28.6 - 45.0	111	24.8	19.3 - 31.1	141	33.3	21.8 - 47.1	45	30.4	26.0 - 35.2	297
h. Healthy and safe school environment	46.5	38.2 - 54.9	111	42.6	35.6 - 49.9	142	41.3	29.5 - 54.2	46	43.8	38.9 - 48.9	299
i. Family and community involvement	44.7	36.1 - 53.6	111	44.1	37.4 - 50.9	142	41.3	28.1 - 55.8	46	43.9	38.9 - 49.0	299
j. Faculty and staff health promotion	28.1	21.1 - 36.5	112	24.2	18.6 - 30.8	142	28.3	18.4 - 40.8	46	26.3	22.1 - 30.9	300

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.0	51.5 - 67.9	90	49.0	40.5 - 57.7	113	23.4	11.8 - 41.0	34	49.5	43.8 - 55.2	237

\*Among schools that engaged in an improvement planning process during the past year.  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.8	71.1 - 84.8	122	75.4	68.3 - 81.3	157	69.4	56.6 - 79.7	52	75.7	71.0 - 79.8	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
42.1	33.9 - 50.7	122	45.7	38.4 - 53.3	156	28.8	18.2 - 42.3	52	41.7	36.7 - 46.9	330

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	90.1	79.1 - 95.6	50	89.2	80.7 - 94.2	72	80.1	56.7 - 92.6	15	88.5	82.6 - 92.6	137
b. Health education teachers	79.5	69.7 - 86.7	49	75.5	65.7 - 83.2	73	66.7	43.9 - 83.6	15	75.9	69.3 - 81.5	137
c. Physical education teachers	81.6	72.3 - 88.3	49	79.8	69.5 - 87.3	72	66.7	43.9 - 83.6	15	79.0	72.3 - 84.4	136
d. Other classroom teachers	77.5	64.8 - 86.5	49	75.8	66.7 - 83.0	72	78.7	54.4 - 92.0	14	76.7	69.9 - 82.3	135
e. Mental health or social services staff (e.g., school counselors)	67.4	55.7 - 77.2	49	71.7	61.0 - 80.5	70	53.5	30.2 - 75.4	15	68.1	60.6 - 74.7	134
f. Nutrition or food service staff	60.6	48.4 - 71.6	49	64.6	54.7 - 73.4	69	73.4	50.1 - 88.3	15	64.1	57.0 - 70.7	133
g. Health services staff (e.g., school nurse)	76.2	64.8 - 84.7	51	79.9	70.0 - 87.2	70	60.3	38.4 - 78.7	15	76.3	69.5 - 82.1	136
h. Maintenance and transportation staff	20.2	11.7 - 32.7	49	32.0	22.6 - 43.2	68	13.1	3.8 - 36.4	15	25.5	19.2 - 33.0	132
i. Technology staff	16.0	8.7 - 27.6	50	29.5	20.2 - 40.8	68	6.7	1.1 - 31.0	15	21.8	15.9 - 29.2	133
j. Library/media center staff	6.2	2.2 - 16.2	48	19.9	12.2 - 30.8	68	6.7	1.1 - 31.0	15	13.4	8.7 - 20.0	131
k. Student body	37.7	26.5 - 50.4	50	37.0	26.9 - 48.5	68	26.6	10.7 - 52.2	15	36.1	28.8 - 44.0	133
l. Parents or families of students	48.9	36.1 - 61.8	49	55.7	44.7 - 66.1	69	20.2	7.0 - 46.2	15	49.1	41.3 - 57.0	133

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	52.9	39.5 - 66.0	49	48.6	37.8 - 59.6	69	27.0	11.9 - 50.3	15	47.7	39.9 - 55.7	133
n. Local health departments, agencies, or organizations	48.5	35.0 - 62.2	51	47.9	37.8 - 58.2	69	20.2	7.6 - 43.8	15	45.0	37.4 - 52.9	135
o. Faith-based organizations	8.0	3.2 - 18.6	49	20.2	12.3 - 31.3	68	0.0	†	15	13.4	8.6 - 20.1	132
p. Businesses	13.9	7.0 - 25.9	49	31.5	22.0 - 42.9	67	13.5	3.9 - 37.1	15	22.9	16.8 - 30.5	131
q. Local government agencies	20.1	11.6 - 32.6	49	28.7	19.6 - 39.8	68	20.2	7.6 - 43.8	15	24.5	18.3 - 32.1	132

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	69.3	56.6 - 79.6	52	61.2	49.5 - 71.6	72	40.1	19.8 - 64.4	15	61.9	53.8 - 69.4	139
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	62.7	49.9 - 73.9	49	60.6	50.0 - 70.2	73	73.4	50.1 - 88.3	15	62.7	55.2 - 69.7	137
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	43.0	30.1 - 57.0	49	49.9	39.5 - 60.4	71	79.8	56.2 - 92.4	15	50.8	43.0 - 58.6	135
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	73.6	61.5 - 83.0	50	75.5	65.1 - 83.6	73	93.3	69.0 - 98.9	15	76.8	69.7 - 82.6	138
e. Reviewed health-related curricula or instructional materials	69.6	56.8 - 79.9	50	62.5	52.4 - 71.6	72	60.3	39.8 - 77.7	15	64.8	57.5 - 71.5	137
f. Assessed the availability of physical activity opportunities for students	70.4	57.2 - 80.9	51	66.9	57.2 - 75.3	73	67.0	41.9 - 85.1	15	68.2	60.8 - 74.7	139

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.8	57.5 - 71.4	119	46.4	38.9 - 54.1	149	43.2	32.6 - 54.5	51	52.7	47.9 - 57.4	319

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Lessons in class	87.6	81.2 - 92.0	121	84.1	77.7 - 89.0	157	73.6	60.3 - 83.6	49	83.8	79.7 - 87.3	327
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	56.2	48.1 - 63.9	119	59.5	52.3 - 66.2	157	43.3	29.4 - 58.3	51	55.7	50.7 - 60.7	327

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	54.0	45.1 - 62.7	118	44.4	37.6 - 51.3	154	54.9	43.5 - 65.7	49	49.5	44.5 - 54.5	321
b. Procedures to protect HIV-infected students and staff from discrimination	64.0	55.4 - 71.7	120	51.7	44.5 - 58.9	154	71.3	58.5 - 81.4	49	59.2	54.2 - 64.0	323
c. Maintaining confidentiality of HIV-infected students and staff	66.2	57.6 - 73.8	119	56.2	49.1 - 63.0	155	69.9	56.9 - 80.3	50	61.9	57.0 - 66.7	324

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
30.8	24.2 - 38.5	118	14.7	9.9 - 21.2	151	21.2	12.7 - 33.2	52	21.6	17.8 - 26.0	321

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	64.8	57.9 - 71.2	120	57.2	49.6 - 64.4	155	52.9	39.0 - 66.3	51	59.3	54.4 - 64.0	326
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	90.9	84.7 - 94.7	121	79.5	73.1 - 84.7	157	88.5	77.2 - 94.6	52	85.0	81.1 - 88.3	330
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	57.7	48.9 - 66.1	119	46.8	39.7 - 54.0	156	58.8	47.4 - 69.3	51	52.6	47.6 - 57.6	326
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	46.4	38.2 - 54.8	118	29.4	23.7 - 35.9	154	33.2	22.0 - 46.7	51	36.2	31.6 - 40.9	323
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	50.8	42.1 - 59.5	118	34.0	27.6 - 41.0	154	40.2	27.3 - 54.7	52	41.1	36.1 - 46.2	324

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.8	68.9 - 81.6	122	78.8	72.4 - 84.1	157	81.8	70.7 - 89.4	50	78.2	74.0 - 81.8	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.2	88.8 - 97.1	122	96.3	93.2 - 98.0	158	94.3	84.8 - 98.0	52	95.2	92.8 - 96.9	332

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.9	85.5 - 94.4	122	91.3	86.3 - 94.6	158	94.4	85.0 - 98.0	52	91.6	88.5 - 93.9	332

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	94.0	88.9 - 96.8	134	-	-	16	94.0	89.2 - 96.7	150
b. Seventh grade	§	§	§	90.1	85.6 - 93.3	154	93.1	81.7 - 97.6	43	90.8	86.8 - 93.6	197
c. Eighth grade	§	§	§	90.3	85.5 - 93.7	149	95.9	86.4 - 98.9	48	91.7	87.8 - 94.4	197
d. Ninth grade	89.5	84.1 - 93.2	116	-	-	1	93.4	82.6 - 97.7	46	90.7	86.2 - 93.8	163
e. Tenth grade	68.4	61.3 - 74.7	114	§	§	§	74.6	60.9 - 84.7	47	70.2	64.0 - 75.8	161
f. Eleventh grade	27.7	21.0 - 35.7	107	§	§	§	27.8	18.7 - 39.3	47	27.7	22.1 - 34.2	154
g. Twelfth grade	29.3	22.6 - 37.2	108	§	§	§	27.8	18.7 - 39.3	47	28.9	23.2 - 35.2	155

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.8	74.7 - 87.2	116	81.9	75.8 - 86.8	148	76.0	66.2 - 83.7	50	80.9	76.9 - 84.4	314

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	96.7	92.1 - 98.7	120	98.5	94.9 - 99.6	157	94.1	84.2 - 97.9	51	97.2	94.9 - 98.4	328
b. A chart describing the annual scope and sequence of instruction for physical education	78.0	71.9 - 83.1	119	87.8	82.2 - 91.9	157	72.6	57.9 - 83.6	51	81.9	77.9 - 85.3	327
c. Plans for how to assess student performance in physical education	90.9	86.3 - 94.1	120	92.7	88.3 - 95.5	157	86.2	74.1 - 93.1	51	91.0	88.0 - 93.3	328
d. A written physical education curriculum	86.6	80.6 - 90.9	119	92.6	87.6 - 95.7	157	88.3	76.8 - 94.5	51	89.8	86.4 - 92.4	327
e. Resources for fitness testing	87.4	81.6 - 91.6	120	94.4	89.8 - 97.1	156	86.2	74.1 - 93.1	51	90.6	87.4 - 93.1	327
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	61.1	52.4 - 69.1	119	65.8	58.8 - 72.1	156	52.2	40.8 - 63.4	50	62.0	57.1 - 66.6	325

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
7.4	4.3 - 12.4	122	54.7	47.9 - 61.3	157	28.9	18.2 - 42.5	52	33.3	29.4 - 37.5	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.1	37.1 - 51.4	121	62.4	55.9 - 68.6	158	41.2	30.7 - 52.6	51	52.5	48.1 - 56.8	330

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.7	87.3 - 94.6	121	80.7	75.5 - 85.0	157	82.6	73.5 - 89.0	52	85.0	81.8 - 87.6	330

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
29.4	22.8 - 36.9	122	21.7	16.2 - 28.4	157	23.1	13.4 - 36.8	52	24.7	20.7 - 29.3	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.9	55.9 - 71.2	122	62.9	56.0 - 69.3	158	59.5	46.9 - 71.0	52	62.7	57.9 - 67.3	332

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
41.6	34.1 - 49.5	119	47.3	40.2 - 54.4	158	32.8	23.5 - 43.6	52	43.0	38.3 - 47.7	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.8	90.9 - 98.1	122	92.3	87.0 - 95.6	157	94.3	84.8 - 98.0	52	93.9	90.9 - 96.0	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	94.8	89.6 - 97.5	118	90.1	84.9 - 93.7	155	94.1	84.2 - 97.9	50	92.4	89.3 - 94.7	323
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	94.9	89.6 - 97.6	119	90.1	84.9 - 93.7	155	94.1	84.2 - 97.9	50	92.5	89.3 - 94.7	324
c. Cigars	94.1	89.6 - 96.7	119	89.4	84.1 - 93.2	154	94.1	84.2 - 97.9	50	91.9	88.8 - 94.1	323
d. Pipes	94.1	89.6 - 96.7	119	89.4	84.1 - 93.2	154	94.1	84.2 - 97.9	50	91.9	88.8 - 94.1	323

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	88.7	82.6 - 92.9	117	87.2	81.2 - 91.4	154	89.7	78.9 - 95.3	48	88.1	84.4 - 91.0	319
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	88.0	81.7 - 92.3	118	85.1	79.1 - 89.5	154	83.4	70.9 - 91.2	48	85.9	82.0 - 89.0	320
c. Cigars	87.9	81.6 - 92.3	118	86.5	80.4 - 90.9	153	87.6	76.2 - 94.0	48	87.2	83.4 - 90.2	319
d. Pipes	87.9	81.6 - 92.3	118	86.5	80.4 - 90.9	153	87.6	76.2 - 94.0	48	87.2	83.4 - 90.2	319

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	86.2	78.9 - 91.2	117	87.3	81.5 - 91.5	154	85.5	73.5 - 92.6	48	86.6	82.7 - 89.8	319
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	83.7	76.5 - 89.1	117	83.2	77.0 - 88.0	154	79.2	65.8 - 88.3	48	82.8	78.6 - 86.4	319
c. Cigars	84.4	76.8 - 89.8	117	86.0	79.9 - 90.5	153	85.5	73.5 - 92.6	48	85.4	81.2 - 88.7	318
d. Pipes	84.4	76.8 - 89.8	117	86.0	79.9 - 90.5	153	85.5	73.5 - 92.6	48	85.4	81.2 - 88.7	318

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	94.8	90.7 - 97.1	118	90.1	84.3 - 93.9	155	94.1	84.2 - 97.9	50	92.4	89.2 - 94.7	323
b. During non-school hours	80.1	73.5 - 85.3	117	79.9	73.3 - 85.2	153	74.9	62.1 - 84.5	48	79.2	75.0 - 82.9	318

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	88.8	83.5 - 92.6	118	87.1	81.1 - 91.4	153	79.6	66.5 - 88.5	49	86.6	82.8 - 89.6	320
b. During non-school hours	66.3	59.9 - 72.1	117	71.0	64.2 - 77.0	152	51.9	39.2 - 64.3	48	66.4	61.9 - 70.5	317

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	86.2	79.5 - 91.0	118	86.5	79.9 - 91.1	153	77.5	65.1 - 86.4	49	85.0	80.8 - 88.4	320
b. During non-school hours	67.2	60.5 - 73.2	117	72.9	66.2 - 78.7	147	51.8	39.0 - 64.3	48	67.5	63.0 - 71.7	312

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	94.8	89.5 - 97.5	119	90.7	85.0 - 94.4	155	94.1	84.2 - 97.9	50	92.7	89.4 - 95.0	324
b. Outside on school grounds, including parking lots and playing fields	94.8	89.5 - 97.5	119	90.0	84.6 - 93.6	155	92.0	81.5 - 96.8	50	92.0	88.8 - 94.4	324
c. On school buses or other vehicles used to transport students	94.8	89.5 - 97.5	119	90.7	85.0 - 94.4	155	94.1	84.2 - 97.9	50	92.7	89.4 - 95.0	324
d. At off-campus, school-sponsored events	93.9	88.3 - 96.9	119	87.8	81.9 - 91.9	154	87.5	75.3 - 94.2	48	90.0	86.4 - 92.7	321

## OHIO

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	93.1	87.3 - 96.3	118	89.9	84.0 - 93.8	154	89.9	79.0 - 95.5	49	91.1	87.5 - 93.7	321
b. Outside on school grounds, including parking lots and playing fields	85.9	78.6 - 91.1	115	87.2	81.2 - 91.4	154	75.5	63.0 - 84.8	49	84.9	80.8 - 88.3	318
c. On school buses or other vehicles used to transport students	91.3	85.0 - 95.1	117	88.4	82.1 - 92.7	154	89.9	79.0 - 95.5	49	89.7	85.9 - 92.5	320
d. At off-campus, school-sponsored events	78.0	70.2 - 84.3	116	81.4	74.6 - 86.8	153	68.1	54.2 - 79.4	47	78.2	73.5 - 82.3	316

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	93.0	87.2 - 96.3	117	89.1	82.9 - 93.2	153	91.9	81.4 - 96.7	49	90.9	87.3 - 93.6	319
b. Outside on school grounds, including parking lots and playing fields	80.5	72.1 - 86.8	114	83.4	76.9 - 88.4	153	67.3	55.7 - 77.1	49	79.9	75.3 - 83.7	316
c. On school buses or other vehicles used to transport students	86.9	79.7 - 91.8	116	87.5	81.1 - 92.0	153	87.9	76.3 - 94.2	49	87.4	83.2 - 90.6	318
d. At off-campus, school-sponsored events	64.5	56.7 - 71.7	114	66.4	58.7 - 73.3	152	46.8	34.2 - 59.9	47	62.8	57.7 - 67.6	313

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
44.4	37.3 - 51.6	112	49.7	43.0 - 56.3	148	24.3	14.2 - 38.6	49	43.7	39.2 - 48.4	309

\*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.5	58.5 - 73.6	120	64.5	57.7 - 70.8	151	71.2	57.7 - 81.8	52	66.3	61.6 - 70.8	323

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	17.0	11.8 - 23.8	122	18.2	14.0 - 23.4	157	21.2	12.0 - 34.7	52	18.2	14.9 - 22.1	331
b. Students	26.0	19.3 - 34.0	121	16.4	11.8 - 22.3	157	30.9	21.2 - 42.6	52	22.1	18.4 - 26.5	330

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	33.5	26.5 - 41.4	122	27.8	22.1 - 34.3	157	21.1	12.0 - 34.5	52	28.8	24.7 - 33.4	331
b. Students	46.1	38.2 - 54.2	121	27.8	22.1 - 34.4	156	32.9	22.6 - 45.0	52	35.3	30.9 - 39.9	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	5.2	2.5 - 10.5	121	4.9	2.6 - 9.0	158	0.0	†	52	4.2	2.6 - 6.8	331
b. Never	2.4	0.9 - 6.6	121	4.7	2.4 - 9.1	158	5.8	2.0 - 15.5	52	4.0	2.5 - 6.6	331
c. Rarely	22.6	17.1 - 29.2	121	20.7	15.5 - 27.0	158	11.4	5.4 - 22.6	52	19.9	16.4 - 23.9	331
d. Sometimes	45.2	37.5 - 53.1	121	44.6	37.3 - 52.1	158	57.9	44.9 - 69.8	52	46.9	41.9 - 51.9	331
e. Always or almost always	24.6	18.3 - 32.4	121	25.2	19.1 - 32.5	158	24.9	15.4 - 37.7	52	25.0	20.8 - 29.7	331

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.4	64.1 - 79.4	122	48.5	41.1 - 56.0	158	49.7	39.1 - 60.4	52	57.4	52.5 - 62.2	332

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	21.4	15.3 - 29.2	121	10.0	6.6 - 15.0	158	11.4	5.4 - 22.6	52	14.4	11.3 - 18.2	331
b. Other kinds of candy	27.7	20.7 - 36.0	122	11.1	7.4 - 16.2	158	9.6	4.2 - 20.3	52	16.9	13.5 - 20.9	332
c. Salty snacks that are not low in fat (e.g., regular potato chips)	28.4	21.3 - 36.7	122	19.3	14.0 - 26.1	158	17.1	9.2 - 29.7	52	22.3	18.3 - 26.9	332
d. Low sodium or “no added salt” pretzels, crackers, or chips	53.2	45.3 - 61.0	121	33.6	27.3 - 40.6	158	32.4	22.3 - 44.5	52	40.6	36.0 - 45.3	331
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	33.3	26.3 - 41.2	122	16.9	12.0 - 23.3	157	17.4	10.0 - 28.5	51	23.0	19.1 - 27.4	330
f. Ice cream or frozen yogurt that is not low in fat	13.7	9.1 - 20.3	121	9.7	6.5 - 14.4	155	5.6	2.0 - 15.0	52	10.5	8.0 - 13.8	328
g. 2% or whole milk (plain or flavored)	31.6	25.1 - 38.8	121	20.4	15.1 - 26.9	158	22.9	14.7 - 33.8	52	24.8	21.0 - 29.1	331
h. Nonfat or 1% (low-fat) milk (plain)	47.6	40.5 - 54.9	122	28.4	22.6 - 35.1	158	36.2	25.0 - 49.2	52	36.6	32.3 - 41.2	332
i. Water ices or frozen slushes that do not contain juice	16.3	11.6 - 22.6	121	6.9	4.0 - 11.7	158	7.6	3.0 - 17.6	52	10.4	7.9 - 13.7	331
j. Soda pop or fruit drinks that are not 100% juice	33.6	26.0 - 42.1	122	9.1	5.8 - 14.0	157	17.1	9.9 - 28.1	52	19.3	15.8 - 23.4	331
k. Sports drinks (e.g., Gatorade)	55.0	47.9 - 61.8	121	18.3	13.4 - 24.6	158	34.3	23.6 - 46.8	52	34.1	30.1 - 38.4	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	3.2	1.3 - 7.6	122	0.7	0.1 - 4.3	157	0.0	†	52	1.5	0.7 - 3.4	331
m. Bottled water	70.8	62.6 - 77.8	122	39.7	32.9 - 46.9	158	49.7	39.1 - 60.4	52	52.6	47.9 - 57.3	332
n. 100% fruit or vegetable juice	52.2	44.5 - 59.7	121	28.8	23.4 - 35.0	156	40.0	29.3 - 51.7	52	39.1	34.9 - 43.5	329
o. Foods or beverages containing caffeine	27.6	20.6 - 35.9	122	9.1	5.7 - 14.3	157	11.4	5.4 - 22.6	52	16.2	12.9 - 20.3	331
p. Fruits (not fruit juice)	34.7	28.2 - 41.9	122	25.2	20.0 - 31.2	158	24.8	16.0 - 36.3	52	28.6	24.8 - 32.8	332
q. Non-fried vegetables (not vegetable juice)	32.2	25.9 - 39.2	122	20.4	16.1 - 25.6	158	22.9	14.7 - 33.8	52	25.1	21.6 - 28.9	332

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	14.2	9.4 - 21.0	118	6.7	4.0 - 10.8	154	13.8	6.9 - 25.9	51	10.5	7.9 - 13.9	323
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	45.3	37.9 - 52.8	119	38.7	32.1 - 45.7	156	36.0	25.9 - 47.5	50	40.7	36.2 - 45.3	325
c. Provided information to students or families on the nutrition and caloric content of foods available	48.0	39.7 - 56.4	118	53.4	46.3 - 60.5	156	53.0	40.9 - 64.7	51	51.4	46.4 - 56.4	325
d. Conducted taste tests to determine food preferences for nutritious items	27.8	20.7 - 36.2	118	24.3	18.6 - 31.2	155	23.5	17.2 - 31.3	51	25.5	21.4 - 30.0	324
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	10.1	6.3 - 15.9	119	14.6	10.3 - 20.1	156	17.8	11.2 - 27.0	51	13.5	10.6 - 16.9	326
f. Served locally or regionally grown foods in the cafeteria or classrooms	32.2	25.4 - 39.9	118	35.1	29.2 - 41.4	156	21.8	14.0 - 32.2	50	32.0	27.9 - 36.3	324
g. Planted a school food or vegetable garden	13.4	8.7 - 20.0	118	19.2	13.8 - 25.9	155	13.5	6.7 - 25.3	52	16.2	12.7 - 20.3	325
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	66.3	59.5 - 72.6	119	69.8	62.6 - 76.1	155	64.5	54.6 - 73.3	51	67.7	63.3 - 71.8	325

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	57.5	49.8 - 64.9	120	50.0	43.3 - 56.6	155	55.8	42.5 - 68.4	52	53.7	48.9 - 58.3	327
j. Offered a self-serve salad bar to students	29.4	23.0 - 36.7	119	20.9	16.2 - 26.5	155	29.3	18.7 - 42.8	51	25.3	21.5 - 29.5	325
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	33.2	25.9 - 41.3	118	31.9	25.5 - 39.1	154	34.2	21.9 - 49.1	50	32.7	28.1 - 37.7	322
l. Encouraged students to drink plain water	70.4	63.2 - 76.8	119	63.4	56.7 - 69.7	153	73.0	59.7 - 83.1	52	67.5	62.9 - 71.8	324
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	13.9	9.2 - 20.5	120	14.6	10.1 - 20.7	154	13.6	6.8 - 25.6	51	14.2	11.0 - 18.1	325
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	36.0	29.1 - 43.5	119	28.2	22.3 - 35.0	155	28.0	18.4 - 40.1	50	31.0	26.8 - 35.6	324

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	59.2	50.8 - 67.0	120	65.1	58.9 - 70.8	158	61.5	49.3 - 72.4	52	62.4	57.8 - 66.8	330
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	41.8	34.4 - 49.6	120	48.8	42.5 - 55.2	158	57.8	45.7 - 68.9	52	47.7	43.2 - 52.2	330
c. On school buses or other vehicles used to transport students	68.9	61.1 - 75.7	119	72.0	65.8 - 77.5	158	67.3	54.2 - 78.3	52	70.2	65.7 - 74.3	329
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	52.8	44.3 - 61.2	119	56.5	50.2 - 62.7	157	59.0	47.5 - 69.6	51	55.6	50.9 - 60.2	327
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	59.5	51.4 - 67.1	119	59.6	52.9 - 66.0	157	55.9	42.5 - 68.5	52	59.0	54.1 - 63.6	328

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	62.8	54.6 - 70.3	116	31.3	24.8 - 38.6	154	55.6	41.5 - 68.9	52	46.5	41.6 - 51.5	322
b. Yes, in certain locations	27.5	20.4 - 35.8	116	50.8	42.9 - 58.6	154	36.6	24.6 - 50.5	52	40.2	35.1 - 45.4	322
c. No	9.8	5.6 - 16.4	116	17.9	12.8 - 24.6	154	7.8	3.1 - 18.0	52	13.4	10.2 - 17.4	322

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.2	83.6 - 94.4	116	82.1	75.4 - 87.2	154	92.2	82.0 - 96.9	52	86.6	82.6 - 89.8	322

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	91.1	84.7 - 95.0	114	83.3	76.6 - 88.4	140	91.8	81.0 - 96.7	48	87.6	83.6 - 90.7	302
b. Cafeteria during lunch	92.3	86.3 - 95.8	118	85.8	79.8 - 90.3	157	93.9	83.9 - 97.9	49	89.4	85.8 - 92.2	324
c. Gymnasium or other indoor physical activity facilities	92.3	86.3 - 95.8	116	83.9	78.0 - 88.5	156	91.9	81.1 - 96.7	49	88.1	84.5 - 91.0	321
d. Outdoor physical activity facilities and sports fields	81.1	74.1 - 86.6	114	63.0	56.1 - 69.4	145	71.9	59.1 - 82.0	43	71.0	66.5 - 75.2	302
e. Hallways throughout the school	97.4	93.0 - 99.1	120	97.8	93.9 - 99.2	158	98.1	89.2 - 99.7	52	97.7	95.5 - 98.8	330

\*Among schools with that location.  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.7	36.2 - 51.6	118	40.5	33.5 - 47.9	154	28.9	19.0 - 41.3	52	39.8	35.1 - 44.7	324

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.6	0.4 - 5.4	122	0.7	0.1 - 4.3	158	1.9	0.3 - 10.8	52	1.2	0.5 - 3.0	332
b. HIV treatment	0.8	0.1 - 4.5	122	0.7	0.1 - 4.3	158	1.9	0.3 - 10.8	52	0.9	0.3 - 2.6	332
c. STD testing	1.6	0.4 - 5.4	122	0.7	0.1 - 4.3	158	0.0	†	52	0.9	0.3 - 2.6	332
d. STD treatment	1.6	0.4 - 5.4	122	0.7	0.1 - 4.3	158	0.0	†	52	0.9	0.3 - 2.6	332
e. Pregnancy testing	4.0	1.8 - 8.8	122	0.7	0.1 - 4.3	158	1.9	0.3 - 10.8	52	2.1	1.1 - 4.1	332
f. Provision of condoms	3.2	1.3 - 7.6	122	0.7	0.1 - 4.3	158	1.9	0.3 - 10.8	52	1.8	0.9 - 3.7	332
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.6	0.4 - 5.4	122	0.7	0.1 - 4.3	157	0.0	†	51	0.9	0.3 - 2.6	330
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.1 - 4.5	122	0.7	0.1 - 4.3	158	0.0	†	52	0.6	0.2 - 2.2	332
i. Prenatal care	4.1	1.8 - 8.9	122	1.5	0.4 - 5.1	158	7.8	3.1 - 18.0	52	3.4	2.0 - 5.8	332
j. Human papillomavirus (HPV) vaccine administration	0.8	0.1 - 4.5	122	0.7	0.1 - 4.3	158	1.9	0.3 - 10.8	52	0.9	0.3 - 2.6	332

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	61.2	53.0 - 68.7	122	32.6	26.1 - 39.9	158	37.1	26.5 - 49.3	51	43.8	39.1 - 48.6	331
b. HIV treatment	59.5	51.1 - 67.4	122	31.7	25.3 - 38.9	158	35.2	25.1 - 46.8	51	42.4	37.7 - 47.2	331
c. STD testing	62.8	55.2 - 69.8	122	34.5	28.1 - 41.6	158	39.1	28.8 - 50.6	51	45.5	41.0 - 50.1	331
d. STD treatment	61.6	53.8 - 68.8	121	33.2	27.0 - 40.1	158	39.1	28.8 - 50.6	51	44.5	40.0 - 49.0	330
e. Pregnancy testing	66.9	59.6 - 73.4	122	37.7	30.8 - 45.2	158	45.1	34.9 - 55.6	51	49.5	44.9 - 54.1	331
f. Provision of condoms	43.4	36.0 - 51.2	121	26.5	20.5 - 33.5	158	27.4	17.8 - 39.5	51	32.8	28.4 - 37.4	330
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	38.1	31.2 - 45.5	120	24.6	18.9 - 31.3	158	23.4	14.2 - 36.0	51	29.3	25.2 - 33.8	329
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	41.7	34.6 - 49.2	121	24.8	19.1 - 31.6	157	25.4	16.4 - 37.0	51	31.1	26.9 - 35.6	329
i. Prenatal care	66.9	59.6 - 73.4	122	34.8	28.4 - 41.8	158	41.1	31.1 - 51.8	51	47.5	43.1 - 51.9	331
j. Human papillomavirus (HPV) vaccine administration	54.7	46.2 - 62.8	120	31.5	25.1 - 38.6	158	29.2	20.9 - 39.2	51	39.5	34.9 - 44.3	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.3	53.0 - 69.0	115	56.0	48.7 - 63.0	150	43.5	30.1 - 57.9	46	56.1	51.0 - 61.1	311

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	93.3	87.7 - 96.5	121	96.6	94.0 - 98.1	158	90.3	79.5 - 95.7	52	94.4	91.8 - 96.2	331
b. Food allergies	95.0	89.8 - 97.6	122	96.1	93.2 - 97.8	158	90.4	79.7 - 95.8	52	94.8	92.3 - 96.5	332
c. Diabetes	94.1	88.7 - 97.0	122	95.1	91.6 - 97.2	158	92.2	82.0 - 96.9	52	94.3	91.6 - 96.2	332
d. Epilepsy or seizure disorder	94.2	88.8 - 97.1	122	92.5	88.1 - 95.4	158	92.2	82.0 - 96.9	52	93.1	90.2 - 95.2	332
e. Obesity	33.3	27.0 - 40.2	122	43.7	36.7 - 51.0	158	36.6	25.4 - 49.5	52	38.8	34.3 - 43.5	332
f. Hypertension/high blood pressure	69.4	62.7 - 75.4	122	69.5	62.9 - 75.5	158	53.9	42.0 - 65.4	52	67.0	62.7 - 71.1	332

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	59.6	51.9 - 66.9	120	49.9	43.0 - 56.8	158	39.1	27.1 - 52.7	51	51.8	47.0 - 56.5	329
b. Food allergies	57.9	50.6 - 64.9	120	48.8	41.8 - 55.8	158	39.1	27.1 - 52.7	51	50.6	45.9 - 55.3	329
c. Diabetes	58.8	51.3 - 66.0	120	50.4	43.4 - 57.3	158	41.0	28.4 - 54.9	51	52.0	47.2 - 56.7	329
d. Epilepsy or seizure disorder	57.7	49.9 - 65.0	119	48.8	41.8 - 55.8	158	39.1	27.1 - 52.7	51	50.5	45.7 - 55.3	328
e. Obesity	47.0	40.1 - 53.9	120	34.9	28.3 - 42.2	158	27.3	16.9 - 40.8	51	38.1	33.6 - 42.8	329
f. Hypertension/high blood pressure	52.1	44.5 - 59.6	120	43.7	37.0 - 50.7	158	37.1	25.6 - 50.4	51	45.7	41.0 - 50.5	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	17.7	12.3 - 24.8	119	24.4	19.4 - 30.2	157	17.7	10.2 - 28.8	51	21.0	17.5 - 24.9	327
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	39.7	33.8 - 45.9	118	58.6	51.1 - 65.7	155	31.3	20.7 - 44.3	51	47.5	42.9 - 52.0	324
c. Involved parents as school volunteers in the delivery of health education activities and services	22.5	17.0 - 29.0	119	28.2	22.1 - 35.3	156	17.7	9.5 - 30.6	51	24.5	20.6 - 28.9	326
d. Linked parents and families to health services and programs in the community	71.4	63.5 - 78.2	119	76.8	70.1 - 82.5	156	65.5	50.9 - 77.7	52	73.1	68.3 - 77.4	327

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
69.6	61.6 - 76.6	120	73.0	67.1 - 78.2	158	66.6	54.6 - 76.8	51	70.8	66.4 - 74.8	329

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.3	36.1 - 50.8	119	34.3	27.9 - 41.3	158	45.0	31.7 - 59.0	51	39.2	34.6 - 44.0	328

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.4	66.4 - 79.4	118	50.2	43.0 - 57.4	157	60.7	47.1 - 72.8	51	60.2	55.4 - 64.8	326

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.6	80.7 - 90.9	121	77.1	70.9 - 82.4	158	80.7	69.2 - 88.6	52	81.1	77.2 - 84.5	331

# OHIO

## 2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
23.1	16.9 - 30.7	119	30.6	24.7 - 37.1	158	24.9	15.4 - 37.7	52	27.0	22.9 - 31.5	329