



Ohio MCH Fact Sheet

Women's Health, Birth Outcomes, Newborn Health Domestic Violence/Intimate Partner Violence*

MCH Block Grant Needs Assessment Information

Key Data Summary – Ohio

- Caucasians accounted for 68.5 percent of all domestic violence victims in Ohio in 2007. African-Americans made up 28.4 percent of domestic violence victims, while Hispanics comprised 1.8 percent of victims. Asian, Native American and other ethnicities each made up less than 1 percent of domestic violence victims in 2007, as shown in the first graph.
- Husbands (18.5 percent) followed by live-in partners (16.9 percent) made up the highest percentages of reported offenders of domestic violence in Ohio in 2007, as shown in the second graph.
- Wives (19.6 percent), followed by live-in partners (16.7 percent) made up the highest percentages of reported victims of domestic violence in Ohio in 2007, as shown in the third graph.

Healthy People 2010 Objective 15-34


- Reduce the rate of physical assault by current or former intimate partners to 3.3 physical assaults per 1,000 persons aged 12 years and older.

Additional Information

- Each year, women in the United States experience about 4.8 million intimate partner-related physical assaults and rapes.**
- In 2004, intimate partner violence resulted in 1,544 deaths. Of these deaths, 75 percent were women.**
- In 2003, the estimated cost of domestic violence in the United States was \$8.3 billion. These costs include medical care, mental health services and lost productivity.**


**Centers for Disease Control and Prevention
IPV Fact Sheet, 2006

Racial/Ethnic Distribution of Domestic Violence Victims, Ohio, 2007




Source: OAGBCII Domestic Violence Report, 2007

Reported Offenders of Domestic Violence, Ohio, 2007



Source: OAGBCII Domestic Violence Report, 2007

Reported Victims of Domestic Violence, Ohio, 2007



Source: OAGBCII Domestic Violence Report, 2007

*Intimate partner violence is abuse that occurs between two people in a close relationship. The term "intimate partner" includes current and former spouses, and dating partners.

Source: Centers for Disease Control and Prevention IPV Fact Sheet, 2006