

**Ohio Gonorrhea Cases  
2007 - 2011  
Demographic Breakdown of Ohio  
Presented by Date of Diagnosis<sup>1</sup>**

AGE	Cases reported to the Ohio Department of Health									
	Rates <sup>2</sup>					Number of Cases				
	2007	2008	2009	2010	2011	2007	2008	2009	2010	2011
0 - 9	0.8	1.8	1.4	0.9	1.4	12	27	20	13	20
10 - 14	34.7	31.3	29.1	26.5	25.0	268	238	219	205	194
15 - 19	737.1	666.4	639.1	625.7	594.6	5,988	5,392	5,178	5,154	4,898
20 - 24	796.6	679.3	693.7	747.1	761.5	6,070	5,180	5,236	5,701	5,811
25 - 29	431.0	348.3	332.9	365.7	378.6	3,335	2,698	2,543	2,628	2,721
30 - 34	235.8	180.0	179.5	186.7	204.1	1,621	1,240	1,282	1,291	1,411
35 - 39	132.5	91.9	91.8	91.9	92.0	1,024	698	680	660	661
40 - 44	75.2	50.7	47.0	43.2	54.9	617	404	366	329	418
45 - 54	38.8	23.3	22.6	21.3	24.6	678	408	396	371	428
55 - 64	12.6	8.3	5.8	8.0	8.2	164	111	80	116	119
65+	2.0	1.7	1.3	1.7	1.8	31	26	21	27	29
Not Specified	--	--	--	--	--	226	88	53	31	27
<b>RACE</b>										
Am. Indian/Alaskan Native	68.1	56.0	38.4	20.5	41.0	24	20	14	8	16
Asian/Pacific Islander	30.5	26.7	16.3	9.6	15.1	59	53	33	21	33
Black/African American	766.5	616.6	636.2	648.6	632.5	10,984	8,880	9,256	9,800	9,557
White	33.9	26.5	26.1	28.1	30.9	3,324	2,598	2,572	2,747	3,018
Other <sup>3</sup>	--	--	--	--	--	1,067	688	404	456	475
Not Specified	--	--	--	--	--	4,576	4,271	3,795	3,494	3,638
<b>ETHNICITY</b>										
Hispanic	86.0	60.2	57.9	61.2	69.9	251	182	189	217	248
Non-Hispanic	73.2	55.0	58.4	64.2	66.2	8,185	6,149	6,552	7,174	7,400
Not Specified	--	--	--	--	--	11,598	10,179	9,333	9,135	9,089
<b>SEX</b>										
Male	155.7	116.4	108.9	114.2	119.2	8,713	6,524	6,137	6,431	6,713
Female	190.9	164.3	167.1	170.3	169.5	11,226	9,662	9,876	10,056	10,005
Not Specified	--	--	--	--	--	95	324	61	39	19
<b>TOTAL</b>	<b>174.5</b>	<b>143.7</b>	<b>139.3</b>	<b>143.2</b>	<b>145.1</b>	<b>20,034</b>	<b>16,510</b>	<b>16,074</b>	<b>16,526</b>	<b>16,737</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilize 2010.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases  
2007 - 2011  
Presented by Date of Diagnosis<sup>1</sup>**

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2007	2008	2009	2010	2011	2007	2008	2009	2010	2011
ADAMS	21.4	24.8	3.6	0.0	0.0	6	7	1	0	0
ALLEN	123.7	167.4	176.3	164.6	106.3	130	176	184	175	113
ASHLAND	7.3	14.5	14.5	16.9	9.4	4	8	8	9	5
ASHTABULA	48.4	46.7	8.9	31.5	67.0	49	47	9	32	68
ATHENS	66.5	17.4	23.8	30.9	37.1	42	11	15	20	24
AUGLAIZE	36.7	34.4	42.8	41.4	15.2	17	16	20	19	7
BELMONT	29.3	19.1	27.9	75.3	58.2	20	13	19	53	41
BROWN	38.8	25.0	13.6	17.8	17.8	17	11	6	8	8
BUTLER	107.3	64.9	91.4	83.7	74.7	384	234	332	308	275
CARROLL	59.6	28.1	31.5	48.6	34.7	17	8	9	14	10
CHAMPAIGN	60.8	40.4	25.2	29.9	29.9	24	16	10	12	12
CLARK	238.1	150.9	150.4	167.0	135.2	334	211	210	231	187
CLERMONT	24.8	30.7	30.6	31.4	33.4	48	60	60	62	66
CLINTON	39.6	39.4	27.9	26.2	30.9	17	17	12	11	13
COLUMBIANA	26.7	27.8	20.4	26.9	29.7	29	30	22	29	32
COSHOCTON	49.6	11.1	14.0	5.4	8.1	18	4	5	2	3
CRAWFORD	22.7	32.0	23.0	29.7	25.1	10	14	10	13	11
CUYAHOGA	274.1	189.4	214.9	248.3	272.6	3,550	2,432	2,742	3,179	3,489
DARKE	13.4	9.6	11.6	17.0	20.8	7	5	6	9	11
DEFIANCE	20.7	18.1	13.0	41.0	64.0	8	7	5	16	25
DELAWARE	31.8	21.2	21.9	16.1	18.4	51	35	37	28	32
ERIE	151.6	216.7	285.9	146.6	146.6	117	167	220	113	113
FAIRFIELD	44.7	21.8	41.8	35.6	28.7	63	31	60	52	42
FAYETTE	56.5	24.7	7.1	20.7	13.8	16	7	2	6	4
FRANKLIN	342.2	308.0	255.6	271.4	243.9	3,822	3,477	2,940	3,157	2,838
FULTON	23.5	14.1	11.8	14.1	25.8	10	6	5	6	11
GALLIA	48.7	19.4	9.8	9.7	9.7	15	6	3	3	3
GEAUGA	6.3	5.3	7.1	7.5	24.6	6	5	7	7	23
GREENE	70.0	82.3	77.0	64.4	53.8	111	131	123	104	87
GUERNSEY	22.3	19.9	10.0	29.9	37.4	9	8	4	12	15
HAMILTON	417.6	360.0	290.2	313.4	338.9	3,566	3,065	2,481	2,515	2,719
HANCOCK	70.0	86.2	20.1	21.4	49.5	52	64	15	16	37
HARDIN	40.8	21.9	9.4	21.8	12.5	13	7	3	7	4
HARRISON	6.5	6.5	6.5	6.3	31.5	1	1	1	1	5
HENRY	13.8	31.2	3.5	21.3	28.4	4	9	1	6	8
HIGHLAND	37.6	11.8	26.1	6.9	27.5	16	5	11	3	12
HOCKING	3.5	3.5	6.9	3.4	30.6	1	1	2	1	9
HOLMES	12.1	4.8	11.9	2.4	2.4	5	2	5	1	1
HURON	36.8	43.6	26.7	36.9	45.3	22	26	16	22	27
JACKSON	15.1	3.0	17.9	9.0	18.1	5	1	6	3	6
JEFFERSON	37.8	43.8	78.3	140.6	116.2	26	30	53	98	81
KNOX	8.5	10.1	13.4	1.6	14.8	5	6	8	1	9
LAKE	29.2	46.6	30.8	52.6	58.7	68	109	73	121	135
LAWRENCE	44.7	43.1	17.5	27.2	35.2	28	27	11	17	22
LICKING	41.5	59.0	53.0	31.2	27.0	65	93	84	52	45

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
  - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilize 2010.
- Small numbers are unstable and should be interpreted with caution.  
Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Gonorrhea Cases  
2007 - 2011**

Presented by Date of Diagnosis<sup>1</sup>

COUNTY	Rates <sup>2</sup>					Number of Cases				
	2007	2008	2009	2010	2011	2007	2008	2009	2010	2011
LOGAN	47.5	28.1	40.8	37.1	17.4	22	13	19	17	8
LORAIN	70.0	51.9	89.3	95.2	85.6	212	158	273	287	258
LUCAS	229.2	222.5	225.7	248.3	219.3	1,014	980	1,046	1,097	969
MADISON	28.8	16.7	23.5	39.1	25.3	12	7	10	17	11
MAHONING	116.6	97.1	56.2	90.9	159.5	280	231	133	217	381
MARION	123.6	89.7	41.1	27.1	114.3	81	59	27	18	76
MEDINA	11.2	9.9	9.2	13.3	18.6	19	17	16	23	32
MEIGS	8.8	22.0	4.4	21.0	21.0	2	5	1	5	5
MERCER	4.9	7.3	7.4	7.4	4.9	2	3	3	3	2
MIAMI	21.8	36.6	33.6	45.9	50.7	22	37	34	47	52
MONROE	0.0	0.0	0.0	41.0	13.7	0	0	0	6	2
MONTGOMERY	300.3	216.2	198.1	248.5	220.3	1,615	1,156	1,055	1,330	1,179
MORGAN	0.0	6.9	7.0	26.6	0.0	0	1	1	4	0
MORROW	8.7	11.6	8.7	5.7	34.5	3	4	3	2	12
MUSKINGUM	39.9	77.6	67.2	98.8	80.2	34	66	57	85	69
NOBLE	20.9	27.9	0.0	0.0	20.5	3	4	0	0	3
OTTAWA	53.6	19.6	12.2	24.1	9.7	22	8	5	10	4
PAULDING	20.9	15.7	0.0	5.1	30.6	4	3	0	1	6
PERRY	17.2	11.4	8.5	5.5	19.4	6	4	3	2	7
PICKAWAY	24.0	22.0	62.1	48.5	41.3	13	12	34	27	23
PIKE	35.8	17.9	3.6	27.9	38.3	10	5	1	8	11
PORTAGE	17.4	21.8	33.6	18.0	30.4	27	34	53	29	49
PREBLE	14.4	16.8	24.1	23.7	21.3	6	7	10	10	9
PUTNAM	11.6	14.5	11.6	5.8	8.7	4	5	4	2	3
RICHLAND	141.4	169.6	177.5	150.2	124.5	178	212	221	187	155
ROSS	92.3	61.8	59.2	30.7	32.0	70	47	45	24	25
SANDUSKY	80.4	46.2	33.3	50.9	41.0	49	28	20	31	25
SCIOTO	31.4	27.4	83.8	115.7	85.5	24	21	64	92	68
SENECA	19.4	10.6	19.6	52.9	19.4	11	6	11	30	11
SHELBY	82.1	30.7	51.0	97.1	44.5	40	15	25	48	22
STARK	172.3	132.1	116.5	106.0	164.5	653	501	442	398	618
SUMMIT	155.6	167.5	140.1	125.0	146.6	846	909	760	677	794
TRUMBULL	114.8	115.5	97.5	111.7	113.2	245	244	205	235	238
TUSCARAWAS	50.4	24.1	14.3	8.6	15.1	46	22	13	8	14
UNION	10.5	16.6	94.1	45.9	63.1	5	8	46	24	33
VAN WERT	24.2	13.9	14.0	20.9	31.3	7	4	4	6	9
VINTON	7.5	0.0	15.1	7.4	14.9	1	0	2	1	2
WARREN	23.6	14.5	21.8	16.9	18.3	48	30	46	36	39
WASHINGTON	21.1	34.1	4.9	24.3	19.4	13	21	3	15	12
WAYNE	41.4	36.9	47.3	21.8	21.0	47	42	54	25	24
WILLIAMS	10.4	5.2	13.2	23.9	13.3	4	2	5	9	5
WOOD	34.5	41.5	43.9	53.4	44.6	43	52	55	67	56
WYANDOT	8.9	8.9	8.9	4.4	17.7	2	2	2	1	4
UNKNOWN COUNTY <sup>3</sup>	--	--	--	--	--	1,461	879	1,407	811	724
<b>TOTAL</b>	<b>174.5</b>	<b>143.7</b>	<b>139.3</b>	<b>143.2</b>	<b>145.1</b>	<b>20,034</b>	<b>16,510</b>	<b>16,074</b>	<b>16,526</b>	<b>16,737</b>

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilize 2010.

(3) Cases reported without patient's county are classified as "Unknown County".


Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance. Data reported through 03/18/12.

**Ohio Gonorrhea Cases  
2007 - 2011**  
Presented by Date of Diagnosis<sup>1</sup>

City	Rates <sup>2</sup>					Number of Cases				
	2007	2008	2009	2010	2011	2007	2008	2009	2010	2011
Akron	356.7	388.7	326.7	294.3	354.1	745	808	677	586	705
Canton	619.5	512.2	424.9	353.4	593.1	488	403	333	258	433
Cincinnati	1,054.8	901.9	743.8	848.3	911.6	3,516	3,005	2,477	2,519	2,707
Cleveland	620.2	439.1	491.5	580.4	692.8	2,717	1,906	2,120	2,303	2,749
Columbus	457.3	413.8	345.5	371.8	333.1	3,433	3,142	2,658	2,863	2,565
Dayton	858.4	643.8	640.3	878.3	775.8	1,335	995	985	1,243	1,098
Lima	336.3	451.0	472.6	435.9	273.4	128	171	178	169	106
Toledo	301.7	293.4	315.3	362.5	317.5	956	929	997	1,041	912
Youngstown	327.3	270.9	168.5	292.7	525.6	242	198	122	196	352



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
- (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilize 2010.

Small numbers are unstable and should be interpreted with caution.  
Provisional data. Numbers subject to change when additional information is gained.