

Ohio Total Syphilis Cases, 2013 to Second Quarter 2015
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹

AGE	Cases Reported to the Ohio Department of Health								
	January - June Cases			January - December Cases				Rate ²	
	2013	2014	2015	2013	% of Total	2014	% of Total	2013	2014
0 - 9	8	11	6	18	1.6	15	1.2	1.3	1.1
10 - 14	1	0	0	2	0.2	0	0.0	0.3	0.0
15 - 19	36	26	25	65	5.9	62	5.1	8.3	7.9
20 - 24	134	126	132	256	23.4	283	23.2	32.3	35.7
25 - 29	98	119	133	205	18.7	262	21.5	28.0	35.8
30 - 34	69	81	85	133	12.1	183	15.0	18.5	25.4
35 - 39	61	44	78	120	10.9	114	9.3	17.9	17.0
40 - 44	49	29	57	101	9.2	84	6.9	13.5	11.3
45 - 54	81	76	95	153	14.0	165	13.5	9.4	10.1
55 - 64	21	21	31	40	3.6	43	3.5	2.6	2.8
65+	1	4	10	3	0.3	9	0.7	0.2	0.5
Not Specified	0	0	0	0	0.0	0	0.0	--	--
RACE									
Am. Indian/Alaskan Native	0	0	0	1	0.1	0	0.0	2.5	0.0
Asian/Pacific Islander	4	5	5	8	0.7	6	0.5	3.3	2.5
Black/African American	320	311	330	600	54.7	689	56.5	38.8	44.6
White	203	194	274	410	37.4	460	37.7	4.2	4.7
Other ³	32	26	39	76	6.9	64	5.2	--	--
Not Specified	0	1	4	1	0.1	1	0.1	--	--
ETHNICITY									
Hispanic	14	22	27	42	3.8	48	3.9	10.8	12.3
Non-Hispanic	545	514	623	1,053	96.1	1,169	95.8	9.4	10.5
Not Specified	0	1	2	1	0.1	3	0.2	--	--
SEX									
Male	399	414	527	807	73.6	955	78.3	14.3	16.9
Female	160	123	125	289	26.4	265	21.7	4.9	4.5
Not Specified	0	0	0	0	0.0	0	0.0	--	--
TOTAL	559	537	652	1,096	100.0	1,220	100.0	9.5	10.5

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2013.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2013 to Second Quarter 2015
Presented by Date of Diagnosis¹

COUNTY	January - June Cases			Jan - Dec Cases		Rate ²	
	2013	2014	2015	2013	2014	2013	2014
ADAMS	0	0	0	1	0	3.6	0.0
ALLEN	2	1	3	2	2	1.9	1.9
ASHLAND	0	0	0	1	2	1.9	3.8
ASHTABULA	1	0	2	1	0	1.0	0.0
ATHENS	0	1	1	0	2	0.0	3.1
AUGLAIZE	0	0	0	0	0	0.0	0.0
BELMONT	3	0	0	3	0	4.3	0.0
BROWN	1	0	0	2	0	4.5	0.0
BUTLER	15	19	15	29	36	7.8	9.7
CARROLL	0	0	0	0	0	0.0	0.0
CHAMPAIGN	1	0	1	1	1	2.5	2.5
CLARK	4	10	14	7	29	5.1	21.3
CLERMONT	7	4	4	8	8	4.0	4.0
CLINTON	0	3	0	1	3	2.4	7.2
COLUMBIANA	0	2	1	2	4	1.9	3.8
COSHOCTON	1	0	1	1	1	2.7	2.7
CRAWFORD	1	1	0	1	1	2.3	2.3
CUYAHOGA	62	64	95	95	179	7.5	14.2
DARKE	0	0	1	0	0	0.0	0.0
DEFIANCE	0	0	0	0	0	0.0	0.0
DELAWARE	0	1	5	3	4	1.6	2.2
ERIE	2	0	2	2	0	2.6	0.0
FAIRFIELD	1	8	4	3	10	2.0	6.7
FAYETTE	0	0	0	0	0	0.0	0.0
FRANKLIN	145	173	239	303	384	25.0	31.7
FULTON	0	0	0	2	0	4.7	0.0
GALLIA	0	0	0	0	0	0.0	0.0
GEAUGA	0	0	1	2	0	2.1	0.0
GREENE	2	2	7	4	5	2.5	3.1
GUERNSEY	0	0	0	0	0	0.0	0.0
HAMILTON	182	131	113	356	284	44.2	35.3
HANCOCK	0	0	1	0	1	0.0	1.3
HARDIN	0	0	0	0	0	0.0	0.0
HARRISON	0	0	0	0	0	0.0	0.0
HENRY	0	0	0	2	0	7.1	0.0
HIGHLAND	1	0	0	1	1	2.3	2.3
HOCKING	1	1	0	4	2	14.0	7.0
HOLMES	0	0	0	0	0	0.0	0.0
HURON	0	0	0	0	0	0.0	0.0
JACKSON	0	1	0	0	1	0.0	3.1
JEFFERSON	0	0	0	2	0	2.9	0.0
KNOX	0	0	0	0	1	0.0	1.6
LAKE	1	2	3	1	5	0.4	2.2
LAWRENCE	1	2	4	4	6	6.5	9.7
LICKING	3	2	10	8	12	4.8	7.1

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2013.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

cont.

Ohio Total Syphilis Cases, 2013 to Second Quarter 2015
Presented by Date of Diagnosis¹

COUNTY	January - June Cases			Jan - Dec Cases		Rate ²	
	2013	2014	2015	2013	2014	2013	2014
LOGAN	0	0	1	2	3	4.4	0.0
LORAIN	5	5	7	11	13	3.6	4.3
LUCAS	6	27	16	17	53	3.9	12.1
MADISON	0	0	2	1	2	2.3	4.6
MAHONING	10	6	3	18	13	7.7	5.6
MARION	1	1	0	2	2	3.0	3.0
MEDINA	2	1	1	3	1	1.7	0.6
MEIGS	0	0	0	0	0	0.0	0.0
MERCER	0	1	0	0	1	0.0	2.5
MIAMI	0	4	1	0	5	0.0	4.8
MONROE	0	0	0	0	0	0.0	0.0
MONTGOMERY	39	21	27	64	41	11.9	7.7
MORGAN	0	0	0	0	0	0.0	0.0
MORROW	0	0	2	1	3	2.9	8.6
MUSKINGUM	0	1	0	0	1	0.0	1.2
NOBLE	0	0	0	0	0	0.0	0.0
OTTAWA	0	0	1	0	0	0.0	0.0
PAULDING	0	0	1	1	0	5.2	0.0
PERRY	0	1	0	1	3	2.8	8.3
PICKAWAY	3	5	5	13	12	23.1	21.3
PIKE	0	0	1	0	0	0.0	0.0
PORTAGE	7	2	5	9	3	5.5	1.8
PREBLE	1	0	0	2	1	4.8	2.4
PUTNAM	0	0	0	0	0	0.0	0.0
RICHLAND	2	1	2	9	4	7.4	3.3
ROSS	0	0	1	0	2	0.0	2.6
SANDUSKY	0	0	1	0	0	0.0	0.0
SCIOTO	4	1	2	7	2	9.0	2.6
SENECA	0	0	0	0	0	0.0	0.0
SHELBY	0	0	1	0	3	0.0	6.1
STARK	7	4	5	11	7	2.9	1.9
SUMMIT	20	10	24	42	28	7.8	5.2
TRUMBULL	5	2	5	8	7	3.9	3.4
TUSCARAWAS	0	1	0	0	1	0.0	1.1
UNION	0	2	1	4	6	7.5	11.3
VAN WERT	0	0	0	0	0	0.0	0.0
VINTON	0	0	0	1	0	7.5	0.0
WARREN	5	7	3	9	7	4.1	3.2
WASHINGTON	0	2	2	0	2	0.0	3.3
WAYNE	0	1	1	0	3	0.0	2.6
WILLIAMS	1	0	0	1	0	2.7	0.0
WOOD	3	2	4	5	6	3.9	4.6
WYANDOT	0	1	0	0	1	0.0	4.5
UNKNOWN COUNTY ³	1	0	0	2	0	--	--
TOTAL	559	537	652	8	12	0.1	0.1

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2013.


(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Ohio Total Syphilis Cases, 2013 to Second Quarter 2015
Presented by Date of Diagnosis¹

CITY	January - June Cases			Jan - Dec Cases		Rate ²	
	2013	2014	2015	2013	2014	2013	2014
Akron	17	9	20	35	23	17.7	11.6
Canton	4	0	0	6	2	8.3	2.8
Cincinnati	180	132	111	348	285	117.0	95.8
Cleveland	51	52	64	76	126	19.5	32.3
Columbus	126	147	220	262	341	31.9	41.5
Dayton	33	20	21	56	36	39.1	25.1
Lima	2	1	3	2	2	5.2	5.2
Toledo	4	26	14	14	50	5.0	17.7
Youngstown	9	4	3	16	9	24.5	13.8



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for 2013.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.