# Ohio Youth Risk Behavior Survey 2013

Illegal drug use and prescription drug abuse

# Percentage of students who used marijuana one or more times in their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|
| 2003 | 37.0 | 36.5 | 37.4 | 30.0 | 30.7 | 43.9 | 43.4 | 36.2 | |
| 2005 | 40.5 | 37.9 | 43.2 | 25.6 | 40.3 | 46.9 | 50.0 | 39.3 | 48.7 |
| 2007 | 33.8 | 31.5 | 35.8 | 22.2 | 30.0 | 44.1 | 42.7 | 31.8 | 41.3 |
| 2011 | 42.8 | 38.6 | 46.5 | 29.8 | 43.2 | 44.4 | 54.9 | 41.4 | 51.6 |
| 2013 | 35.7 | 33.9 | 37.2 | 24.6 | 27.5 | 43.1 | 48.9 | 31.7 | 54.2 |

# Percentage of students who tried marijuana for the first time before age 13 years, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|
| 2003 | 10.0 | 8.2 | 11.6 | 11.7 | 6.6 | 11.7 | 9.5 | 9.8 | |
| 2005 | 9.4 | 7.7 | 11.0 | 8.4 | 9.8 | 9.0 | 10.4 | 8.7 | 13.1 |
| 2007 | 8.5 | 6.7 | 10.3 | 7.9 | 7.5 | 11.6 | 6.4 | 7.2 | 12.4 |
| 2011 | 9.0 | 5.6 | 11.8 | 7.6 | 9.1 | 8.7 | 9.1 | 7.8 | 12.6 |
| 2013 | 5.8 | 3.4 | 7.9 | 8.1 | 4.9 | 5.5 | 4.7 | 3.9 | 15.4 |

# Percentage of students who used marijuana one or more times during the past 30 days, 2003-2013




| | Total | | Female | Male | | 9th | 10th | 11th | 12th | | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 21.4 | | 21.2 | 21.6 | | 18.1 | 16.6 | 23.1 | 27.6 | | 20.3 | |
| 2005 | 20.9 | | 18.8 | 22.9 | | 12.8 | 23.1 | 23.7 | 25.2 | | 19.5 | 28.0 |
| 2007 | 17.7 | | 15.4 | 20.0 | | 11.5 | 17.1 | 21.4 | 22.5 | | 16.1 | 19.2 |
| 2011 | 23.6 | | 19.0 | 27.7 | | 17.4 | 24.2 | 22.0 | 30.6 | | 22.7 | 27.4 |
| 2013 | 20.7 | | 18.6 | 22.5 | | 14.2 | 15.9 | 24.4 | 28.5 | | 18.4 | 33.6 |

## Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 8.4 | 8.0 | 8.4 | 9.9 | 3.6 | 9.3 | 11.1 | 8.8 | | |
| 2005 | 8.9 | 7.8 | 10.0 | 5.4 | 9.8 | 7.6 | 13.4 | 9.7 | 4.3 | |
| 2007 | 8.3 | 7.0 | 9.5 | 5.5 | 5.2 | 9.3 | 13.9 | 8.5 | 3.2 | 10.9 |
| 2011 | 7.0 | 5.3 | 8.1 | 5.7 | 3.5 | 7.0 | 11.0 | 7.5 | 2.8 | 15.6 |
| 2013 | 3.8 | 2.6 | 5.1 | 3.5 | 2.3 | 4.4 | 4.7 | 3.5 | 4.1 | |

## Percentage of students who used any form of cocaine, including powder, crack, or freebase, one or more times during the past 30 days, Ohio 2013




| | Total | | Female | Male | | 9th | 10th | 11th | 12th | | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2013 | 2.2 | | 0.8 | 3.4 | | 2.3 | 0.1 | 3.0 | 2.9 | | 1.8 | 3.0 |

# Percentage of students who used heroin one or more times during their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 3.8 | 3.5 | 3.8 | 5.8 | 2.5 | 3.3 | 3.1 | 3.5 | | |
| 2005 | 2.3 | 1.3 | 3.2 | 2.4 | 2.8 | 0.5 | 3.2 | 2.2 | 1.8 | |
| 2007 | 3.5 | 2.8 | 4.1 | 3.4 | 1.9 | 4.2 | 4.1 | 2.9 | 3.0 | 6.8 |
| 2011 | 3.1 | 2.7 | 3.6 | 2.8 | 2.3 | 2.8 | 4.1 | 2.7 | 2.8 | 10.1 |
| 2013 | 2.0 | 0.5 | 3.3 | 1.9 | 0.7 | 2.7 | 2.7 | 1.8 | 2.7 | |

# Percentage of student who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life, Ohio 2007- 2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2007 | 5.7 | 5.0 | 6.2 | 6.5 | 4.9 | 5.6 | 5.5 | 5.1 | 5.3 | 10.9 |
| 2011 | 5.0 | 5.2 | 4.8 | 6.4 | 3.4 | 5.1 | 4.9 | 4.6 | 4.3 | 10.1 |
| 2013 | 8.8 | 7.6 | 10.0 | 10.2 | 6.1 | 10.6 | 7.7 | 7.9 | 11.5 | |

# Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times in their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 10.3 | 8.8 | 11.3 | 8.7 | 5.6 | 12.6 | 14.3 | 10.8 | | |
| 2005 | 7.7 | 5.4 | 10.0 | 5.0 | 8.6 | 5.0 | 12.7 | 8.2 | 2.6 | |
| 2007 | 8.2 | 5.9 | 10.5 | 5.3 | 6.4 | 11.8 | 10.0 | 8.3 | 2.6 | 13.2 |
| 2011 | 9.5 | 6.1 | 12.4 | 8.7 | 6.5 | 10.5 | 11.4 | 10.3 | 4.7 | 14.8 |
| 2013 | 7.8 | 3.7 | 11.4 | 5.0 | 5.4 | 10.8 | 10.0 | 7.9 | 7.0 | |

## Percentage of students who have used prescription pain relievers or painkillers such as Vicodan, Percocet, OxyContin, Lortabs or Codeine (also called Oxy, Oxy Cotton, Os, Norco, or Vikes) without a doctor's prescription one or more times during their life, Ohio 2011-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|
| 2011 | 21.3 | 19.1 | 23.4 | 16.3 | 16.8 | 23.0 | 29.8 | 23.8 | 8.5 |
| 2013 | 12.8 | 10.2 | 15.1 | 10.5 | 8.7 | 16.2 | 16.5 | 13.2 | 9.2 |

## Percentage of students who have taken most often multiple types of prescription drugs at the same time without a doctor's prescription, Ohio 2013



# Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 5.2 | 5.1 | 5.3 | 6.4 | 3.5 | 4.3 | 6.4 | 5.3 | | |
| 2005 | 3.6 | 2.3 | 4.9 | 4.7 | 5.3 | 1.8 | 2.4 | 3.6 | 3.5 | |
| 2007 | 5.0 | 3.3 | 6.6 | 3.9 | 4.9 | 4.5 | 6.8 | 4.2 | 5.6 | 7.6 |
| 2011 | 3.8 | 2.2 | 5.2 | 3.9 | 3.6 | 3.0 | 4.4 | 3.5 | 3.5 | 6.2 |
| 2013 | 2.7 | 1.8 | 3.6 | 4.4 | 0.4 | 2.9 | 3.2 | 2.1 | 5.8 | |

# Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black | Hispanic |
|---|---|---|---|---|---|---|---|---|---|---|
| 2003 | 2.3 | 1.5 | 2.9 | 3.6 | 1.2 | 2.7 | 0.6 | 2.4 | | |
| 2005 | 1.9 | 0.8 | 3.0 | 1.8 | 2.9 | 0.8 | 2.1 | 1.9 | 1.2 | |
| 2007 | 3.1 | 2.6 | 3.6 | 3.6 | 2.4 | 2.7 | 3.3 | 2.5 | 3.2 | 5.7 |
| 2011 | 3.2 | 4.0 | 2.3 | 3.0 | 1.7 | 3.8 | 3.9 | 3.0 | 1.8 | 8.4 |
| 2013 | 2.2 | 1.0 | 3.3 | 2.1 | 1.0 | 2.2 | 3.1 | 1.8 | 3.6 | |

## Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months, Ohio 2003-2013




| | Total | Female | Male | 9th | 10th | 11th | 12th | NH-White | NH-Black |
|---|---|---|---|---|---|---|---|---|---|
| 2003 | 31.1 | 26.2 | 35.7 | 31.3 | 29.6 | 33.9 | 29.9 | 30.7 | |
| 2005 | 30.9 | 28.1 | 33.5 | 26.2 | 29.8 | 30.5 | 38.3 | 28.3 | 43.6 |
| 2007 | 26.7 | 22.5 | 30.7 | 25.1 | 25.7 | 27.0 | 28.8 | 24.6 | 31.1 |
| 2011 | 24.3 | 20.3 | 27.7 | 22.8 | 23.6 | 26.1 | 22.7 | 24.2 | 25.1 |
| 2013 | 19.9 | 16.9 | 22.6 | 17.3 | 18.4 | 24.5 | 19.3 | 18.8 | 26.2 |