

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Adams County	Yes	No	Yes	No	No	No	No	No	Yes	12	8	Yes	6	6	Yes	Yes
Allen County	No	No	No	Yes	Yes	No	No	No	Yes	6	8	No			Yes	No
Alliance City																
Ashland City																
Ashland County																
Ashtabula County	No	No	No	No	No	No	Yes	Yes	Yes	6	6	Yes	0	0	Yes	Yes
Athens County	Yes	Yes	Yes	Yes	Yes	No	No	No	No	12	8	No			Yes	Yes
Auglaize County	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	yes	6	6	Yes	No
Belmont County	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No	12	8	No				Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to develop and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	 Allowed or Prohibited	Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Adams County	5 years	No		No	Prohibited	Yes
Allen County		Yes	Allowed	No	Prohibited	No
Alliance City						
Ashland City						
Ashland County						
Ashtabula County	After 3/2016	Yes	Allowed	No	Restricted	Yes
Athens County	10 years	Yes	Allowed	No	Restricted	Yes
Auglaize County		No		No	Prohibited	Yes
Belmont County	In progress	Yes	Allowed	No		Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established development Code Main <i>OAC r</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Brown County	No	No	No	No	No	No	Yes	No	Yes	18		Yes	6	6	Yes	Yes
Butler County	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	6	6	Yes	0	0	Yes	Yes
Canton City																
Carroll County	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	Yes	1	1	Yes	No
Champaign County	No	No	No	No	No	No	No	No	No	12	8	No			No	Yes
Cincinnati City	No	No	No	No	No	No	No	No	No						No	

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to operate and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	 Allowed or Prohibited	Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Brown County	Still in committee	Yes	Allowed	No	Prohibited	Yes
Butler County	In progress	Yes	Allowed	No	Prohibited	Yes
Canton City						
Carroll County		No		No		Yes
Champaign County	Active	No		No	Prohibited	No
Cincinnati City	General parameters for all systems in place with continuing education. BOH resolution planned within 1 year.	Not Reviewed		No	No	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established C Main <i>OAC r</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Clark County	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	18	6	Yes	3	3	Yes	No
Clermont County	Yes	Yes	No	Yes	Yes	Yes	Yes	No	No	12	8	No			Yes	Yes
Cleveland City																
Clinton Co.																
Columbiana Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	6	6	Yes	1	1	Yes	Yes
Columbus City	No	No	No	No	No	No	Yes	No	No	12	8	No			Yes	Yes
Conneaut City	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	6	6	Yes	0	0	No	No
Coshocton City	No	No	No	No	No	No	No	No	No			No			No	No
Coshocton Co.	Yes	No	No	Yes	Yes	No	No	No	No	12	8	No				No
Crawford Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	18	6	Yes	4	2	Yes	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to develop and implement Operation and Maintenance (O&M) Rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Allowed or Prohibited</p>	<p>Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)</p>
Clark County	In progress	Yes	Allowed	No	Prohibit	Yes
Clermont County	Already established	Yes	Allowed	Yes	Prohibit	Yes
Cleveland City						
Clinton Co.						
Columbiana Co.		Yes	Allowed	No	Restrict	Yes
Columbus City	12 months	No		No		Yes
Conneaut City	In progress	Yes	Allowed	No		Yes
Coshocton City		No		No	Prohibit	No
Coshocton Co.		Yes	Allowed	No		Yes
Crawford Co.	2 Years	Yes	Allowed	No	Prohibit	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to op and implement Operation and ntenance (O&M) rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Established a Household Sewage Treatment District</p> <p>Allowed or Prohibited</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage</p> <p>OAC rule 3701- 29-19 (F)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment</p> <p>OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment</p> <p>OAC rule 3701- 29-21 (E)</p>
Cuyahoga Co.	1/1/2015	Yes	Prohibited	No	Prohibit	Yes
Darke Co.	Continue with current plan	Yes	Allowed	No		Yes
Defiance Co.	In process	Yes	Prohibited	No	Prohibit	Yes
Delaware Co.	1 year	Yes	Allowed	No	Restrict	Yes
East Liverpool City						
Elyria City	To be determined	Yes	Allowed	No	Prohibit	Yes
Erie Co.	6 months	No		No		Yes
Fairfield Co.		Not Reviewed		No	Prohibited	Yes
Fayette Co.	Current Plan	No		No	Restrict	Yes
Findlay City						

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established development Criteria Maintenance <i>OAC r</i>	
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness			
Franklin Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No			No			Yes	Yes	
Fulton Co.																	
Galion City																	
Gallia Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No			No			Yes	Yes	
Geauga Co.	No	No	No	No	No	No	No	No	Yes	6	6	Yes	0	0	Yes	No	
Girard City																	
Greene Co.	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes	12	6	No			Yes	No	
Guernsey Co.																	
Hamilton City																	
Hamilton Co.	No	No	No	Yes	Yes	Yes	Yes	No	Yes	18	8	Yes	6	0	Yes	Yes	

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to operate and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Allowed or Prohibited</p>	<p>Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)</p>
Franklin Co.		Yes	Allowed	No	Prohibited	Yes
Fulton Co.						
Galion City						
Gallia Co.	1/1/2016 with 5 year reevaluation plan	No		No	Prohibit	Yes
Geauga Co.		Yes	Allowed	No	Restrict	No
Girard City						
Greene Co.		No		no	Not Reviewed	Yes
Guernsey Co.						
Hamilton City						
Hamilton Co.	All systems are inspected now	Yes	Allowed	No	Prohibit	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Hancock Co.	No	No	No	No	No	No	Yes	No	Yes	6	6	Yes	6	6	Yes	Yes
Hardin Co.	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes	6	6	No			Yes	No
Harrison Co.																
Henry Co.	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	Yes	0	6	No	No
Highland Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No			Yes	6	0	Yes	Yes
Hocking Co.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No			No			Yes	No
Holmes Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	6	6	Yes	1	1	Yes	Yes
Huron Co.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No			No			Yes	No
Ironton City																
Jackson Co.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	18	6	Yes	6	6	Yes	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to op and implement Operation and ntenance (O&M) rule 3701-29-19 (A)	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)		Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
	Timeframe	Reviewed	Allowed or Prohibited			
Hancock Co.	20 yrs	Yes	Allowed	No	No	Yes
Hardin Co.		Yes	Allowed	No	Prohibit	Yes
Harrison Co.						
Henry Co.		Yes	Prohibited	No	Prohibit	Yes
Highland Co.		Yes	Allowed	No	Restrict	No
Hocking Co.		Yes	Allowed	no	Not Reviewed	Yes
Holmes Co.	12/31/2015	Yes	Allowed	No	Yes - Limited	Yes
Huron Co.		Yes	Allowed	no	Not Reviewed	Yes
Ironton City						
Jackson Co.	10 years	Yes	Allowed	No	Not Reviewed	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Conditions Main <i>OAC r</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Jefferson Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	6	8	No			Yes	Yes
Kent City																
Knox Co.	No	No	No	No	No	No	No	No	No			No				No
Lake County	No	No	No	Yes	Yes	No	Yes	No	Yes	18	8	Will not establish or recognize for permitting in these conditions.			Yes	Yes
Lawrence County																
Licking County	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	18	6	No			Yes	Yes
Logan County	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	6	6	Yes	0	6	Yes	No

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to op and implement Operation and ntenance (O&M) rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Established a Household Sewage Treatment District</p> <p>Allowed or Prohibited</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage</p> <p>OAC rule 3701- 29-19 (F)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment</p> <p>OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment</p> <p>OAC rule 3701- 29-21 (E)</p>
Jefferson Co.	6 years	Yes	Allowed	No	Prohibit	Yes
Kent City						
Knox Co.	currently working on O+M plan with BOH	No		No	Prohibit	No
Lake County	10 year phase in	Yes	Allowed	No	Prohibit	No
Lawrence County						
Licking County	15 years	Allowed		No	Prohibit	No
Logan County		No		No	Not Reviewed	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Lorain City																
Lorain County	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Yes	18	8	Yes	6	6	Yes	Yes
Lucas County	Yes	Yes	Yes	Yes	Yes	No		Yes	Yes	6	6	Yes	0	0	Yes	Yes
Madison County	No	Yes	No	Yes	Yes	No	Yes	No	Yes	6	6	No			Yes	Yes
Mahoning County	No	No	No	No	No	No	Yes	No	Yes	6	6	Yes	1	3	Yes	Yes
Marietta City																
Marion County	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	12	6	Yes	0	0	Yes	Yes
Massillon City																
Medina Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	18	6	No			Yes	Yes
Meigs Co.	No	No	No	No	No	No	Yes	No	Yes	6	6	Yes	1	1	Yes	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to op and implement Operation and ntenance (O&M) rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	 Allowed or Prohibited	Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Lorain City						
Lorain County	10 years	Yes	Allowed	Yes	Yes - Restricted	Yes
Lucas County	3 years	No		No	Prohibit	Yes
Madison County		No		No	Prohibit	No
Mahoning County		Yes	Allowed	No	Prohibit	Yes
Marietta City						
Marion County		Yes	Allowed	No		Yes
Massillon City						
Medina Co.	no set timeframe	Yes	Allowed	No	Prohibit	Yes
Meigs Co.	2 Months	Yes	Allowed	No		Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Mercer Co.	No	No	Yes	Yes	Yes	No	Yes	No	Yes	6	6	No			No	No
Miami Co.	Yes	No	No	No	No		Yes	No	Yes	6	6	No			No	No
Middletown City	No	No	No	No	No	No	No	No	No						No	No
Monroe Co.	No	No	No	Yes	Yes	No	Yes	No	No			No			No	Yes
Montgomery Co.	No	No	No	No	No	Yes	No	No	No			No			No	No
Morgan Co.																
Morrow Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	12	8	No			No	Yes
Muskingum Co.	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	12	8	No			No	No
New Philadelphia City	No	No	No	No	No	Yes	Yes	No	Yes	12	6	Yes	6	4	Yes	No
Noble Co.	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No			No			No	No

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to operate and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	Allowed or Prohibited	Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Mercer Co.		Yes	Allowed	No		No
Miami Co.		No		No		Yes
Middletown City	implemented 2011	No		No	Not Reviewed	Yes
Monroe Co.	2 years?	No		No	Not Reviewed	No
Montgomery Co.		No		No	Not Reviewed	No
Morgan Co.						
Morrow Co.	2014	Yes	Prohibited	No	Prohibit	No
Muskingum Co.		Yes	Allowed	No	Prohibit	Yes
New Philadelphia City		Yes	Allowed	No	Prohibit	Yes
Noble Co.	1 year	No		No		No

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Oakwood City																
Ottawa Co.	No	No	No	No	No	No	No	No	Yes	6	6	Yes	1	1	Yes	No
Paulding Co.	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	Yes	6	6	No	Yes
Perry Co.																
Pickaway Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No			No			Yes	Yes
Pike Co.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	18	6	No			Yes	Yes
Piqua City																
Portage Co.	Yes	Yes	No	No	No	No	Yes	No	No			No			Yes	No

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to op and implement Operation and ntenance (O&M) rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Allowed or Prohibited</p>	<p>Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)</p>
Oakwood City						
Ottawa Co.	3 to 5 years	Yes	Allowed	No		Yes
Paulding Co.		Yes	Allowed	No	Prohibit	Yes
Perry Co.						
Pickaway Co.	By 1-1-16	Yes	Allowed	No	Restrict	Yes
Pike Co.	1/1/2015	Yes	Allowed	No	Not Reviewed	Yes
Piqua City						
Portage Co.	BOH authorized current practice for aeration systems but has not finalized a plan for all unpermitted STS	Yes	Allowed	No	Prohibit	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Portsmouth City																
Preble Co.	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	Yes	0	0	No	Yes
Putnam Co.	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	6	6	Yes	0	0	No	No
Ravenna City																
Richland Co.	No	Yes	No	Yes	No	No	No	No	Yes	12	8	No			Yes	No
Ross Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	18	8	Yes	6	8	Yes	No
Salem City																
Sandusky Co.	Yes	No	Yes	No	No	No	Yes	No	No			No			No	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to operate and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Allowed or Prohibited</p>	<p>Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)</p>
Portsmouth City						
Preble Co.	Through realty sewage inspections, deed transfers, lot splits, and complaint investigations.	Yes	Allowed	No		No
Putnam Co.	unknown- in process	Yes	Allowed	No	Prohibit	Yes
Ravenna City						
Richland Co.	Working on plan	Yes	Allowed	No	Restrict	Yes
Ross Co.		Allow		No	Restrict	Yes
Salem City						
Sandusky Co.	Not set yet	Yes	Allowed	No	Prohibit	No

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Scioto Co.																
Seneca Co.	Yes	No	No	No	No	No	Yes	No	Yes	12	8	Yes	2	2	No	Yes
Shaker Hts City																
Sharonville City																
Shelby City	Yes	No	Yes	Yes	Yes	No	Yes	No	Yes	12	8	Yes	0	0	No	Yes
Shelby Co.	No	No	No	No	No	No	Yes	No	Yes	6	8	No			Yes	Yes
Springdale City																
Stark Co.	No	Yes	Yes	Yes	Yes	No	Yes	No	Yes	12	12	Yes	6	6	No	No
Summit Co.	Yes	No	Yes	Yes	Yes	Yes	Yes	No	No			No			Yes	Yes
Trumbull Co.	Yes	Yes	Yes	Yes	No	No	Yes	No	Yes	6	6	Yes	0	0	Yes	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to operate and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	Established a Household Sewage Treatment District Allowed or Prohibited	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-19 (F)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Scioto Co.						
Seneca Co.	4/1/2015	No		No	Restrict	No
Shaker Hts City						
Sharonville City						
Shelby City	1/2016 to 1/2021	Yes	Allowed	No	Prohibited	Yes
Shelby Co.	existing program	Yes	Allowed	No	Restrict	No
Springdale City						
Stark Co.		No		No		No
Summit Co.	4 Years	Yes	Allowed	No	Restrict	Yes
Trumbull Co.	continuation of existing phased in	Yes	Prohibited	No	Prohibit	Yes

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

<p>HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS</p>	<p>Established a Plan to op and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A)</p> <p>Timeframe</p>	<p>Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1)</p> <p>Reviewed</p>	<p>Allowed or Prohibited</p>	<p>Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)</p>	<p>Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)</p>	<p>Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)</p>
Tuscarawas Co.	2	No				Yes
Union Co.	1/1/2016	Yes	Allowed	No	Restrict	Yes
Van Wert Co.		Yes	Allow	No	Restrict	No
Vinton Co.	As they become altered/replaced.	Yes	Allowing	No	No	Yes
Warren Co.	Current plan in place, however, revision needed to include the process for absorption of existing STS into the O/M program.	Yes	Allowed	No	Contact the Warren County Health Dept.	Yes
Washington Co.						

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Waivers for Service Providers working on only on their own personal residence <i>OAC 3701-29-03(G)</i>		Waivers for Installers working on only on their own personal residence <i>OAC 3701-29-03(H)</i>			Endorsement of Sanitarians to conduct soil evaluations <i>OAC rule 3701-29-07 (A)</i>	Established Operation Permit Terms & Conditions <i>OAC rule 3701-29-09 (I)(2)</i>	Set Additional Nutrient Reduction Standards <i>OAC rule 3701-29-14 (C)</i>	Vertical Separation Distance (VSD) and Unsaturated In Situ soil thickness to seasonal water set for Soil Absorption <i>OAC rule 3701-29-15 (G)</i>			Vertical Separation Distance (VSD) and Unsaturated In Situ Soil thickness to seasonal water for pretreated effluent to <1000 fecal coliform CFU per 100 ml. <i>OAC rule 3701-29-15 (H)</i>			Permitting Type 1 Gray Water Recycling System <i>OAC rule 3701-29-17 (B)</i>	Established C Mai <i>OAC r</i>
	Registration Fee	CEUs	Registration Fee	Proof of Gen. Liability Insurance	Surety Bond				Reviewed	VSD	In situ thickness	Reviewed	VSD	In situ thickness		
Wayne Co.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	6	6	Yes	1	1	Yes	Yes
Williams Co.	Yes	Yes	Yes	Yes	Yes	Yes		No	Yes	6	6	Yes	0	0	Yes	No
Wood Co.	No	No	No	Yes	Yes	Yes	Yes	No	Yes	12	12	No			Yes	Yes
Wyandot Co.	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	6	6	Yes	0	0	Yes	No
Youngstown City																

*If a space is left blank, the information was not provided to the Ohio Department of Health.

**Any questions, about the information on this survey report, should be addressed with the Local Health District. The Local Health District contact information can be found

1. Go to <https://odhgateway.odh.ohio.gov/LHDInformationSystem/Directory/GetLHDReport>, click on the Local Health District in the "LHDs" section
2. Go to <https://odhgateway.odh.ohio.gov/lhdinformationsystem/Directory/GetMyLHD>, type in the address of the property and click "Search".

BOARD OF HEALTH ACTIONS ASSOCIATED WITH SEWAGE TREATMENT SYSTEMS RULES

HEALTH DEPARTMENTS (City or County), GENERAL or COMBINED HEALTH DISTRICTS w/SEWAGE PROGRAMS	Established a Plan to op and implement Operation and Maintenance (O&M) OAC rule 3701-29-19 (A) Timeframe	Allow Service Providers to collect NPDES Annual Sampling OAC rule 3701-29-19 (E)(1) Reviewed	Allowed or Prohibited	Established a Household Sewage Treatment District OAC rule 3701- 29-19 (F)	Adopted Rules Prohibiting, Restricting, or Limiting Land Application of Septage OAC rule 3701- 29-20 (A)	Required a Permit for Sewage Treatment Systems Abandonment OAC rule 3701- 29-21 (E)
Wayne Co.	Passive-Ongoing through triggered file reviews	Yes	Allowed	No	Restrict	Yes
Williams Co.	no time frame established to date	Yes	Prohibited	No	Restrict	Yes
Wood Co.	5 Years	Yes	Allowed	No	Prohibit	Yes
Wyandot Co.		Yes	Allowed	No	Prohibit	Yes
Youngstown City						

*If a space is left blank, th

**Any questions, about thund in two ways:

ction, then clicking on the small "pdf" icon below the word "Population".