

3701-26-13 **Toilet facilities.**

(A) When toilet facilities are required as established in rule 3701-26-12 of the Administrative Code, they shall:

(1) Be provided in accordance with the following minimum schedule:

-Required Number of Toilet Facilities-

SITES	MEN - Urinals	MEN - Toilets	WOMEN - Toilets
5 - 15		1	1
16 - 30	1	1	2
31 - 60	1	2	3
61 - 90	2	2	4
91 - 120	2	3	5
121 - 150	3	3	6
151 - 200	4	4	8
201 - 300	5	5	10
301 - 400	6	6	12
401 - 500	7	7	14
501 - Up	Add 1 per 200	Add 1 per 200	Add 2 per 200

(2) Be located so that no site is farther than one thousand feet walking distance from such facilities;

(3) Be properly designed, constructed, and maintained. In addition to standard water closets and fixtures, vault privies and portable toilets are acceptable for use at parks or camps. Where water is provided for these facilities, plans shall be submitted to and approved by the Ohio environmental protection agency;

(4) Provide facilities or rooms for men and women. Each facility or room shall be plainly designated. If a family facility is provided it shall be counted as one unit in the total required minimum;

(5) Provide adequate toilet tissue at each toilet fixture;

(6) Be provided with self-closing doors or modesty shields at the entrance and exits;

(7) Be installed and maintained in accordance with the approved plans.

(B) Vault privies shall be constructed of a water-tight holding tank capable of holding a minimum volume of one thousand gallons.

CERTIFIED ELECTRONICALLY

Certification

03/05/2013

Date

Promulgated Under: 119.03
Statutory Authority: 3729.02
Rule Amplifies: 3729.02
Prior Effective Dates: 7/1/1965, 1/1/72, 4/3/80, 3/22/97, 5/1/07