

**3701-83-30 Building and site requirements - inpatient rehabilitation facilities.**

- (A) Each inpatient rehabilitation facility shall have patient bedrooms that, at a minimum, meet the following requirements:
  - (1) Sufficient open floor space to allow each patient or personnel to easily maneuver a wheelchair and to allow for the transfer of each patient from the wheelchair to the bed;
  - (2) Maximum bedroom capacity shall be no more than four patients;
  - (3) A call system that is connected electrically, electronically, by radio frequency transmission, or in a like manner that:
    - (a) Provides for independent operation by each patient from the patient's bed; and
    - (b) Effectively alerts the staff member or members on duty of emergencies or patient needs;
  - (4) A bed of adjustable height with appropriate supports, which facilitates patient transfer from a wheelchair to the bed, for each patient; and
  - (5) Appropriate furnishings and adequate storage space designed to meet the special needs of rehabilitation patients for each patient.
- (B) Each inpatient rehabilitation facility shall provide the following structural features:
  - (1) Flooring shall be designed to minimize slipping;
  - (2) Patient bathrooms shall:
    - (a) Have sufficient space to allow private use of hand washing, toilet, and bathing or shower facilities by a patient in a wheelchair, with an assisting attendant;
    - (b) Be equipped with grab bars and appropriate supports so that physically disabled patients may use toilet, hand washing, and bathing or shower facilities; and
    - (c) Have a call system that is connected electrically, electronically, by radio frequency transmission, or in a like manner that effectively alerts the staff member or members on duty of emergencies or patient needs.
  - (3) Hand rails on both sides of corridors, ramps, and stairs in areas used by patients;
  - (4) Doors to be used by patients shall be wide enough to accommodate wheelchairs;
  - (5) Adequate space designated for group recreation and dining designed to accommodate patients in wheelchairs; and
  - (6) Adequate and appropriate space for the rehabilitation treatment services

provided in the facility that facilitate the treatment goals of the patients served.

Effective: 07/01/2016

Five Year Review (FYR) Dates: 02/16/2016 and 02/15/2021

CERTIFIED ELECTRONICALLY

---

Certification

04/22/2016

---

Date

Promulgated Under: 119.03  
Statutory Authority: 3702.13, 3702.30  
Rule Amplifies: 3702.12, 3702.13, 3702.30  
Prior Effective Dates: 1/13/1996, 9/5/02